

CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

225 E SOUTH STREET

Address

PRINCE HALL

Historic District

Historic Property

020-15-MW

Certificate Number

2/20/2015

Date of Issue

8/20/2015

Expiration Date

This card must be kept pasted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the Inspection, your Certificate of Appropriateness is null and void.

	10 TO		· · ·	Sec.	
Urn	inct	m	OCCE	Int.	on.
	11:11	.,	escri		
	001		0001	-	~

- Install HVAC units at rear of house;
- remove gas lines from rear of house;
- install gutter to cover exterior HVAC line;
- [after-the-fact] remove chain link fence;
- [after-the-fact] remove rear steps from adjacent house.

OK to PERMIT

Signature,

Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.



Development Services
Customer Service Center
Ome Exchange Plaza
1 Exchange Plaza, Suite 400
Rakeigh, North Carolina 27601
Phome 919-996-2495
eFax 919-996-1831

Raleigh Historic I	Development Commissio	n – Certificate of A	Appropriateness (COA) Application			
X Minor Work (staff review) – Major Work (COA Committee of Most Major Work Applica Additions Greater than 25 New Buildings Demso of Contributing Hist	neview) — dions % of Building Square Footagr loric Resource	e	For Office Use Only Tiranesaction # 422425 File # 620 - 15 - M W Fee \$ 29 Amet Paid \$ 29 cash Check # Rec'd Date 21915 Rec'd By Aw			
 If completting by hand, please u 	se BLACK MW . Do mot use blu	e, red, any otther colo	r, or pencil as these do not photocopy.			
Property Street Address 225 S. Toval	SA Saleigh, NVC 27/601					
Historic District Prince H	all					
Historic Property/Landmark name (if app	licable)					
Owner's Name Debra C. Hyson						
Lot size .10 acres	((width in feet)) 58	((dkeptth im fleett)) 78 ,4				
For applications that require review by the COA Committee (Major Work), provide addressed, stamped envelopes to owners of all properties within 100 feet (i.e. both sides, in front (across the street), and behind the property) not including the width of public streets or alleys:						
Property Addire	55		Property Address			
	III 2 DO D 2 JAN WOOTH SEE THE					
			- 1			
I understand that all applications that requi	re review by the commission's	Certificate of Appropr	Satemens Committee must be submitted by 4:00 p.m. on the			

application deadline; otherwise, consideration will be delayed until the following committee meeting. An incomplete application will not be accepted.

Type or print the following:							
Applicant Debra C. Hyson	Applicant Debra C. Hyson						
Mailing Address 414 N. King Charles Rd	Mailing Address 414 N. King Charles Rd						
City Raleigh	Rty Raleigh State NC Zip Code 27610-2236						
Date 2/9/15	Daytime Phone 919-349-0063						
Email Address donyson@earthlink.net							
Signature of Applicant	W)						
	V						
	Missor Work Approval (offlice use only)						
Umon being signed and dated below by the Plan	ning Director or designee, this application becomes the Mino	r Work Certificate of Appropriateness. It is					
1/201/	st the enclosed placard form of the certificate as indicated at						
1	combractor, tenant, or property owner from obtaining any oth						
Milinor work projects mot approved by staff will b	e forwarded to the Certificate of Appropriateness Committee	e four neview at tilhe mext scheduled imeeting.					
- Aug SIW	7	2/20/15					
Signature Over 100 9)	0120/13					
Project Categories (check all that apply):							
X Exterior Alteration		(Office Use Only)					
[] <i>New Construction</i>		Type of Work					
Demolition		30, 40, 11					
Will you be applying for state or federal rehabilitation tax credits for this project?							
□ Yes	,						
□ No							
Design Guidelines Please cite the applicable sec	tioners are tithen alexsisem envialedimens (lowwww aboder avoid						
parades a magaz and made white oppositions some	மாவாக கட்டிய இவரையாக <i> கூக</i> கையாகும் இட						

Section/Page	Торіс	Brief Description of Work
40	Gutthers to hide copper line set	Alteration/Construction/Removal of Gutters and X Downsports
5/0	2 hwac units 25x216 x30 on pads 32x32. Not to be viewed from street	Installation/relocation/removal of Mechanical X Equipment, such as heating and air conditioning units
?	Umable to open door-multiple gas lines zig zaging rear of house	Removal of gas lines that are a hazard to the house
		Amond to remove tence a steps &
		per written description.
		161


	TO BE COMPLETED BY APPLICANT			7.7	CONTRACTORY CIPTORY
		YES	N/A		rajo (www.
graphic i be sure y	B-1/2" × 11" sheets with written descriptions and drawings, photographs, and other information necessary to completely describe the project. Use the checklist below to your application is complete.				
	Vork (staff review) — Vork (CDA Committee review) —				
1.	Whitten description. Describe clearly and in detail the mature of your project. Include exact dimensions for materials to be used (e.g. width of siding, window trim, etc.)	ж		/	
2.	Description of materials (Provide samples, if appropriate)	×			
3.	Photographs of existing conditions are required. Send Via email	жП			
4.	(liff appplicable))				
5.	(if applicable). A plot plan showing relationship of buildings, additions, sidewalks, drives, trees, property lines, etc., must be provided if your project includes any addition, demolition, fences/walls, or other landscape work. Show accurate measurements. You may also use a copy of the survey you received when you bought your proposed work.	×		/	
65.	Drawings showing proposed work xPlan drawings Delevation drawings showing the new façade(s). X Dimensions shown on drawings and/or graphic scale. X 8-1/2" x 11" reductions of full-size drawings. If reduced size is so small as to be illegible, make 8-1/2" x 11" snap shots of individual drawings on the big sheet.			/	
7	Stamped envelopes addinessed to all property owners within 100 feet of property not counting the width of public streets and alleys. ((Required for Major Work)				
8.	Fee ())	ж			

Debra C. Hyson 414 N. King Charles Rd Raleigh, NC 27610-2236 919-349-0063

To: RHDC

Proposal for:

225 E. South St, Raleigh, NC 27601 919-349-0063



1) 2 HVAC Goodinan units $26 \times 26 \times 30$ to be installed in the rear of the property, 6 ft from the left rear wall as facing the back of the building. They will each sit on a pad that is 32×32 .

- 2) One guiter installed to hide the copper line set-this would normally be installed inside the house-but there is not sufficient room for the contractor to access the crawl space to accomplish that project.
- 3) Survey shows a chain link fence that Shaw University put up on the property that encroached on my property. I met with the heads of Shaw prior to purchasing the property. They were given the option to keep the fence and do a recombination survey granting me equal land on the front right side of the building or removing the fence that was place on the property to be purchased. They opted to remove the fence. The steps off the rear porch on two of there buildings also encroached on my property & Shaw removed those as well.
- 4) There are many gas lines zig zagging on the back wall of the property. The lines are not securely fastened to the property and one line prevents the rear door from being opened. The HVAC contractor recommended removing the lines completely from the property.
- 5) Photos of the rear of the property that will be emailed to Tania Tully @

Thank you for your consideration of my proposals

Debra C. Hyson

Tully, Tania

From:

Band, Daniel

Sent:

Friday, February 13, 2015 4:27 PM

To:

Tully, Tania

Subject:

FW: COA Application Comments

Follow Up Flag:

Follow up

Flag Status:

Flagged

Hello Tania, here's a reply from one of our COA applicants.

-Dan

From: Deb [mailto:dchyson@earthlink.net]
Sent: Friday, February 13, 2015 4:23 PM

To: Band, Daniel

Subject: Re: COA Application Comments

Dan-

Sorry- just saw this in the "suspect mail" today. I sent it to my hvac contractor for the specs.

I provided a survey of the property. The rear left corner if you were facing the back of the house- there is a pencil line indicating 6 ft

As in I want to place the units 6 ft from the left rear corner of the house. The units are 26w x 26 L x 30 h. The pads are 32 x 32.

I believe they are goodman units- but will get the exact information for you as well as the info on the gutter.

I penciled in a drawing of the 2 units at this location on the copy of the survey that I provided.

I hope to have the rest of the information to you by Monday. thank you

Debra

Debra C. Hyson Field Pro Services Chief Operations Officer Raleigh, NC 919-349-0063

-----Original Message-----From: "Band, Daniel" Sent: Feb 11, 2015 3:08 PM To: "dchyson@earthlink.net"

Cc: "Tully, Tania"

Subject: COA Application Comments


Debra -

I have reviewed the COA application you submitted for 225 E. South Street and have the following comments and questions:

Tully, Tania

Tully, Tallia	
From: Sent: To: Cc: Subject: Attachments:	Deb <dchyson@earthlink.net> Thursday, February 19, 2015 2:41 PM Band, Daniel Tully, Tania Re: COA Application Comments dlete hvac.pdf</dchyson@earthlink.net>
Follow Up Flag: Flag Status:	Flag for follow up Flagged
had to send in 2 emails- the specs fo and the survey in the first email	r the hvac in this one
thanks Deb	
Debra C. Hyson Field Pro Services Chief Operations Officer Raleigh, NC 919-349-0063	
Original Message From: "Band, Daniel" Sent: Feb 11, 2015 3:08 PM To: "dchyson@earthlink.net" Co: "Tully, Tania" Subject: COA Application Comme	ents
Debra –	
and questions: 1. We'll need more information house (please show on please show on please provided in addition, please provided in addition, please provided in addition, please provided in a please provided in addition.	tion you submitted for 225 E. South Street and have the following comments ation about the proposed gutter to be installed. Where will it be placed on the lot plan)? What are its dimensions? Also, please include a description of h of the gutter. de a picture or spec sheet of the HVAC units to be installed. Of primary need also, please delineate on the plot plan exactly where on the property they will
Thanks,	
Dan	
Daniel Band, Planner I Long Range Planning Division Raleigh Planning Department 919-996-2180 - OEP, 2 nd Floor	- v

1





IMG_20150209_112538555






IMG_20150209_112559468



DIMENSIONS



	DIMENSIONS					
MODEL	W"	D"	H"			
GSZ130181**	26	26	321/4			
GSZ130241**	26	26	321/4			
GSZ130301**	26	26	321/4			
GSZ130361**	29	29	321/4			
GSZ130421**	29	29	38¼			
GSZ130481**	29	29	34¼			
GSZ130601**	35½	35½	34¼			

ACCESSORIES

Model#	DESCRIPTION	GSZ13 018	GSZ13 024	GSZ13 030	GSZ13 036	GSZ13 042	GSZ13 048	GSZ13 060
0130R00000S	Low-pressure Switch Kit	X	Х	Х	Х	Х	Х	Х
ABK-20	Anchor Bracket Kit ⁰	X	Х	Х	Х	Х	Х	Х
ASC-01	Anti-Short Cycle Kit	Х	Х	Х	Х	Х	Х	Х
AFE18-60A	All-fuel Kit	Х	Х	Х	Х	Х	Х	Х
CSR-U-1	Hard-start Kit	Х	Х	Х	Х	Х	Х	Х
FSK01A ¹	Freeze Protection Kit	Х	Х	Х	Х	Х	Х	Х
OT18-60A ²	Outdoor Thermostat	X	Х	Х	Х	Х	Х	Х
OT/EHR18-60	Emergency Heat Relay kit	Х	Х	Х	Х	Х	Х	Х
TX2N4 ³	TXV Kit	Х						
TX2N4A ³	TXV Kit	Х	Х					
TX3N4 ³	TXV Kit			Х	Х			
TX5N4 ³	TXV Kit					Х	Х	Х

⁶ Contains 20 brackets; four brackets needed to anchor unit to pad

Goodman Manufacturing Company, L.P., reserves the right to discontinue, or change at any time, specifications or designs without notice or without incurring obligations. © 2014 Goodman Manufacturing Company, L.P. • Houston, Texas • Printed in the USA.

Installed on indoor coil

² Required for heat pump applications where ambient temperatures fall below 0°F with 50% or higher relative humidity.

Condensing units and heat pumps with reciprocating compressors require the use of start-assist components when used in conjunction with an indoor coil using a non-bleed thermal expansion valve refrigerant metering device or liquid line solenoid kit. The TXV should always be sized based on the tonnage of the outdoor unit.



Air Conditioning & Heating

GSZ13

ENERGY-EFFICIENT R-410A SPLIT SYSTEM HEAT PUMP 1½ TO 5 TONS

COOLING CAPACITY: 17,400 TO 57,000 BTU/H HEATING CAPACITY: 17,000 TO 58,000 BTU/H



Contents

Nomenclature	. 2
Product Specifications	3
Expanded Cooling Data	4
Expanded Heating Data	18
AHRI Ratings	20
Wiring Diagram2	27
Dimensions 2	28
Accessories :	2

Standard Features

- R-410A chlorine-free refrigerant
- High-efficiency scroll compressor
- SmartShift® technology to ensure quiet reliable defrost
- · Factory-installed bi-flow liquid-line filter drier
- Factory-installed suction-line accumulator
- Factory-installed compressor crankcase heater
- · Factory-installed high-capacity muffler
- High- and low-pressure switches
- Service valves with sweat connections and easy access to gauge ports
- · Copper tube/enhanced aluminum fin coil
- Fully charged for 15' of tubing length
- · Contactor with lug connection
- Ground lug connection
- AHRI Certified; ETL Listed

Cabinet Features

- Goodman® brand sound control top design
- Steel louver coil guard
- Heavy-gauge galvanized-steel cabinet
- Attractive Architectural Gray powder-paint finish with 500-hour salt-spray approval
- · Top and side maintenance access
- Service ports and controls are accessible while unit is operating
- When properly anchored, meets the 2010 Florida Building Code unit integrity requirements for hurricane-type winds (Anchor bracket kits available.)











