

CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

Address OAKWOOD Historic District Historic Property 118-14-MW Certificate Number 8/13/2014 Date of Issue 2/13/2015 Expiration Date

This card must be kept pasted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the Inspection, your Certificate of Appropriateness is null and void.

100		-	500.00		
PA.	net	110	CEP	11321	on:
w	e.	UC	87 U I	ш	UII
				100	

	Change previously approved COA 101-14-WW 101
	installation of light fixtures and ceiling fan.
I	
Ī	
	1

Signature,

Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.



Development Services
Customer Service Center
One Exchange Plaza
1 Exchange Plaza, Suite 400
Raleigh, North Carolina 27601
Phone 919-996-2495
eFax 919-996-1831

Raleigh Hi	istoric Development Commissio	n – Certificate of Appropriateness (COA) Application
☐ Most Major Work ☐ Additions Greater ☐ New Buildings ☐ Demo of Contribut ☐ Post Approval Re-revie	iew) – 1 copy imittee review) – 13 copies c Applications r than 25% of Building Square Footage uting Historic Resource ew of Conditions of Approval please use BLACK INK. Do not use blue	For Office Use Only/ 40 4436 3341320 File # 18-14- MW Fee
Property Street Address 605	.62	
Historic District Oakwood	1	
Historic Property/Landmark nam	ne (if applicable)	
Owner's Name New Star	t Development LLC	
Lot size 6,094 sqft	(width in feet)	(depth in feet)
		ork), provide addressed, stamped envelopes to owners of all properties within operty) not including the width of public streets or alleys:
Propert	ty Address	Property Address
	Α	
7 1	, A	
- Mariana de la companya del companya de la companya del companya de la companya		
I understand that all applications to application deadline; otherwise, co	hat require review by the commission's onsideration will be delayed until the fol	Certificate of Appropriateness Committee must be submitted by 4:00 p.m. on the llowing committee meeting. An incomplete application will not be accepted.


Type or print the fol	lowing:				
Applicant Mich	elle Cella		311		
Mailing Address 5	717 Corbon Cre	st Ln			
city Raleigh		State NC Zip Code 27612			
Date 7/30/20	14	Daytime Phone	704-224-6154		
Email Address Mi	chelle.Cella4485	@gmail.c	om		
Signature of Applica	nt <u>Alichell</u>	cill	~		
valid until	Please post I not relieve the applicant, co	ing Director or des t the enclosed plac ontractor, tenant,	card form of the certificate as indicated at or property owner from obtaining any otl	or Work Certificate of Appropriateness. It is at the bottom of the card. Issuance of a Minor ther permit required by City Code or any law. The for review at the next scheduled meeting.	
Project Categories (c Exterior Al Addition New Const Demolition Will you be applying Yes No	teration	ation tax credits	for this project?	(Office Use Only) Type of Work	
Design Guidelines Ple	ease cite the applicable section	ons of the design (guidelines (www.rhdc.org).		
Section/Page	Topic			cription of Work	
***				exterior porch lantern lights	
	Exterior Front Porch	Ceiling Light		exterior porch ceiling light	
	Exterior Front F	Porch Fan	Changing selection	n for exterior porch fan	

Chang to COA 101-14-11W

TO BE COMPLETED BY APPLICANT			ТО В	TO BE COMPLETED BY CITY STAFF		
		YES	N/A	YES	NO	N/A
graphic i be sure y Minor W	-1/2 " x 11" sheets with written descriptions and drawings, photographs, and other information necessary to completely describe the project. Use the checklist below to your application is complete. Fork (staff review) – 1 copy					
1.	ork (COA Committee review) – 13 copies Written description. Describe clearly and in detail the nature of your project Include exact dimensions for materials to be used (e.g. width of siding, window trim, etc.)	1183			I S	
2.	Description of materials (Provide samples, if appropriate)	×				
3.	Photographs of existing conditions are required.	×				
4.	Paint Schedule (If applicable)		x			
5.	<u>Plot plan</u> (if applicable). A plot plan showing relationship of buildings, additions sidewalks, drives, trees, property lines, etc., must be provided if your project includes any addition, demolition, fences/walls, or other landscape work. Show accurate measurements. You may also use a copy of the survey you received when you bought your property. Revise the copy as needed to show existing conditions and your proposed work.	t	x			
6.	Drawings showing proposed work	-				
	 Plan drawings Elevation drawings showing the new façade(s), Dimensions shown on drawings and/or graphic scale. 		x			
	8-1/2" x 11" reductions of full-size drawings. If reduced size is so small as to be illegible, make 8-1/2" x 11" snap shots of individual drawings on the big sheet.					
7.	Stamped envelopes addressed to all property owners within 100 feet of property not counting the width of public streets and alleys. (Required for Major Work)		х		7.	
8.	Fee (See Development Fee Schedule)					

Changing selection of 2 Exterior Porch Lights:

Replacing 2 porch lights beside the front door with:






Castine 20 83-in H Rubbed Bronze Outdoor Wall Light

Rubbed bronze finish and traditional design will complement many styles
Includes a clear seedy glass globe
Requires one 100-watt medium base bulb or CFL equivalent

· All mounting hardware and instructions are included for an easy installation

	Outdook	Hardware Included	Yes
Туре	wall- `	Glass Color	Clear
	light	Glass Style	Seeded
Motion Activated	No	Power Source	Hardwired
Manufacturer Color/Finish	Rubbed	Style	Traditional
managetars; coloni illion	bronze	ENERGY STAR Qualified	No
Fixture Height (Inches)	20.38	Package Quantity	1.0
Fixture Width (Inches)	8.5	$\sum_{i \in \mathcal{I}_{i}} \sum_{i \in \mathcal{I}_{i}} \sum_{i$	Die-cast
Fixture Depth (Inches)	10.75	Material	aluminum
Weather Resistant/Weatherproof	Weather	Color/Finish Family	Bronze
vveather ixesistand vveatherproof	resistant	Dark Sky	No
Maximum Bulb Wartage	100.0	Collection Name	Castine
Bulbs Included /	No		Medium
Number of Bulos Required	1.0	Light Bulb Base Type	base (E-
UL Safety Listing	Yes		26)
CSA Safety Listing	Yes	Recommended Light Bulb Shape	A21
ETL Safety Listing	Yes	Size Classification	Medium (6.1-in-9- in)

Changing Porch Fan Selection:



5 Minute Outdoor 52-in New Bronze Outdoor Downrod or Flush Mount Ceiling Fan

Color/Finish Family	Bronze	Downro
Manufacturer Color/Finish	New Bronze	Motor
Fan Diameter (Inches)	52.0	Revers
Number of Blades	5.0	UL Saf
Reversible Blades	Yes	CSA S
	Black Mahogany	ETL Sa
Blade Finish	Wood Grain/Black	Collect
	Mahogany Smooth All-	Shade/
	Weather Plastic	Iris Tec
Application	Indoor/Outdoor	Light B
Outdoor Usage Rating	Damp location	Recom
Light Kit	Adaptable	Style
The state of the s	0.0	Lowe's
Number of Lights	0.0	Numbe
Maximum Bulb Wattage		Motor T
Remote Control Included	No	Lighting
ENERGY STAR Qualified	No	A STATE STATE OF
High Speed Airflow (CFM)	4893.0	Angle I
High Speed Electricity Use (Watts)	68.0	
Airflow Efficiency (CFM/Watt)	72.0	
Mounting Options	Downrod or flush mount	

Downrod Length (Inches)	3.0
Motor Speeds	3
Reverse Air Flow	Yes
UL Safety Listing	No
CSA Safety Listing	No
ETL Safety Listing	Yes
Collection Name	5 Minute Fan® Outdoor
Shade/Glass Type	N/A
lris Technology	No
Light Bulb Base Type	No base
Recommended Light Bulb Shape:	No bulb
Style	Traditional
Lowe's Exclusive	Yes
Number of Bulbs Required	0.0
Motor Type	AC
Lighting Technology	Standard
Angle Mount Capable	Yes

Changing selection of Exterior Porch Ceiling Light:



Castine 10.9-in W Bronze Outdoor Flush-Mount Light

- Rich, rubbed bronze finish and traditional design will complement many styles Includes clear seeded glass panels
- Requires one 40-watt medium base bulb
- All mounting hardware and instructions are included for an easy installation
- Simple and beautiful way to update your homes curb appeal

	Outdoor	Hardware Included	Yes	
Туре	flush- mount	Glass Color	Clear	
	light	Glass Style	Seeded	
Motion Activated	No	Power Source	Hardwired	
Manufacturer Color/Finish	Rubbed	Style	Traditional	
Walturacturer Colon Illian	bronze	ENERGY STAR Qualified	No	
Fixture Height (Inches)	7.6	Package Quantity	1.0	
Fixture Width (Inches)	10.9		Die-cast	
Fixture Depth (Inches)	10.9	Material	aluminum	
Weather Resistant/Weatherproof	Weather resistant	Color/Finish Family	Bronze	
vieather Resistant/ vveather proof		Collection Name	Castine	
Maximum Bulb Wattage	40.0	上面於65 并在1.350年(11.00年) 2.00年) 2.00年(2.00年)	Large	
Bulbs Included	No	Size Classification	(9.1-in	
Number of Bulbs Required	2:0	Mary Control Control of the State of St	and above)	
UL Safety Listing	Yes	Recommended Light Bulb Shape	A21	
CSA Safety Listing	Yes	ACCUSED AND AND AND AND AND AND AND AND AND AN	Medium	
ETL Safety Listing	Yes	Light Bulb Base Type	base (E- 26)	



Tully, Tania

From:

Tully, Tania

Sent:

Thursday, August 07, 2014 10:46 AM

To:

michelle.cella4485@gmail.com

Cc:

Ekstrom, Vivian (Vivian.Ekstrom@raleighnc.gov)

Subject:

COA Application for 605 Elm Street

Michelle -

Thank you for submitting your Certificate of Appropriateness (COA) application for the 605 Elm Street. The application is complete, but the proposed lighting fixture is too large/elaborate for the house. Assuming that the 20" height includes the upper swirl, a fixture that does not include that portion is likely approvable.

The next step is to either submit a new light fixture proposal or the additional information required to request this as a Major Work application to be heard by the commission.

Please let me know if you have any questions.

Best, Tania

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

Tully, Tania

From:

Brian Kubis <bri> sprian.kubis@gmail.com>

Sent:

Monday, August 11, 2014 10:42 PM

To:

Tully, Tania; Michelle Cella

Subject:

Fwd: COA Application for 605 Elm Street

Follow Up Flag:

Flag Status:

Follow up

Flagged

Hey Tania,

Before resubmitting with a new lamp we wanted to clarify if the lamp was too large because of the swirl or if the swirl was too elaborate or both? We found a similar model that is only 14in. Would this work?

Thanks for your help with everything! We really appreciate it and look forward to joining the neighborhood!

Brian



Type ,	Outdoor wall- mount light
Motion Activated	No
Manufacturer Color/Finish	Mystic black
Fixture Height (Inches)	14.0
Fixture Width (Inches)	9.0
Fixture Depth (Inches)	8.0
Weather Resistant/Weatherproof	Weather resistant
Maximum Bulb Wattage	100.0
Bulbs Included	No
Number of Bulbs Required	1.0
UL Safety Listing	No

CSA Safety Listing	No
ETL Safety Listing	Yes
Hardware Included	Yes
Glass Color	Clear
Glass Style	Beveled
Power Source	Hardwired
Style	Traditional
ENERGY STAR Qualified	No
Package Quantity	1.0
Material	Steel
Color/Finish Family	Black
Dark Sky	No
Collection Name	Brayden
Light Bulb Base Type	Medium base (E-26)
Recommended Light Bulb Shape	A19
Size Classification	Medium (6.1-in-9-in)