

CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

Project Description:

215 WOLFE STREET (CITY MARKET COMPLEX) Change exterior paint colors; Address remove light fixtures; MOORE SQUARE install light fixtures; **Historic District** remove awnings; change surface of parking lot; **Historic Property** screen transformers: 156-15-MW remove railings at City Market building.. Certificate Number 11/12/2015 Date of Issue 5/12/2016 OK to PERMIT **Expiration Date**

This card must be kept pasted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the Inspection, your Certificate of Appropriateness is null and void.

Signature, Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.




Development Services
Customer Service Center
One Exchange Plaza
1 Exchange Plaza, Suite 400
Raleigh, North Carolina 27601
Phone 919-996-2495
eFax 919-996-1831

Raleigh Historic Development Commission -	- Certificate of Appropriateness	(COA) Application
---	----------------------------------	-------------------

RALL	☐ New Buildings ☐ Demo of Contributing Hist Post Approval Re-review of Co	copy review) – 13 copies tions % of Building Square Footage toric Resource nditions of Approval		For Office Use Only Transaction # 451362 File # 156 15- MW Fee Amt Paid \$ 4900 Check # Cs (dit cac decided) Rec'd Date 10 26 15 Rec'd By
•				, or pencil as these do not photocopy.
Property	Street Address 215 Wolfe	Street (administra	tive offices)	
Historic D	District Moore Square H	Historic District		" "
Historic P	Property/Landmark name (if app	olicable) City Market		
Owner's	Name Hakan Market P	artners		
Lot size √	aries/multiple	(width in feet)		(depth in feet)
For applic	cations that require review by the	ne COA Committee (Major W	ork), provide addresso	ed, stamped envelopes to owners of all properties within
100 feet ((i.e. both sides, in front (across t	he street), and behind the pr	operty) not including	the width of public streets or alleys:
	Property Addre	ss		Property Address
		п		
	<u> </u>			
		W		
				4
		7		ateness Committee must be submitted by 4:00 p.m. on the

Type or print the follo	owing:		and the second s	
		120mt NI	=hC	APPENDICATION OF THE PROPERTY
	LAN MARKET		0/05	
	10 PALM AV		***************************************	
City CARPINI		State CA		Zip Code 93 013
Date 10-23	-15	Daytime Phone	(805)684-9000	fi s
Email Address	\bigcirc	11-1		
Signature of Applican	:- ()	Haka	V	
	2 2 2 2 1	Minor We	ork Approval (office use only)	
valid until 5/12 Work Certificate shall	not relieve the applicant, o	st the enclosed place contractor, tenant, o	eard form of the certificate as indicated at or property owner from obtaining any oth	r Work Certificate of Appropriateness. It is the bottom of the card. Issuance of a Minor her permit required by City Code or any law.
Minor work projects n	ot approved by staff will b	e forwarded to the		e for review at the next scheduled meeting.
	· ·			
				MITA STOP AS AS AS AS AS ASSAULT OF THE STOP AS
Project Categories (ch Exterior Alt Addition New Constr	eration	s ss s		(Office Use Only) Type of Work
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition	eration	itation tax credits f	for this project?	ಂದ ಕರು ಪರ್ಮಾರ್ಡಿ ಗುಂದರ ಅರ್ಜ್ಡಿಕವಾಗಿದ್ದರು ಇ. ಆ
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition	eration	itation tax credits f	for this project?	ಂದ ಕರು ಪರ್ಮಾರ್ಡಿ ಗುಂದರ ಅರ್ಜ್ಡಿಕವಾಗಿದ್ದರು ಇ. ಆ
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f	eration	itation tax credits f	for this project?	ಂದ ಕರು ಪರ್ಮಾರ್ಡಿ ಗುಂದರ ಅರ್ಜ್ಡಿಕವಾಗಿದ್ದರು ಇ. ಆ
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No	eration ruction or state or federal rehabil	e e	for this project? guidelines (www.rhdc.org).	ಂದ ಕರು ಪರ್ಮಾರ್ಡಿ ಗುಂದರ ಅರ್ಜ್ಡಿಕವಾಗಿದ್ದರು ಇ. ಆ
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No	eration ruction or state or federal rehabil	e e	guidelines (www.rhdc.org).	ಂದ ಕರು ಪರ್ಮಾರ್ಡಿ ಗುಂದರ ಅರ್ಜ್ಡಿಕವಾಗಿದ್ದರು ಇ. ಆ
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No Design Guidelines Plea	eration ruction or state or federal rehabil ase cite the applicable sect	e e	guidelines (www.rhdc.org).	Type of Work
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No Design Guidelines Plea	eration ruction or state or federal rehabil ase cite the applicable sect	e e	guidelines (www.rhdc.org).	Type of Work
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No Design Guidelines Plea	eration ruction or state or federal rehabil ase cite the applicable sect	e e	guidelines (www.rhdc.org).	Type of Work
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No Design Guidelines Plea	eration ruction or state or federal rehabil ase cite the applicable sect	e e	guidelines (www.rhdc.org).	Type of Work
☐ Exterior Alt ☐ Addition ☐ New Constr ☐ Demolition Will you be applying f ☐ Yes ☐ No Design Guidelines Plea	eration ruction or state or federal rehabil ase cite the applicable sect	e e	guidelines (www.rhdc.org).	Type of Work

-,	TO BE COMPLETED BY APPLICANT			TO BE COMPLETED BY CITY STAFF		
		YES	N/A	YES	NO	N/A
graphic i be sure y	-1/2 " x 11" sheets with written descriptions and drawings, photographs, and other information necessary to completely describe the project. Use the checklist below to rour application is complete. Fork (staff review) – 1 copy ork (COA Committee review) – 13 copies	u.				
1.	Written description. Describe clearly and in detail the nature of your project. Include exact dimensions for materials to be used (e.g. width of siding, window trim, etc.)	X		1/		
2.	Description of materials (Provide samples, if appropriate)	X				
3.	Photographs of existing conditions are required.	X		1		
4.	Paint Schedule (if applicable)	図		1		
5.	<u>Plot plan</u> (if applicable). A plot plan showing relationship of buildings, additions, sidewalks, drives, trees, property lines, etc., must be provided if your project includes any addition, demolition, fences/walls, or other landscape work. Show accurate measurements. You may also use a copy of the survey you received when you bought your property. Revise the copy as needed to show existing conditions and your proposed work.	Ø		V		
6.	Drawings showing proposed work ☐ Plan drawings ☐ Elevation drawings showing the new façade(s). ☐ Dimensions shown on drawings and/or graphic scale. ☐ 8-1/2" x 11" reductions of full-size drawings. If reduced size is so small as to be illegible, make 8-1/2" x 11" snap shots of individual drawings on the big sheet.	ĮZI		/	/	,
7.	Stamped envelopes addressed to all property owners within 100 feet of property not counting the width of public streets and alleys. (Required for Major Work)			8		X
8.	Fee (See Development Fee Schedule)	NCT N				



CITY MARKET

MINOR WORK SUBMISSION
Raleigh Historic District Commission

DATE: 10.16.2015



SITE PLAN

BUILDING AND ELEVATIONS KEY

*Note: Drawings not to scale.

GENERAL SCOPE OF WORK:

[For all buildings unless noted otherwise]

- 1. Awning removal in locations as noted in elevations;
- 2. Color changes to storefronts, windows and trim in buildings as noted in

- Paint color changes to buildings previously painted; new colors as noted;
 Walkable gravel topping over parking lot at former Zydeco's;
 Screening of transformers at parking lot adjacent to the former Zydeco's space with moveable planters and/or screen plantings;

 6. Alteration/Installation/Removal of exterior lighting fixtures; new fixture
- types as noted.
- 7. Power wash (low pressure on exposed brick) all exterior building surfaces

COLOR PALLETTE

FOR REFERENCE ONLY; ACTUAL SAMPLES ALSO SUBMITTED



Description:

Toledo Wall Sconce features an old silver finish frame

with a clear shade. One 75-watt, 120 volt A19 medium

base incandescent bulb is required, but not included.

Dimensions: 11W x 14.75H x 12.5D.

Fox: (773) 883-6131

8 W. Fullerton Ave. Chicago IL 60614



FIXTURE TYPE

02

Lamp:

Wattage: 100W N/A

Toledo Outdoor Wall Sconce

Lightology



Fax: (773) 883-6131

Phone: 866-954-4489

8 W. Fullerton Ave. Chicago IL 60614





Shown In: Silver

List Price: \$272.50 Our Price: \$218.00

Shade Color: N/A Body Finish: Silver

1 x A19/Medium (E26)/100W/120V 1 x A19/Medium (E26)/120V

Dimmer: Dimensions: 14.75"H x 11"W





Description:

depth.

Admiral Simple Wall Sconce is a nautical-inspired

cage detail. Finish available in Antique Bronze or

compact fluorescent lamp option. Incandescent option includes 120 volt, 100 watt A19 medium base incandescent lamp. Compact fluorescent includes 120 volt, 26 watt GX24q-3 base triple tube lamp and non-dimmable electronic ballast. ETL listed. Suitable for

outdoor use. 5.5 inch width x 13 inch height x 9 inch

Polished Nickel. Available with incandescent or

mariner light with White glass diffuser and classic metal

Shown In: Antique Bronze / White

List Price: \$510.00 Our Price: \$408.00

Shade Color: White

Body Finish: Antique Bronze

1 x A19/Medium (E26)/100W/120V Lamp:

Wattage:

100W

Incandescent Dimmer: Dimensions: 13"H x 5.5"W x 9"D



NOSTALGIA

14", 16" Diameter Aluminum Shade w/ Glass and Guard Options

1/2 IP and 3/4 IP Arm and Stem Options

Fixture

- Aluminum shade
- · Incandescent, fluorescent and HID lamp options
- · Glass and Guard Options

Finishes

- · Shade, Arm, and Stem Finish Options
- · See reverse side of sheet for Finish Options

Mounting

- 1/2 IP and 3/4 IP arms available
- Stem and pendant options

NC14 NC16

NC14, NC16

ORDERING EXAMPLE 2 NC16 M TGP FGWC / 2 SL23 TGP

1/2" IPS Nostalgia, 16" Shade, Incandescent Medium Base, 120V,

Textured Graphite Shade Finish, Frosted Glass w/ Wire Cage / ½" IPS Small Loop Arm - 23", Textured Graphite Arm Finish

THI	EAD	CAT NO.	LAMP/BAL	LAST ¹	SHADE/MOUNT FINISH2	ACCESSORII	ıs
2	1/2" IPS	NC14	M	Incandescent Med Base 100W max	All Standard and	CG	Clear Glass
3	34" IPS	NC16	FC	4-pin Compact Fluorescent	Coastal Finish Option – Add "-C" to end of order number CC Specify finish for Shade and Arm or Stem separately as in the example above. CC	FG	Frosted Glass
			GU24 ³	GU24 Base Compact Fluorescent		OG	Opal Glass
			HC	HID/Canopy Ballast		CGG	Clear Glass w/ Cast Guard
	(6		HP	HID/Post Ballast		FGG	Frosted Glass w/ Cast Guard
			HR	HID/Remote Ballast		OGG	Opal Glass w/ Cast Guard
						CGWC	Clear Glass w/ Wire Cage
					Cage or Guard finish will match Shade finish.	FGWC	Frosted Glass w/ Wire Cage
			2			OGWC	Opal Glass w/ Wire Cage

LIGHT FIXTURE TYPES



STANDARD

16" Diameter Aluminum Shade w/ Glass and Guard Options

1/2 IP and 3/4 IP Arm and Stem Options

Fixture

- Aluminum shade
- · Incandescent and fluorescent lamp options
- · Glass and Guard Options

Finishes

- · Shade, Arm and Stem Finish Options
- · See reverse side of sheet for Finish Options

Mounting

- 1/2 IP and 3/4 IP arms available
- · Stem and Pendant Options

RS16





ORDERING EXAMPLE 2 RS16 M BK / 2 W1 BK


'A'' IPS Standard, 16" Shade, Incandescent Medium Base, 120V, Gloss Black Shade Finish / 'A'' IPS Traditional Wall Mount, Gloss Black Mount Finish


THREAD		CAT NO.	LAMP/BALLAST		SHADE/MOUNT FINISH	ACCESSORIES		
2	1/2" IPS	RS16	М	Incandescent Med Base 100W max	All Standard and	CG	Clear Glass	
3 ¾" IPS	34" IPS	Coastal Finish Option – Add "-C" to end of	GU24 Base Compact Fluorescent Special	Specialty Finishes	FG	Frosted Glass		
			OG	Opal Glass				
			CGG	Clear Glass w/ Cast Guard				
			order number	Specify finish for Shade	FGG	Frosted Glass w/ Cast Guard		
					and Arm or Stem separately	OGG	Opal Glass w/ Cast Guard	
		as in the example above.	CGWC	Clear Glass w/ Wire Cage				
					Cage or Guard finish will match Shade finish.	FGWC	Frosted Glass w/ Wire Cage	
						OGWC	Opal Glass w/ Wire Cage	
						WG	Wire Guard	

LIGHT FIXTURE TYPES









C.ty Market Building MARKET HALL: COLOR PALETTE

City Market building

Market Hall has a unique history in the City of Raleigh and a certain iconic presence in the downtown area. Throughout our research of Spanish Mission style in the area and the time, and an interview with the grandson of the Architect, it became evident that the building was meant to have a detailed palette of colors.

Based on historic (black and white photos) we inferred that the doors and windows were meant to have a dark color and all the surrounding trim a a light color. There were no steel columns or railings originally but we do know that they were added early on. We understand that the architect meant to have a brown, white and green palette for the building and therefore we have selected these colors within the historic palette and applied therm accordingly to all wood trim (including canopy undersides), windows and doors and all metal surfaces like columns and trusses.



Current photo



Historic photos showing detailed contrast between trim and windows/doors

COLOR PALLETTE **BROWN: ROCKWOOD DARK BROWN [SW 2808] BROWN: ALL INNER FRAMES** WHITE: CLASSICAL WHITE [SW 2829] GREEN: JADITE [SW 6459] WHITE: ALL OUTER FRAMES BROWN: ALL INNER FRAMES WHITE: ALL EXTERIOR WOOD FASCIA AND GUT-TERS; WOOD CEILING ON UNDERSIDE OF CANOPY **OVERHANGS** WHITE: ALL OUTER FRAMES **BROWN: ALL DOORS AND INNER WINDOW** GREEN: ALL EXTERIOR METAL, FRAMES, ENTIRE BUILDING **INCLUDING STAIRS, HAND-**

Current photo of elevation above

ELEVATION A-1

MARKET BUILDING: NORTH ELEVATION

E. Martin Street

WORK TO BE DONE ON THIS ELEVATION:

- PAINT OUTER WINDOW FRAMES WHITE; PAINT INNER WINDOW MUL-LIONS AND SASH BROWN; PAINT ALL DOORS BROWN.
- ALL METALS TO BE PAINTED GREEN.
 THESE INCLUDE ALL STEEL COLUMNS,
 STEEL TRUSSES SUPPORTING CANOPY
 OVERHANGS, AND EXTERIOR STAIRS
 AND HANDRAILS.
- REMOVE ALL EXTERIOR RAILINGS NOT ASSOCIATED WITH A STAIR, AS NOTED.

RHDC MINOR WORK SUBMITTAL: CITY MARKET

RAILS AND COLUMNS

- REMOVE RAILS AS NOTED ON PHOTO
- PAINT OUTER WINDOW FRAMES WHITE; PAINT INNER WINDOW MULLIONS AND SASH BROWN;
- · PAINT ALL DOORS BROWN.
- ALL METALS TO BE PAINTED GREEN. THESE INCLUDE ALL STEEL COLUMNS, STEEL TRUSSES SUPPORTING CANOPY OVERHANGS, AND REMAINING EXTERIOR STAIRS AND HANDRAILS.

COLOR PALLETTE

BROWN: ROCKWOOD DARK BROWN [SW 2808]


WHITE: CLASSICAL WHITE [SW 2829]

GREEN: JADITE [SW 6459]

ELEVATION A-2

MARKET BUILDING: EAST ELEVATION

Blake Street





WHITE: ALL WOOD TRIM, UNDERSIDE OF CANOPY, EXPOSED CONDUIT AND SPLINKLER PIPES

REMOVE RAILING ON SIDEWALK (NOT ORIGINAL)

Current photo of elevation above



[sim. to Elevation A-1]

- PAINT OUTER WINDOW FRAMES WHITE; PAINT INNER WINDOW MULLIONS AND SASH BROWN; PAINT ALL DOORS BROWN.
- ALL METALS TO BE PAINTED GREEN. THESE INCLUDE ALL STEEL COLUMNS, STEEL TRUSSES SUPPORTING CANOPY OVERHANGS, AND EXTERIOR STAIRS AND HANDRAILS.
- REMOVE ALL EXTERIOR RAILINGS NOT ASSOCIATED WITH A STAIR, AS NOTED.

COLOR PALLETTE


BROWN: ROCKWOOD DARK BROWN [SW 2808]
WHITE: CLASSICAL WHITE [SW 2829]

GREEN: JADITE [SW 6459]

ELEVATION A-3

MARKET BUILDING: SOUTH ELEVATION

Wolfe Street



Current photo of elevation above

[sim. to Elevation A-2]

- PAINT OUTER WINDOW FRAMES WHITE; PAINT INNER WINDOW MULLIONS AND SASH BROWN;
- PAINT ALL DOORS BROWN.
- ALL METALS TO BE PAINTED GREEN. THESE INCLUDE ALL STEEL COLUMNS, STEEL TRUSSES SUPPORTING CANOPY OVERHANGS. AND EXTERIOR STAIRS AND HANDRAILS.


COLOR PALLETTE

BROWN: ROCKWOOD DARK BROWN [SW 2808] WHITE: CLASSICAL WHITE [SW 2829]

GREEN: JADITE [SW 6459]

ELEVATION A-4

MARKET BUILDING: WEST ELEVATION Parham Street





WHITE: ALL WOOD TRIM, UNDERSIDE OF CANOPY, EXPOSED CONDUIT AND SPLINKLER PIPES







- REMOVE AWNINGS.
- PAINT WOOD STOREFRONT TRIM AND WINDOWS.
- REMOVE LIGHT TFIXTURES AS NOTED

COLOR PALLETTE

WHITE: CLASSICAL WHITE [SW 2829] LIGHT BLUE: MEDITATIVE [SW 6227]

ELEVATION B-1

BUILDING B: NORTH ELEVATION E. Martin Street



- REMOVE AWNINGS AS NOTED.
- PAINT EXISTING PAINTED BRICK AS NOTED.
- PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.
- REPLACE LIGHT FIXTURES AS NOTED.

COLOR PALLETTE DARK GRAY: WESTCHESTER GRAY [SW 2849] BLACK: IRON ORE [SW 7069] TAN: DOWNING STRAW [SW 2813] GRAY: ARGOS [SW 7065] WHITE: CLASSICAL WHITE [SW 2829]

LIGHT GREEN: ROCKWOOD JADE [SW 2812]

ELEVATION B-2

BUILDING B: WEST ELEVATION

Blake Street






Photo of elevation above for reference

COLOR PALLETTE

PAINT STUCCO TAN

TAN: DOWNING STRAW [SW 2813]

ELEVATION B-3 and C-2

BUILDINGS B & C: SOUTH AND NORTH ELEVATION







PAINT STUCCO TAN

- REMOVE AWNINGS AS NOTED.
- · PAINT EXISTING PAINTED BRICK AS NOTED.
- PAINT EXISTING ALL EXISTING WOOD STOREFRONT AND DOWNSPOUTS BLACK
- REPLACE LIGHT FIXTURES ON CENTER BUILDING (BLUE) AS NOTED.

COLOR PALLETTE

TAN: DOWNING STRAW [SW 2813]
BLACK: IRON ORE [SW 7069]

ELEVATION C-1

BUILDING C: WEST ELEVATION

Blake Street



WORK TO BE DONE:

- REMOVE AWNINGS AS NOTED.
- POWER WASHING.
- GRAVEL TOPPING ON ASPHALT COVERED AREA

ELEVATION D-2

BUILDING D: NORTH ELEVATION Wolfe Street [faces parking lot]



- REMOVE AWNINGS AS NOTED.
- · PAINT EXISTING PAINTED BRICK GRAY AS NOTED.
- · PAINT EXISTING WOOD STOREFRONT TRIM RED AS NOTED.

COLOR PALLETTE

RED: ROYCROFT COPPER RED [SW 2839]

GRAY: ARGOS [SW 7065]

ELEVATION D-3

BUILDING D: WEST ELEVATION Parham Street [faces parking lot]



- REMOVE AWNINGS AS NOTED.
- PAINT EXISTING PAINTED BRICK GRAY AS NOTED.
- PAINT EXISTING WOOD STOREFRONT TRIM RED AS NOTED.
- REPLACE EXISTING LIGHT FIXTURES AS NOTED.

COLOR PALLETTE

RED: ROYCROFT COPPER RED [SW 2839] GRAY: ARGOS [SW 7065]

ELEVATION D-4

BUILDING D: NORTH ELEVATION Wolfe Street




Photo of elevation at left for reference

- · REMOVE ALL AWNINGS THIS ELEVATION.
- PAINT EXISTING PAINTED BRICK GRAY AS NOTED.
- PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.
- PAINT EXISTING BARN DOORS DARK GRAY AS NOTED.
- REPLACE LIGHT FIXTURES AS NOTED.

COLOR PALLETTE

RED: ROYCROFT COPPER RED [SW 2839]

GRAY: ARGOS [SW 7065]

BLACK: IRON ORE [SW 7069]

ELEVATION D-5

BUILDING D: EAST ELEVATION

Blake Street





Elevation of Big Ed's for reference only--(does not represent current conditions)


- REMOVE ALL AWNINGS AS NOTED.
- · REMOVE AND REPLACE LIGHT FIXTURES AS NOTED.
- PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.

COLOR PALLETTE

MEDIUM BLUE: RAINSTORM [SW 6230]
BLACK: IRON ORE [SW 7069]

ELEVATION E-1

BUILDING E: WEST ELEVATION
S. Blount Street





Photos of elevation above for reference and completeness

- REMOVE ALL AWNINGS AS NOTED.
- REMOVE AND REPLACE LIGHT FIXTURES AS NOTED.
- · PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.
- PAINT EXISTING PAINTED BRICK AS NOTED.

COLOR PALLETTE

BLUE: INDIGO BATIK [SW 7602]
BLACK: IRON ORE [SW 7069]
WHITE: CLASSICAL WHITE [SW 2829]

ELEVATION E-2

BUILDING D: NORTH ELEVATION

E. Martin Street



- REMOVE ALL AWNINGS.
- REMOVE AND REPLACE LIGHT FIXTURES AS NOTED.
- PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.
- PAINT EXISTING PAINTED BRICK AS NOTED.

COLOR PALLETTE

BLUE: INDIGO BATIK [SW 7602] BLACK: IRON ORE [SW 7069] WHITE: CLASSICAL WHITE [SW 2829] MEDIUM BLUE: RAINSTORM [SW 6230]

ELEVATION E-3

BUILDING E: EAST ELEVATION Parham Street





Photos of elevation above for reference

COLOR PALLETTE

ELEVATION E-4

BUILDING E: SOUTH ELEVATION Wolfe Street

MEDIUM BLUE: RAINSTORM [SW 6230]

REMOVE ALL AWNINGS AS NOTED.

· REMOVE AND REPLACE LIGHT FIXTURES AS NOTED.

PAINT EXISTING WOOD STOREFRONT TRIM AS NOTED.



REMOVE EXISTING LIGHT FIX-TURES; REPLACE WITH SINGLE FIX-TURES ONLY AT BRICK PIERS NEXT TO STOREFRONT OPENINGS; USE FIXTURE TYPE 04



Photos of elevation above for reference





Tully, Tania

From:

Tully, Tania

Sent:

Friday, October 30, 2015 10:26 AM

To:

Bea de Paz (bea_depaz@gensler.com) (bea_depaz@gensler.com)

Cc:

'Mike Hakan'; Robinson, Simone; Band, Daniel

Subject:

COA for City Market

Bea -

I am reviewing the COA application for City Market and would like a bit of additional information on the gravel parking area.

- Please send a larger versions of the existing condition photo and the photo of the treatment at the art museum. (Elevation D-2)
- How will the gravel be contained? Will any granite curbing be disturbed?
- Please confirm that repairs will be made to the brick as needed where light fixtures are removed and not replaced.

Thanks! Tania

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

Band, Daniel

From:

Bea de Paz <bea_depaz@gensler.com>

Sent:

Monday, November 09, 2015 1:42 PM

To:

Tully, Tania

Cc:

Mike Hakan; Robinson, Simone; Band, Daniel

Subject:

RE: COA for City Market

Attachments:

DSC_2546.JPG; IMG_1391.JPG

Follow Up Flag:

Follow up

Flag Status:

Flagged

Tania,

I am addressing your comments below in this email in RED.

- Please send a larger versions of the existing condition photo and the photo of the treatment at the art museum.
 (Elevation D-2) See attached files, they are form NCMA and also I wanted to point out that it is the same gravel used currently at the First Presbyterian Church in Raleigh.
- How will the gravel be contained? Will any granite curbing be disturbed? The idea is not to disturb any curbing
 but to use a landscape edging product similar to this one.



http://www.permaloc.com/products/structuredge.html

 Please confirm that repairs will be made to the brick as needed where light fixtures are removed and not replaced. Confirmed.

Let us know if this works or if you need any other type of documentation.

Regards, Bea

Bea de Paz, AIA LEED AP Senior Associate +1 919.239.7844 Direct +1 919.239.7828 Main

Gensler

530 Hillsborough Street Raleigh, North Carolina 27603 USA

From: Tully, Tania [mailto:Tania.Tully@raleighnc.gov]

Sent: Friday, October 30, 2015 4:24 PM
To: Bea de Paz < bea depaz@gensler.com >

Cc: Mike Hakan < MJHakan@HakanMarketPartners.com >; Robinson, Simone < Simone.Robinson@raleighnc.gov >; Band,

Daniel < <u>Daniel.Band@raleighnc.gov</u>> **Subject:** RE: COA for City Market

Feel free to take until Tuesday.

I have the COA meeting Monday and will not be looking at applications.

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

From: Bea de Paz [mailto:bea depaz@gensler.com]

Sent: Friday, October 30, 2015 4:18 PM

To: Tully, Tania

Cc: Mike Hakan; Robinson, Simone; Band, Daniel

Subject: RE: COA for City Market

Tania,

I will gather this information and send to you on Monday.

Thanks and have a great weekend!

Bea

Bea de Paz, AIA LEED AP Senior Associate +1 919.239.7844 Direct +1 919.239.7828 Main

Gensler

530 Hillsborough Street Raleigh, North Carolina 27603 USA

From: Tully, Tania [mailto:Tania.Tully@raleighnc.gov]

Sent: Friday, October 30, 2015 10:26 AM
To: Bea de Paz < bea depaz@gensler.com >

Cc: Mike Hakan < MJHakan@HakanMarketPartners.com >; Robinson, Simone < Simone.Robinson@raleighnc.gov >; Band,

Daniel < Daniel.Band@raleighnc.gov >

Subject: COA for City Market

Bea -

I am reviewing the COA application for City Market and would like a bit of additional information on the gravel parking area.

• Please send a larger versions of the existing condition photo and the photo of the treatment at the art museum. (Elevation D-2)

- How will the gravel be contained? Will any granite curbing be disturbed?
- Please confirm that repairs will be made to the brick as needed where light fixtures are removed and not replaced.

Thanks! Tania

Tania Georgiou Tully, Preservation Planner Long Range Planning Division Raleigh Department of City Planning 919.996.2674 919.516.2684 (fax) tania.tully@raleighnc.gov

COA process information is available here.

City Market COA



