

CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

	Project Description:	
409 E JONES STREET		
Address	 Alter roof covering. 	
OAKWOOD		
Historic District		
Historic Property		
196-16-MW		
Certificate Number		
12-28-2016		
Date of Issue		
06-28-2017		
Expiration Date		
This card must be kept pasted in a location within public		

This card must be kept pasted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the Inspections Department. If you do not call for this final inspection, your Certificate of Appropriateness is null and void.

Signature Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.

Raleigh Historic Development Commission – Certificate of Appropriateness (COA) Application



Development Services
Customer Service Center
One Exchange Plaza
1 Exchange Plaza, Suite 400
Raleigh, North Carolina 27601
Phone 919-996-2495
eFax 919-996-1831




 Minor Work (staff review) – 1 copy Major Work (COA Committee review) – 10 copies Additions Greater than 25% of Building Square Footage New Buildings Demo of Contributing Historic Resource All Other Post Approval Re-review of Conditions of Approval 		For Office Use Only Transaction # 495367 File # 196-16-MW Fee 5 29.00 Amount Paid 29.00 CC Received Date 1121116 Received By 2400 CC
Property Street Address 409 Eas	t Jones Street Raleigh NC 27601	
Historic District Oakwood		
Historic Property/Landmark nam	e (if applicable) 067-15-MW	
Owner's Name Parker Davis Jac	cob Parrott	
Lot size	(width in feet) 55	(depth in feet) 98
0.0	.e. both sides, in front (across the stre	k), provide addressed, stamped envelopes to owners et), and behind the property) not including the width
Property Ad	dress	Property Address

I understand that all applications that require review by the commission's Certificate of Appropriateness Committee must be submitted by 4:00 p.m. on the application deadline; otherwise, consideration will be delayed until the following committee meeting. An incomplete application will not be accepted.

Type or print the follow	ving:		
Applicant William Mad	lison		
Mailing Address POE	Вох 6177		
City Raleigh		State NC	Zip Code 27628
Date 11/15/2016	9	Daytime Phone 919.422.6039	
Email Address madiso	onrenovationsnc@gma	il.com	
Applicant Signature			
Will you be applying fo			Office Use Only Type of Work
Desig	n Guidelines - Please o	cite the applicable sections of the design guidel	ines (<u>www.rhdc.org</u>).
Section/Page	Topic	Brief Description of Work (atta	ach additional sheets as needed)
3.5	Roofing	Replace the existing green shingled architectural shi	roof with a new Certianteed Landmark Ingle in Charcoal.

Minor Work Approval <u>(office use only)</u>									
Upon being signed and dated below by the Planning Director or designee, this application becomes the Minor Work Certificate of									
Appropriateness. It is valid until 6/25/17. Please post the er	closed placard f	orm of the	certificate	as indica	ted at				
the bottom of the card. Issuance of a Minor Work Certificate shall not relieve the applicant, contractor, tenant, or property owner from									
obtaining any other permit required by City Code or any law. Minor Works are s	ubject to an app	eals perio	d of 30 day	s from the	e date				
of approval.									
Signature (City of Raleigh) Date 12/25/16									
TO BE COMPLETED BY APPLICANT				TO BE COMPLETED BY CITY STAFF					
	YI	ES N/							
Attach 8-1/2" x 11" or 11" x 17" sheets with written descriptions and drawings, ph									
and other graphic information necessary to completely describe the project. Use the									
below to be sure your application is complete.		-	/						
Minor Work (staff review) – 1 copy			V						
		/							
Major Work (COA Committee review) – 10 copies									
 Written description. Describe clearly and in detail the nature of your projection. Include exact dimensions for materials to be used (e.g. width of siding, windless of the second secon	dow trim	_							
etc.)			V						
					131113				
Description of materials (Provide samples, if appropriate)									
Photographs of existing conditions are required. Minimum image size 4" x 6"	as printed				-				
		1							
Maximum 2 images per page. Per Client - photos already submitted									
4. Paint Schedule (if applicable)					/				
Plot plan (if applicable). A plot plan showing relationship of buildings, additions,									
sidewalks, drives, trees, property lines, etc., must be provided if your project includes					1				
any addition, demolition, fences/walls, or other landscape work. Show accurate		,	1						
measurements. You may also use a copy of the survey you received when you bought your property. Revise the copy as needed to show existing conditions and			1						
your proposed work.									
Drawings showing existing and proposed work									
☐ Plan drawings					-/				
☐ Elevation drawings showing the façade(s)		7 r	1		1				
☐ Dimensions shown on drawings and/or graphic scale (required)		-	J						
☐ 11" x 17" or 8-1/2" x 11" reductions of full-size drawings. If redu so small as to be illegible, make 11" x 17" or 8-1/2" x 11" sna									
individual drawings from the big sheet.	28		Sales Sales						
Stamped envelopes addressed to all property owners within 100 feet of property not									
counting the width of public streets and alleys (required for Major Work). Use the]						
Label Creator to determine the addresses.			. 1977/198						
8. Fee (See Development Fee Schedule)	[]							

HOME / RESIDENTIAL ROOFING / PRODUCTS / LANDMARK®



CHARCOAL

LANDMARK®

OVERVIEW

TECHNICAL INFO

INSTALLATION

WARRANTY

FIND A PRO

LANDMARK®

Landmark is CertainTeed's tried-and-true architectural laminate roofing shingle. Designed to replicate the appearance of cedar shake roofing, Landmark is available in an impressive array of colors that compliment any trim, stucco or siding.

- · Dual-layered construction provides extra protection from the elements
- Ten year StreakFighter® algae-resistance warranty
- Priced at a fraction of the cost of traditional cedar shake

PRODUCT OVERVIEW

- Energy Star® Rated Products Brochure
- Landmark Series Brochure Northwest
- Landmark Series Brochure North Central
- <u>Landmark Series Brochure Lake Central</u>
 (<u>More Info</u>)

TECHNICAL SPECS

- ICC-ES ESR-1389
- FL-5444 Asphalt Roofing Shingles
- ICC-ES ESR-3537
- MSDS Asphalt Shingle AR
 (More Info)

INSTALLATION

- <u>Landmark Installation Instructions</u>
- Video:Installing Landmark five course pattern, alternate closed cut valley & skylight flashing (More Info)

WARRANTY

- Asphalt Shingle Limited Warranty

ROOFING SHINGLES

CERTAINTEED

LANDMARK®

ROOFING

STANDS OUT

FROM THE

REST

TECHNICAL INFORMATION

- Two-piece laminated fiber glass-based construction
- 229 / 240 lbs. per square (weight dependent on manufacturing facility)
- · UL Class A fire resistance
- UL certified to meet ASTM D3462
- UL certified to meet ASTM 3018 Type I
- Conforms to CSA standard A123.5
- Miami-Dade Product Control Acceptance: Please see the Notice of Acceptance (NOA) to determine approved products by manufacturing location.

SPECS

- <u>ICC-ES ESR-1389</u>
- FL-5444 Asphalt Roofing Shingles
- <u>ICC-ES ESR-3537</u>
- MSDS Asphalt Shingle AR
- MSDS Asphalt Shingle non-AR
- Data Sheet Landmark Series
- 3-Part Spec Landmark
- 3-Part Spec Landmark AR
- Miami-Dade NOA Landmark

- Landmark UL USA Compliance
- Landmark UL Canada Compliance
- <u>ICC-ES-ESR-1389</u>

INSTALLATION

Applying a roof system correctly is essential to the warranty and performance of the roof.

Please refer to the installation instructions for complete details. Available in both English and Spanish.

INSTALLATION

- Landmark Installation Instructions
- Video:Installing Landmark five course pattern, alternate closed cut valley & skylight flashing

WARRANTY DETAILS

CertainTeed warrants that its shingles will be free from manufacturing defects, and provides the extra assurance of SureStart™ protection. Below are highlights of the warranty for Landmark®. See CertainTeed's Asphalt Shingle Products Limited Warranty document for specific warranty details regarding this product.

- Lifetime, limited transferable warranty
- 10-year SureStart™ warranty (100% replacement and labor costs due to manufacturing defects)
- 10-year StreakFighter® warranty against streaking and discoloration caused by airborne algae
- 15-year, 110 mph wind-resistance warranty

• Wind warranty upgrade is available for Landmark up to 130 mph. Specified CertainTeed starter and CertainTeed hip and ridge are required

WARRANTY

- Asphalt Shingle Limited Warranty
- SureStart Warranty Brochure
- International Roofing Warranty

EXPORT INFORMATION

Landmark® asphalt roofing shingles are available for Export. Please review the related Export documents for additional information.

EXPORT LINKS

- Export Roofing Selection Guide
- International Limited Product Warranty
- Declaration of Performance Documents

Anagnost, John

From:

Will Madison <madisonrenovationsnc@gmail.com>

Sent:

Wednesday, November 23, 2016 1:38 PM

To:

Anagnost John

Cc:

Anagnost, John

Subject:

Tully, Tania 409east jones street pics

Attachments:

IMG_7750.JPG; ATT00001.txt; IMG_7751.JPG; ATT00002.txt; IMG_7752.JPG; ATT00003.txt





