



CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

Project Description:

Construct (2) 3'-6" stone columbarium walls; install brick pavers; construct limestone stepping stone path; relocate existing light poles

120 E Edenton St

Address

Capitol Square

Historic District

Christ Episcopal Church

Historic Property

COA-0082-2024

Certificate Number

7/31/2024

Date of Issue

1/31/2025

Expiration Date

This card must be kept posted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the inspections Department. If you do not call for this final inspection, your Certificate of Appropriateness is null and void.

Signature, _____

Elin Morton Pugh

Raleigh Historic Development Commission

Pending the resolution of appeals, commencement of work is at your own risk.

Type or print the following:

Applicant name: Lane Nash

Mailing address: 120 E Edenton St

City: Raleigh

State: NC

Zip code: 27601

Date: 07/10/2024

Daytime phone #: 919-834-6259

Email address: lanetnash@gmail.com

Applicant signature:

Lane J. Nash

- Minor work (staff review) – one copy
- Major work (COA committee review) – ten copies
 - Additions > 25% of building sq. footage
 - New buildings
 - Demolition of building or structure
 - All other
- Post approval re-review of conditions of approval

Office Use Only

Transaction #: _____

File #: COA-0082-2024

Fee: _____

Amount paid: _____

Received date: _____

Received by: _____

Property street address: 120 E Edenton St

Historic district: Capitol Area Historic District

Historic property/Landmark name (if applicable): Christ Episcopal Church

Owner name: The Rector & Wardens & Vestrymen of Christ Episcopal Church

Owner mailing address: 120 E Edenton St, Raleigh, NC 27601

For applications that require review by the COA Committee (major work), provide addressed and stamped envelopes for owners for all properties with 100 feet on all sides of the property, as well as the property owner.

Property Owner Name & Address	Property Owner Name & Address
The Rector & Wardens & Vestrymen of Christ Episcopal Church 120 E Edenton St, Raleigh, NC 27601	4 North Blount LLC 120 E Edenton St, Raleigh, NC 27601
North Carolina State of the State Property Office 116 W Jones St, Raleigh, NC 27603	
State Employees Credit Union PO Box 26807, Raleigh, NC 27611	
Capital Apartments LLC Christ Episcopal Church 1201 E Edenton St, Raleigh, NC 27610	
Katherine Elizabeth Haywood 127 E Edenton St, Raleigh, NC 27601	
Sanaa Properties, LLC 261 Hedrick Dr, Henderson, NC 57537	

I understand that all major work applications that require review by the Raleigh Historic Development Commission's COA Committee must be submitted by 4 p.m. on the date of the application deadline; otherwise, consideration will be delayed until the following committee meeting. An incomplete application will not be accepted.

Will you be applying for rehabilitation tax credits for this project? Yes <input type="radio"/> No <input checked="" type="radio"/>	Office Use Only Type of work: <u>35, 48, 83, 87</u>
Did you consult with staff prior to filing the application? <input checked="" type="radio"/> Yes <input type="radio"/> No	

Design Guidelines: please cite the applicable sections of the design guidelines (www.rhdc.org).		
Section/Page	Topic	Brief description of work (attach additional sheets as needed).
1.3	Site Features and Plantings	Install additional brick pavers; construct columbarium site walls
1.4	Fences and Walls	Construct columbarium site walls
1.5	Walkways, Drives, and Off-Street Parking	Install additional brick pavers and stepping stones
1.7	Lighting	Install integrated lighting in new columbarium site walls

Minor Work Approval (office use only)	
<p>Upon being signed and dated below by the Planning Director or designee, this application becomes the Minor Work Certificate of Appropriateness. It is valid until <u>01/31/2025</u>.</p> <p>Please post the enclosed placard form of the certificate as indicated at the bottom of the card. Issuance of a Minor Work Certificate shall not relieve the applicant, contractor, tenant, or property owner from obtaining any other permit required by City Code or any law. Minor Works are subject to an appeals period of 30 days from the date of approval.</p>	
Signature (City of Raleigh) <u><i>Erin Martha Pugh</i></u>	Date <u>07/31/2024</u>

Minor Work Application | **Christ Episcopal Church Memorial Garden**

June 20, 2024 *Revised July 31, 2024*

This application is for site work to occur at Christ Episcopal Church at 120 E. Edenton Street, located within the Capitol Area Historic District. The outdoor space directly south of the sanctuary has long been referred to as the Memorial Garden by the church; the space is currently used for interments and memorial services, and as a gathering area for members of the congregation. The space is enclosed by the original iron churchyard fence and is defined by a garden of mature trees and a variety of shrubs and ivies, bisected by brick paver pathways with coves of park benches. The proposed work to the Memorial Garden includes the introduction of two new columbarium site walls with integrated lighting, a small addition of brick and limestone paved area, and site lighting.

Architectural

The two new columbarium walls were designed with longevity in mind – it is important that they relate to and seamlessly integrate with the historic site of Christ Church, and that they will be a durable, enduring component of the Memorial Garden. The columbaria will be of a style similar to the existing walls on site and will be faced with the stone sourced from the same quarry used in the 2016 renovation to the church. The wall cap will be a limestone similar in color to the stone of the sanctuary's window surrounds, and the columbarium niche faceplates will be comprised of marble to closely match the color of the limestone wall cap. Integrated wall lighting will be similar in application to the step lights in the existing site walls.

The tree protection plan included in the application package shows the precautionary measures being employed to protect the existing mature trees on the site. Where new architectural elements are being constructed in close proximity to existing root systems, the tree care recommendations outlined in the arborist report will be utilized to prevent root loss.



Christ Church Columbarium Project

Written Description of Proposed Landscape Work for Minor Application

7-31-24

Hardscape Work

Small Plaza at Tall Columbarium Wall: a new brick plaza will be located in front of the tall Columbarium wall to provide space for small services and gatherings, or space for individual reflection. The existing brick plaza is approximately 162 SF and does not work with the layout of the new wall. The new brick plaza will be slightly larger at 272 SF and is designed to replace the existing plaza with a similar size and feel area that fits with the Columbarium wall. The terrace and connecting sidewalk will be paved with brick pavers that match the existing brick pavers in the Memorial Garden, and will include a limestone border to match the limestone cap on the columbarium wall. The new plaza will be 8' x 27' and results in a minimal increase in paved surface in this area.

Stepping Stone Path: at the low columbarium wall, there will be a stepping stone path of 12" x 24" limestone pavers to allow access to the low Columbarium wall, and will add approximately 60 SF of new paving in this area. The limestone will match the other existing limestone elements on the south side of the church. The remaining existing brick sidewalks will remain unchanged.

Landscape Lighting


The existing garden has (10) low voltage path lights and (2) low voltage uplights on the cross. For the proposed work, the existing uplights on the cross will remain and (2) additional path lights will be added to the garden. When possible, the existing path lights will be re-used and relocated to illuminate the new circulation patterns. If new fixtures are required, they will match the existing fixtures. The goal is to softly illuminate the walking surfaces in the Memorial Garden and maintain the existing uplighting on the cross.

Lamp posts – Currently there are (3) lamp posts along the sidewalk from New Bern Place to the entrance at the South Transept of the church. In order to accommodate the location of the low Columbarium wall, the (2) lamp posts on the west side of the sidewalk must be moved to the east, by approximately 36". The lamp post on the east side of the transept walk will be moved to the west by approximately 24", in order to maintain the symmetry of the lamp posts and the sidewalk, and to maintain the symmetrical focus on the South Transept door of the church.

Re: COA-0082-2024 (120 E Edenton St) - Minor Work



Tara West <twest@clearscapes.com>
To: Morton Pugh, Erin
Cc: collette.kinane@raleigh.gov; bthompson



Wed 7/31/2024 3:51 PM

Hi Erin,

You are correct – the trees proposed to be removed are not of a regulated size, all being under 8" caliper.

TARA WEST, AIA
CLEARSCAPES | 501 S. Person Street | Raleigh, NC 27601 | 919.821.2775 | www.clearscapes.com



1 – View from corner of N Wilmington St & New Bern Pl – Looking northeast



2 – View from New Bern Pl – Looking northwest



3 – Play Area – From curved path looking southwest



4 – Brick Walk and Memorial Garden – From sanctuary steps looking southwest



5 – Brick Walk and Memorial Garden – From south gate looking north



6 – Play Area and Brick Walk – From walkway intersection looking southeast



7 – Memorial Garden – From brick arch looking southwest



8 – Memorial Garden – From brick circle looking south to cross



9 – Memorial Garden – From cross looking north



10 – Memorial Garden – From side gate looking east



11 – Memorial Garden – From side gate looking south



12 – Site Wall at Play Area – From curved path looking south



13 – Site Wall at Play Area – Detailed view of existing in-wall lighting



14 – Window Surround Material – Sanctuary south wall




15 – Sanctuary Steps and Arch Surround – From brick walk intersection looking north



16 – Stone Steps – Near south gate looking west

NOT TO SCALE



VICINITY MAP (NOT TO SCALE)

JOHN A. EDWARDS JR., P.L.S., certify that this plat was drawn under my supervision from an actual survey made under my supervision (see description recorded in Book N/A, page N/A, etc.) (other); that the boundaries not surveyed are clearly indicated as drawn from information found in Book N/A, page N/A; that the ratio of precision as calculated is 1:20,000; that this plat was prepared in accordance with G. S. 47-30 as amended. Witness my original signature, license number and seal this 14th day of APRIL, A.D., 2015.

John A. Edwards Jr.
Surveyor
L-2776
License Number

Seal of Stamp
NORTH CAROLINA PROFESSIONAL LAND SURVEYOR
L-2776
JOHN A. EDWARDS JR.

N/F
STATE OF NORTH CAROLINA
PIN# 1703.27-78-6949
DB 2411, PG 378

I, John A. Edwards Jr., P.L.S., do hereby certify that the location of the subject property has been checked against area maps & information provided by the Federal Emergency Management Agency (F.E.M.A.) for the National Flood Insurance Program and that the property is not located in an area designated as having special flood hazards. Property is located in Zone "X" as defined by F.I.R.M. Community Panel Number 3720170300J with an effective date of May 2, 2006.

NCGS MONUMENT "SALED"
PID: E26605
N: 739,495.57
E: 2,106,788.99
NAD83(2001)

Name of Surveyor
John A. Edwards Jr.
L-2776
License Number
APRIL 14, 2015
Date




- This survey creates a subdivision of land within the area of a county or municipality that has an ordinance that regulates parcels;
- This survey is located in a portion of a county or municipality that is unregulated as to an ordinance that regulates parcels of land;
- This survey is of an existing parcel or parcels of land;
- This survey is of another category, such as the recombination of existing parcels, a court-ordered survey, or other exception to the definition of subdivision;

SURVEYOR'S NOTES

1. All distances are horizontal ground.
2. All dimensions are in feet unless otherwise noted.
3. All areas computed using coordinates from measured field data.
4. Basis of bearings is NC Grid NAD 83(2001) and Vertical Datum is NAVD 88. Subject Property is tied to NCGS Monuments "SALED" & "RALEIGH LONGITUDE".

AREA TABLE


OLD AREAS	
OLD PIN 1703.27-79-5350	7,709 SQ. FT.(0.1770 AC.)
OLD PIN 1703.27-79-5350	49,456 SQ. FT.(1.1354 AC.)
TOTAL	57,165 SQ. FT.(1.3124 AC.)
NEW AREA	
LOT 1	57,165 SQ. FT. (1.3124 AC.)



This plat or map is not a subdivision, but a recombination of previously platted property, and meets all statutory requirements for recording.

Kevin A. Bowen
Planning Director/Wake County Review Officer
4/30/15

STATE OF North Carolina
COUNTY OF Johnston
I certify that the following person(s) personally appeared before me this day, each acknowledging to me that he or she voluntarily signed the foregoing document for the purpose stated therein and in the capacity indicated: J. Blount Williams
DATE: April 24, 2015
Signature: Tracy Rairigh
Printed name: Tracy Rairigh
My commission expires: May 23, 2018



THIS PLAT NOT TO BE RECORDED AFTER 14 DAY OF May 15
1 COPY TO BE RETAINED FOR THE CITY.
THIS PLAT IS IN OUT OF THE CITY LIMITS

N/F
STATE OF NORTH CAROLINA
PIN# 1703.27-79-4542
DB 688, PG 00CVS

N/F
STATE OF NORTH CAROLINA
PIN# 1703.27-79-5558
DB 2304, PG 147

N/F
STATE OF NORTH CAROLINA
PIN# 1703.27-79-6553
DB 1804, PG 679


N/F
HAYWOOD STORY, MARGARET WOOD
PIN# 1703.27-79-7552

SITE DATA

OWNER: THE RECTORS & WARDENS & VESTRYMEN OF CHRIST CHURCH
119 NEW BERN PL
RALEIGH, NC 27601-1413
WARDENS VESTRY OF CHRIST CHURCH
PO BOX 25778
RALEIGH, NC 27611-5778
OLD PIN(S): 1703.27-79-5350
1703.27-79-6353
ZONING: O&I-2
OVERLAY DISTRICTS HOD-G & DOD
LAND USE: RES CONV
REFERENCE: DB 527 PG 242
DB 2899 PG 342
DB 2493 PG 21
DB 15552 PG 1785
DB 1689 PG 514
WAKE COUNTY REGISTRY

This certifies and warrants that the undersigned is (are) the sole owner(s) of the property shown on this map or plat and any accompanying sheets subject to the exceptions on record, having acquired the property in fee simple by deed(s) recorded in the office of the Register of Deeds of Wake County, North Carolina, or otherwise, as shown below and as such, has (have) the right to convey the property in fee simple, and that the dedicator(s) will warrant and defend the title against the lawful claims of all persons whomsoever unless excepted herein and that by submission of this plat or map for approval (in) to the City of Raleigh for public use of streets, easements, rights-of-way, parks and greenways, (as these interests are defined in the code), and as the same may be shown thereon, for all lawful purposes to which the city may devote or allow the same to be used and upon acceptance thereof in accordance with all city policies, ordinances, regulations or conditions of the City of Raleigh for the benefit of the public, said dedication shall be irrevocable; provided, any dedication of easements for storm drainage are not made to the City of Raleigh but are irrevocably made to the subsequent owner(s) of any and all properties shown hereon for their use and benefit subject to conditions of subsection (b), (c), (d) and (f) of section 1 and section 4 of the "City Storm Drainage Policy" (Resolution 1970-742 as the same may be from time to time amended).

Book No. Page No. Signature(s) of Property Owner(s)
J. Blount Williams
THE RECTORS & WARDENS & VESTRYMEN OF CHRIST CHURCH
BY: *J. Blount Williams*
PRESIDENT



LINE TABLE

LINE #	LENGTH	DIRECTION
L1	10.50'	N88°08'11"W

N/F
STATE OF NORTH CAROLINA
PIN# 1703.27-78-6949
DB 711 PG 43

WAKE COUNTY, NC 273
LAURA M RIDDICK
REGISTER OF DEEDS
PRESENTED & RECORDED ON
05/04/2015 15:51:30



BOOK: BM2015 PAGE: 00711

- LEGEND
- IPS IRON PIPE SET
 - N/F NOW OR FORMERLY
 - R/W RIGHT OF WAY
 - BM BOOK OF MAPS
 - DB DEED BOOK
 - PG PAGE
 - EIP EXISTING IRON PIPE
 - EMAG EXISTING MAG NAIL
 - CP COMPUTED POINT
 - PROPERTY BOUNDARY LINE
 - RIGHT OF WAY LINE
 - ADJOINING PROPERTY LINE
 - EXISTING IMPROVEMENTS
 - EXISTING BUILDING

XXX DENOTES PROPERTY ADDRESS

RECORDED IN BOOK OF MAPS 2015, PAGE 711 WAKE COUNTY REGISTRY

R-55-15

RA039667 TR# 426734

FILED FOR REGISTRATION	DATE LAURA M. RIDDICK REGISTER OF DEEDS WAKE COUNTY	DATE 4-14-2015	SURVEY FOR: THE RECTORS & WARDENS & VESTRYMEN OF CHRIST CHURCH	SHEET 1 OF 1
BY: ASST./DEPUTY	DATE	FILE NO. 812-01	RALEIGH WAKE COUNTY NORTH CAROLINA RECOMBINATION PLAT	
TIME	REVISION	CHECKED BY: JAE, JR.		



JOHN A. EDWARDS & COMPANY
Consulting Engineers
NC License F-0289
333 Wade Ave., Raleigh, N.C. 27605
Phone: (919) 828-4428
Fax: (919) 828-4711
E-mail: info@jaeco.com


SCALE:
1" = 40'
FLD. BK. & PAGE
ZCS
FILE NO.
812-01

DATE:
4-14-2015
DRAWN BY:
ZCS
CHECKED BY:
JAE, JR.

DATE
 REVISION | BY |



Capitol Square Historic District





**LIGGETT
DESIGN GROUP**

LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN

725-A PARRISH ROAD, RALEIGH, NC 27608
PHONE 919.853.0303 FAX 919.853.1116
MAIL@LIGGETTDESIGNGROUP.COM



SURVEYOR:

JOHN A. EDWARDS & CO.
333 WADE AVE., RALEIGH, NC 27605
(919) 828-4428

CONSULTANTS

CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 861-2775

SEALS/SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:

SUBMITTAL

ISSUED DATE:

7/26/2024

REVISIONS:

NO.	ITEM	DATE

DRAWING TITLE:



EX CONDITIONS
PLAN

DRAWN BY: AS/RW/WAB

CHECKED BY: FL

SCALE: 1"=10'

L-2
OF 8



Know what's below.
Call before you dig.



**LIGGETT
DESIGN GROUP**

LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN

725A PETERS ROAD, RALEIGH, NC 27608
PHONE: 919.823.0203 FAX: 919.823.1116
MAIL: LIGGETTDESIGNGROUP.COM


SURVEYOR:

JOHN A. EDWARDS & CO.
333 WIDE AVE., RALEIGH, NC 27605
(919) 828-4428

CONSULTANTS

CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 821-2775

SEALS/SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:

SUBMITTAL

ISSUED DATE:

7/26/2024

REVISIONS:

NO.	ITEM	DATE


DRAWING TITLE:

TREE
PROTECTION
PLAN


DRAWN BY: AS/RW/WAB

CHECKED BY: FL

SCALE: 1" = 10'



SCALE: 1" = 10'
(CHECK SCALE BEFORE USING)



Know what's below.
Call before you dig.



**LIGGETT
DESIGN GROUP**



LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN

725A PERSHING ROAD, RALEIGH, NC 27608
PHONE 919.853.0303 FAX 919.853.1116
MAIL@LIGGETTDESIGNGROUP.COM

SURVEYOR:
JOHN A. EDWARDS & CO.
333 WADE AVE., RALEIGH, NC 27605
(919) 828-4428

CONSULTANTS
CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 861-2775

SEALS/SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:
SUBMITTAL

ISSUED DATE:
7/26/2024

REVISIONS:

NO.	ITEM	DATE



DRAWING TITLE:


DEMO PLAN

DRAWN BY: AS/RW/WAB

CHECKED BY: FL

SCALE: 1" = 10'





N. WILMINGTON STREET
(66' PUBLIC R/W)
AVENUE 4-LANE DIVIDED

EDGE OF CONSTRUCTION
ACCESS & LAY DOWN ZONE
(SHOWN IN BLUE)

EDGE OF CONSTRUCTION
ACCESS & LAY DOWN ZONE
(SHOWN IN BLUE)

NEW BERN PLACE
(99' PUBLIC R/W)




**LIGGETT
DESIGN GROUP**

LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN
725A PERSHING ROAD RALEIGH, NC 27608
PHONE 919.853.0303 FAX 919.853.1116
MAIL@LIGGETTDESIGNGROUP.COM

SURVEYOR:
JOHN A. EDWARDS & CO.
333 WADE AVE. RALEIGH, NC 27605
(919) 828-4428

CONSULTANTS
CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 861-2775

SEALS / SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:
SUBMITTAL

ISSUED DATE:
7/26/2024


REVISIONS:

NO.	ITEM	DATE

DRAWING TITLE:
**CONSTRUCTION
ACCESS & LAY
DOWN PLAN**

DRAWN BY: AS/RW/WAB
CHECKED BY: FL

SCALE: 1" = 10'



Know what's below.
Call before you dig.



**LIGGETT
DESIGN GROUP**

LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN

725A POKING ROAD, RALEIGH, NC 27608
PHONE 919.853.0303 FAX 919.853.1116
MAIL@LIGGETTDESIGNGROUP.COM


SURVEYOR:

JOHN A. EDWARDS & CO.
333 WARE AVE., RALEIGH, NC 27605
(919) 851-2775

CONSULTANTS

CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 851-2775

SEALS/SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:

SUBMITTAL

ISSUED DATE:

7/26/2024

REVISIONS:

NO.	ITEM	DATE

DRAWING TITLE:

SITE & MATERIALS
PLAN



DRAWN BY: AS/RW/WAB

CHECKED BY: FL

SCALE: AS SHOWN

SHEET NUMBER:

L-6
OF 8





**LIGGETT
DESIGN GROUP**

LANDSCAPE ARCHITECTURE
SITE PLANNING & DESIGN

725A POKESING ROAD RALEIGH, NC 27608
PHONE 919.823.0303 FAX 919.823.1116
MAIL@LIGGETTDESIGNGROUP.COM


SURVEYOR:

JOHN A. EDWARDS & CO.
333 WADE AVE., RALEIGH, NC 27605
(919) 828-4428

CONSULTANTS

CLEARSCAPES
RALEIGH, NORTH CAROLINA
(919) 821-2775

SEALS/SIGNATURE



NOT APPROVED FOR
CONSTRUCTION UNLESS SIGNED
BY LANDSCAPE ARCHITECT

CLIENT

**CHRIST CHURCH
COLUMBARIUM PROJECT**
120 EAST EDENTON STREET
RALEIGH, NORTH CAROLINA

ISSUED FOR:

SUBMITTAL

ISSUED DATE:

7/26/2024

REVISIONS:

NO.	ITEM	DATE

DRAWING TITLE:

PLAZA DETAIL



DRAWN BY: AS/RW/WAB

CHECKED BY: FL


SCALE: 1/4"=1'-0"

SHEET NUMBER:


**L-7
OF 8**




Know what's below.
Call before you dig.




1 ARCHITECTURAL SITE PLAN
1/16" = 1'-0"




1 | ELEVATION - TALL WALL FRONT
 1/4" = 1'-0"




1 | ELEVATION - TALL WALL REAR
1/4" = 1'-0"




1 | ELEVATION - TALL WALL TYP. SIDE
 1/4" = 1'-0"



1 | ELEVATION - KNEE WALL FRONT
 1/4" = 1'-0"




1 ELEVATION - KNEE WALL REAR
 1/4" = 1'-0"




1 | ELEVATION - KNEE WALL TYP. SIDE

1/4" = 1'-0"




CHANGE


1 SECTION - TALL WALL
3/4" = 1'-0"



1 SECTION - KNEE WALL
3/4" = 1'-0"



1 ENLARGED PLAN - TALL WALL
1/4" = 1'-0"



1 ENLARGED PLAN - KNEE WALL
 1/4" = 1'-0"


*** EXAMPLE SYSTEM SHOP DRAWING FROM PROPOSED MANUFACTURER SHOWN FOR REFERENCE ONLY ***
 SEE ARCH. FOR PROPOSED DIMENSIONS AND MATERIALS

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
 EVEREST COLUMBARIUM ANY REPRODUCTION IN PART OR WHOLE WITHOUT
 THE WRITTEN PERMISSION OF EVEREST COLUMBARIUM IS PROHIBITED.

Notes

1. Dimensions are of Columbarium Assembly only- not of the opening.
2. Please add .250 inch PER SIDE (recommended minimum) for opening size.
3. 2 inch recommended minimum overhang
4. Any design changes made after signed approval of this Drawing may cause additional costs.

Faceplate- Dakota Mahogany



Columbarium Specifications

Configuration: 6x5 (30 Double Niches)
Face Plate Design: Dakota Mahogany
Location: Recessed

MATERIALS per each configuration

Item	Qty.	Description
Face Plate	30	Dakota Mahogany
Name Plate	NA	NA
Niche	30	Molded Resin, GELOY ASA
Liner & Liner Cap	60	Spun 0.060" Aluminum
Bronze Trim	1 set	.750x.750 Bronze channel & angle
Face Plate Screws	120	10-24 Statuary Bronze, Tamper Resistant
Name Plate Screws	NA	6-32 Statuary Bronze, Tamper Resistant
Niche Assembly Screws	284	10-24 Stainless Steel, Phillips Head
Mounting Lag Bolts	BC	Appropriate anchor by customer

INSTALLATION per each configuration

1. Assemble Resin Niches with Assembly Screws
2. Attach Bronze trim (if applicable)
3. Install Niche assembly into location
4. Attach to wall with Mounting Lag Bolts every 15" C to C
5. Attach Face Plates with Face Plate Screws
6. Liners are inside Niches when delivered and can be removed when remains are to be committed
 - a. Insert poly bag in which remains are received into Liner
 - b. Force Liner Cap onto Liner for permanent seal

DO NOT FORCE LINER CAPS ONTO LINER UNTIL NEEDED

WEIGHTS per each configuration

195 lbs.- 30 Niches @ 6.5 lbs. each
 105 lbs.- 30 Face Plates @ 3.5 lbs. each
 480 lbs.- 60 Cremated Remains @ 8 lbs. each
 30 lbs.- Bronze Channel Trim



810 lbs. Total

Approval *In order for fabrication to begin, please sign, date and fax back to Everest Columbarium Systems (336) 945 0221.*

Signed: _____ Dated: _____

Name: _____ Title: _____

Comments:



SECTION B-B

DO NOT SCALE DRAWING

CAD GENERATED DRAWING.
DO NOT MANUALLY UPDATE

APPROVALS	DATE
DRAWN KCW	042221
CHECKED	

Everest Columbarium
 P.O. BOX 778 Lewisville, North Carolina 27023 Tel. 336-945-0221

Linville UMC
6x5 Double Niche Configuration

SIZE	DWG. NO.	REV.
B	042221-NC	



RENDERED VIEW FROM CORNER OF S WILMINGTON ST AND NEW BERN PL - LOOKING NORTHEAST



RENDERED VIEW FROM S WILMINGTON ST - LOOKING NORTHEAST



RENDERED VIEW FROM BRICK CIRCLE - LOOKING NORTH