

## CERTIFICATE OF APPROPRIATENESS PLACARD

for Raleigh Historic Resources

**Project Description:** 

Remove section of amphitheatre stone wall

301 Pogue St

Address

**Historic District** 

Raleigh Little
Theatre/Amphitheatre/Rose Garden
Historic Property

COA-0121-2022

Certificate Number

10/18/2022

Date of Issue

4/18/2023

**Expiration Date** 

This card must be kept posted in a location within public view until all phases of the described project are complete. The work must conform with the code of the City of Raleigh and laws of the state of North Carolina. When your project is complete, you are required to ask for a final zoning inspection in a historic district area. Telephone the RHDC office at 832-7238 and commission staff will coordinate the inspection with the inspections Department. If you do not call for this final inspection, your Certificate of Appropriateness is null and void.

Signaturo

Raleigh Historic Development Commission

Ein Morton

Pending the resolution of appeals, commencement of work is at your own risk.

Applicant name: Shawsheen Baker			
Mailing address: P.O. Box 590			
City: Raleigh	State: NC	Zip code: 27601	
Date: 10/13, 2022		aytime phone #: 919-996-4782	
Email address: shawsheen, baker@raleighnc.gov			
Applicant signature:			
Minor work (staff review) – one copy		Office Use Only	
Major work (COA committee review) – ten		Transaction #:	
copies		File #: COA-0121-2022	
Additions > 25% of building sq. footage		하는 것이 얼마나 하는 것이 하는 것이 되었다. 그 사람들은 사람들은 사람들은 사람들은 사람들이 되었다. 나는	
New buildings		Amount paid:	
Demolition of building or structure		Received date:	
All other		Received by:	
Post approval re-review of conditions of			
approval			
Property street address: 301 Pog	ue St, Raleigh, N	IC27607	
Historic district:			
Historic property/Landmark name (if applicable): Raleigh Little Theatre			
Owner name: City of Raleigh			
Owner mailing address: P.O. Box 590, Raleigh, NC 27601			
For applications that require review by the COA Committee (major work), provide addressed and stamped envelopes for owners for all properties with 100 feet on all sides of the property, as well as the property owner.			
Property Owner Name &	Address	Property Owner Name & Address	
12.70 (1) (1) (1) (2) (2) (3)			

Type or print the following:

Page 1 of 2 REVISION 7.2.19

I understand that all major work applications that require review by the Raleigh Historic Development Commission's COA Committee must be submitted by 4 p.m. on the date of the application deadline; otherwise, consideration will be delayed until the following committee meeting. An incomplete application will not be accepted.


Will you be applying for rehabilitation tax credits for this proj Yes No Did you consult with staff prior to filing the application? Yes No	Type of work: 35
Design Guidelines: please cite the applicable sections of Section/Page Topic Brief description of w	vork (attach additional sheets as needed).
Winor Work Approval (office Upon being signed and dated below by the Planning Director or designed Certificate of Appropriateness. It is valid until 04/18/2022  Please post the enclosed placard form of the certificate as indicated at the Certificate shall not relieve the applicant, contractor, tenant, or property City Code or any law. Minor Works are subject to an appeals period of Signature (City of Raleigh)	the bottom of the card. Issuance of a Minor Work owner from obtaining any other permit required by

## Raleigh Little Theatre Amphitheatre Stone Wall Section Removal



## **Raleigh Little Theatre**

## **Amphitheatre Stone Wall Section Removal**



Work Sequencing and Specifications

- 1. Demo existing wall to create opening for new ramp
  - a. Carefully remove stone with chisels and small demo hammer to ensure we do not damage wall and can re-use stone
  - b. Haul away stone debris
- 1. Re-tooth wall ends of wall where demoed so that wall is finish on opening ends
  - a. Use granite stone from demo of opening to tooth back ends
  - Grout joints to closely match using brush finish and Type S Cement/ Masonry Sand
- 1. Finish 1 side of existing column that currently butts to wall
  - a. Carefully install new stone to face of column to match
  - b. Grout joints to closely match existing

