Preliminary Subdivision Application

Site Review

Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500



INSTRUCTIONS: This form is used when submitting a Preliminary Subdivision (UD Section 10.2.5). Please check the appropriate review type and include the plan checklist document. Please email all documents and your preliminary subdivision plans to <u>SiteReview@raieignnc.gov</u>.

| | DEVELOPME | NT OPTIONS (UDO | Chapter 2) | | | |
|---|---|-----------------------------------|---------------------------------------|--------------------------|--|--|
| Conventional Subdiv | vision Co | mpact Development | Conser | Conservation Development | | |
| Cottage Court | | Flag lot | Frequent Tra | ansit Development Option | | |
| NOTE: Subdivisions may requi | re City Council appl | roval if located in a H | istoric Overlay District. | , | | |
| | | ERAL INFORMATIO | N | | | |
| Scoping/sketch plan case num | | | | | | |
| Development name (subject to | | edway Drive Infill | Subdivision | | | |
| Property Address(es): 2400 M | | | | | | |
| Recorded Deed PIN(s): 17057 | 05538 | | | | | |
| Building type(s): | ached House | Attached House | Townhouse | Apartment | | |
| General Building Mixe | ed Use Building | Civic Building | Open Lot | Tiny House | | |
| CURRENT | PROPERTY OWN | ER/APPLICANT/DE | VELOPER INFORMA | TION | | |
| Current Property Owner(s) Na | mes: James and | Kristi Talley | | | | |
| Company: | | Title: | · · · · · · · · · · · · · · · · · · · | | | |
| Address: 2118 Pine Drive, Ra | aleigh, NC 27608 | • | | | | |
| Phone #: 919-225-4378 | Phone #: 919-225-4378 Email: utsmokey@gmail.com | | | | | |
| Applicant Name (If different fro | om owner. See "w | no can apply" in ins | tructions): Zak Ship | man, PE | | |
| Relationship to owner: | see or contract purc | haser 🖌 Owner's a | authorized agent | Easement holder | | |
| Company: Shipman Engineeri | ing, PLLC Addre | ss: 137 Middlegree | en Place, Holly Spri | ngs, NC 27540 | | |
| Phone #: (919) 900-0006 | Email | Email: zak@shipmanengineering.com | | | | |
| NOTE: please attach purchase | agreement or cor | ntract, lease or ease | ment when submittir | ng this form. | | |
| Developer Contact Names: Jai | mes and Kristi Ta | alley | | | | |
| Company: Title: | | | | | | |
| Address: 2118 Pine Drive, Raleigh, NC 27608 | | | | | | |
| Phone #: 919-225-4378 | Email: | utsmokey@gmail | .com | | | |

4

DEVELOPMENT TYPE + SITE DATE TABLE – ZONING INFORMATION

Gross site acreage: 0.339 ac.

Zoning districts (if more than one, provide acreage of each): R-10

| Overlay district(s): None | Inside City Limits? | | No | Historic District/Landmark: | N/A 🖌 | |
|---|----------------------------|-------------|--------------------------------|-----------------------------|-------|--|
| Overlay district(s). None | Inside City Limits? | r es | | HISTORIC DISTRUCT Lanumark. | N/A 🔽 | |
| Conditional Use District (CUD) Case # Z- | Board of Adjustment Case # | | Design Alternate Case # DA- | | | |

STORMWATER INFORMATION

| Imperious Area on Parcel(s): Existing (sf) ^{2,728} Proposed total (sf) ^{9,558} | | Impervious Area for Compliance (includes right-of-way):Existing (sf)2.728Proposed total (sf)9.558 | | |
|---|--------------|---|----------------------|--|
| | NUMBER OF LC | TS AND DEN | SITY | |
| # of Detached House Lots: 2 # of Attached Hou | | use Lots: | # of Townhouse Lots: | |

| # of Tiny House Lots: | # of Open Lots: | # of Other L Mixed Use, | ₋ots (Apartment, General, , Civic): |
|----------------------------------|-------------------------------|----------------------------|--|
| Total # of Lots: 2 | Total # Dwelling Units: 2 | | |
| # of bedroom units (if known): 1 | br 2br | 3br | 4br |
| Proposed density for each zonir | ng district (UDO 1.5.2.F): 5. | 90 units/acre |) |

APPLICANT SIGNATURE BLOCK

Pursuant to state law (N.C. Gen. Stat. § 160D-403(a)), applications for development approvals may be made by the landowner, a lessee or person holding an option or contract to purchase or lease land, or an authorized agent of the landowner. An easement holder may also apply for development approval for such development as is authorized by the easement.

Acting as an authorized agent requires written permission from the property owner for the purposes of making this development approval and/or permit application. Written permission from the property owner to act as an authorized agent must be made available to the City of Raleigh upon request.

By submitting this application, the undersigned applicant acknowledges that they are either the property owner or one of the persons authorized by state law (N.C.G.S. 160D-403(a)) to make this application, as specified in the application. The undersigned also acknowledges that the information and statements made in the application are correct and the undersigned understands that development approvals are subject to revocation for false statements or misrepresentations made in securing the development approval, pursuant to N.C. Gen. Stat. § 160D-403(f).

The undersigned indicates that the property owner(s) is aware of this application and that the proposed project described in this application will be maintained in all respects in accordance with the plans and specifications submitted herewith, and in accordance with the provisions and regulations of the City of Raleigh Unified Development Ordinance.

The undersigned hereby acknowledges that, pursuant to state law (N.C.G.S. 143-755(b1), if this permit application is placed on hold at the request of the applicant for a period of six consecutive months or more, or if the applicant fails to respond to comments or provide additional information requested by the City for a period of six consecutive months or more, then the application review is discontinued, and a new application is required to proceed and the development regulations in effect at the time permit processing is resumed shall apply to the new application.

| Signature: | Date: $11/12/24$ |
|---------------------------------|---------------------------------------|
| Printed Name: Jumes & Tenley TL | · · · · · · · · · · · · · · · · · · · |
| Signature: Kush Pullen | Date: $11/18/24$ |
| Printed Name: Krish THTEU | |
| | |

2400 MEDWAY DRIVE INFILL SUBDIVISION

CITY OF RALEIGH WAKE COUNTY, NORTH CAROLINA PRELIMINARY SUBDIVISION DRAWINGS S-XX-2024

REGULATORY REVIEW SET ISSUED NOVEMBER 14, 2024

| Preliminary Subdivision Application | | DEVELOP | MENT TYPE + SITE DATE 1 | TABLE - ZONING INFO |
|--|--|--|---|---|
| Site Review | f | Gross site acreage: 0.339 ac. | | |
| Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 Rale | igh, NC 27601 919-996-2500 Raleigh | Zoning districts (if more than or R-10 | ne, provide acreage of each): | |
| INSTRUCTIONS: This form is used when submitting a Preliminary Subdiv | ision (UDO Section 10.2.5). Please check the | Overlay district(s): None | Inside City Limits? | Yes No Historic D |
| appropriate review type and include the plan checklist document. Please e subdivision plans to <u>SiteReview@raieignnc.gov</u> . | email all documents and your preliminary | Conditional Use District (CUD) Case # Z- | Board of Adjustment Ca BOA- | |
| DEVELOPMENT OPTIONS (UDO C | hapter 2) | [| STORMWATER IN | FORMATION |
| Conventional Subdivision Compact Development | Conservation Development | Imperious Area on Parcel(s): | | pervious Area for Compli |
| Cottage Court Flag lot | Frequent Transit Development Option | Existing (sf) ^{2,728} Propos | ed total (sf)_ ^{9,558} Ex | tisting (sf)_2,728Pro |
| NOTE: Subdivisions may require City Council approval if located in a Hist | oric Overlay District. | | NUMBER OF LOTS | AND DENSITY |
| GENERAL INFORMATION | | # of Detached House Lots: 2 | # of Attached House | Lots: # of T |
| Scoping/sketch plan case number(s): | | # of Tiny House Lots: | # of Open Lots: | # of Other Lots (Apartm |
| Development name (subject to approval): 2400 Medway Drive Infill Su | ubdivision | Total # of Lots: 2 | Total # Dwelling Units: 2 | Mixed Use, Civic): |
| Property Address(es): 2400 Medway Drive | | # of bedroom units (if known): 1 | 1 | br 4br |
| | | Proposed density for each zoni | ng district (UDO 1.5.2.F): 5.9 | 0 units/acre |
| Recorded Deed PIN(s): 1705705538 | | | | |
| Building type(s): 🖌 Detached House Attached House | Townhouse | Pursuant to state law (N.C. C | APPLICANT SIGNA | |
| General Building Mixed Use Building Civic Building | Open Lot Tiny House | by the landowner, a lessee o | r person holding an option of | r contract to purchase or |
| | | agent of the landowner. An e as is authorized by the ease | | oply for development app |
| CURRENT PROPERTY OWNER/APPLICANT/DEVE | ELOPER INFORMATION | | | |
| Current Property Owner(s) Names: James and Kristi Talley | | Acting as an authorized ager this development approval a | nd/or permit application. Writ | ten permission from the |
| Company: Title: | | authorized agent must be ma | ade available to the City of R | aleigh upon request. |
| Address: 2118 Pine Drive, Raleigh, NC 27608 | | By submitting this application or one of the persons author | | |
| | | the application. The undersig | ned also acknowledges that | the information and state |
| | | application are correct and the for false statements or misre | | |
| Applicant Name (If different from owner. See "who can apply" in instru- | | Stat. § 160D-403(f). | | ~ ········ |
| Relationship to owner: Lessee or contract purchaser 🖌 Owner's au | thorized agent Easement holder | The undersigned indicates the | | |
| Company: Shipman Engineering, PLLC Address: 137 Middlegreen | Place, Holly Springs, NC 27540 | described in this application submitted herewith, and in a | | |
| Phone #: (919) 900-0006 Email: zak@shipmanengir | neering.com | Development Ordinance. | | |
| NOTE: please attach purchase agreement or contract, lease or easem | | The undersigned hereby ack | nowledges that, pursuant to | state law (N.C.G.S. 143- |
| Developer Contact Names: James and Kristi Talley | - | application is placed on hold the applicant fails to respond | at the request of the applica I to comments or provide add | nt for a period of six cons ditional information reque |
| Company: Title: | | of six consecutive months or required to proceed and the | more, then the application re | eview is discontinued, an |
| Address: 2118 Pine Drive, Raleigh, NC 27608 | | apply to the new application. | | meet at the time permit p |
| | | Signature: | her. W | Da |
| Phone #: 919-225-4378 Email: utsmokey@gmail.c | om | Printed Name: Jumes | G TENTRY IL | |
| | | Signature: Keush (| Tulla . / | Da |

DEED BOOK REFERENCE: DB 012039 PG 0438

SURVEY DATUM INFORMATION

HORIZONTAL DATUM: NAD83 VERTICAL DATUM: NAVD88



NC License # P-1963 137 Middlegreen Place 919.900.0006

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH CITY OF RALEIGH STANDARDS AND SPECIFICATIONS.

THIS SITE DOES NOT INTEND TO USE THE FREQUENT TRANSIT OVERLAY OPTION AS PRESENTED IN CITY OF RALEIGH UDO SECTION 3.7

> SOLID WASTE STATEMENT: THESE PLANS HAVE BEEN DESIGNED IN ACCORDANCE WITH THE REQUIREMENTS SET FORTH IN THE SOLID WASTE DESIGN MANUAL.

SOLID WASTE AND RECYCLING SERVICE SHALL BE PROVIDED BY PRIVATE HAULER VIA THE EXISTING DUMPSTER FACILITIES LOCATED ON SITE.

ATTENTION CONTRACTORS

THE CONTRACTOR RESPONSIBLE FOR THE EXTENSION OF WATER, SEWER, AND/OR REUSE, AS APPROVED IN THESE PLANS, IS RESPONSIBLE FOR CONTACTING THE INFRASTRUCTURE INSPECTIONS DIVISION AND SCHEDULE A

PRE-CONSTRUCTION MEETING ON THE DEVELOPMENT PORTA PRIOR TO BEGINNING ANY CONSTRUCTION. RALEIGH WATER MUST BE CONTACTED AT (919) 996-4540 AT LEAST TWENTY-FOUR HOURS PRIOR TO BEGINNING ANY WORK ACTIVITY AROUND CRITICAL WATER AND SEWER INFRASTRUCTURE

FAILURE TO NOTIFY CITY DEPARTMENTS IN ADVANCE OF BEGINNING CONSTRUCTION WILL RESULT IN THE ISSUANCE OF MONETARY FINES, AND REQUIRE REINSTALLATION OF ANY WATER AND SEWER FACILITIES NOT INSPECTED AS A RESULT OF THIS NOTIFICATION FAILURE.

FAILURE TO CALL FOR INSPECTION, INSTALL A DOWNSTREAM PLUG, HAVE PERMITTED PLANS ON THE JOBSITE, OR ANY OTHER VIOLATION OF CITY OF RALEIGH STANDARDS WILL RESULT IN A FINE AND POSSIBLE EXCLUSION FROM FUTURE WORK IN THE CITY OF RALEIGH.

SITE DATA TABLE

| PROJECT NAME: | 2400 MEDWAY DRIVI SUBDIVISION |
|--|----------------------------------|
| PHYSICAL ADDRESS: | 2400 MEDWAY DRIV |
| JURISDICTION: | CITY OF RALEIGH |
| EXISTING ZONING DISTRICT: | R-10 |
| EXISTING LAND USE: | SINGLE FAMILY DET |
| PROPOSED USE: | SINGLE FAMILY DET |
| PIN NUMBERS: | 1705705538 |
| REID NUMBERS: | 0063705 |
| PROPOSED NUMBER OF LOTS: | 2 |
| SMALLEST LOT: | 7,009 SF (0.161 AC.) |
| LARGEST LOT: | 7,742 SF (0.178 AC.) |
| AVERAGE LOT SIZE: | 7,375 SF (0.169 AC.) |
| TOTAL PROPERTY AREA: GROSS (WITHOUT R/W DEDICATION): | 14,751 SF (0.339 AC.) |
| RIGHT-OF-WAY DEDICATED: | 0.00 AC. |
| GROSS AREA: | 14,751 SF (0.339 AC.) |
| TOTAL DENSITY: | |
| RESIDENTIAL: | 2 LOTS |
| PROPOSED DENSITY: ALLOWABLE DENSITY: | 5.90 UNITS/ACRE N/A |
| OVERLAY DISTRICTS: | NONE |
| RIVER BASIN: | NEUSE |
| IMPERVIOUS AREAS: | |
| EXISTING | 2,728 SF |
| PROPOSED: | 9,558 SF |
| NEW IMPERVIOUS AREA: | 6,830 SF |
| MISA PER LOT: | 4,650 SF |
| PERCENTAGE IMPERVIOUS PROPOSED: MAX. PERCENTAGE ALLOWED (9.2.2) | 64.80% 65% |
| BUILDING SETBACKS: | |
| PRIMARY STREET: | 10 FEET |
| SIDE STREET: | 10 FEET |
| SIDE YARD: | 5 FEET |
| REAR: | 20 FEET |
| MAXIMUM BUILDING HEIGHT: | 40 FEET/ 3 STORIES |
| LOT GEOMETRY STANDARDS: | |
| MINIMUM AREA: | 4,000 SF |
| | 45 FEET |
| MINIMUM DEPTH: | 60 FEET |

Shipman Engineering, PLLC Holly Springs, NC 27540

y Limits? Yes No Historic District/Landmark:

Design Alternate Case #

Impervious Area for Compliance (includes right-of-way):

Contact: Zak Shipman, PE zak@shipmanengineering.com

Land Surveyor

Taylor Land Consultants, PLLC 1600 Olive Chapel Road, Suite 140 Apex, NC 27502 919.801.1104 Contact: Mr. Jeremy Taylor, PLS jeremy@taylorlc.com


Developer


James & Kristi Talley 2118 Pine Drive Raleigh, NC 27608

| ,558 | Existing (sf) ^{2,728} | Pr | oposed total (st | • • • • • • |
|--|---|---|---|--|
| | TS AND DENSI | ΓY | | - |
| Attached Hou | | | Townhouse Lot | s: |
| Lots: | # of Other L Mixed Use, | | ment, General, | |
| velling Units: 2 | 2 | | | |
| 2br | 3br | 4br | | |
| JDO 1.5.2.F): | 5.90 units/acre | | | |
| | | | | |
| PLICANT SIG | SNATURE BLOC | ĸ | | |
| lding an optio |), applications for on or contract to p o apply for develc | urchase o | r lease land, or | an authorized |
| application. \ | sion from the pro Written permissio of Raleigh upon re | n from the | | |
| e law (N.C.G. knowledges t ned understar | ant acknowledge S. 160D-403(a)) that the information nds that developr ecuring the develop | to make th on and sta nent appro | is application, a tements made ovals are subject | as specified in in the et to revocation |
| tained in all re | is aware of this a espects in accord sions and regulati | lance with | the plans and s | specifications |
| est of the app its or provide the applicatio | t to state law (N.0 licant for a period additional inform on review is disco in effect at the tir | d of six cor ation requ intinued, a | nsecutive month ested by the Ci nd a new applie | ns or more, or ty for a period cation is |
| | | | ato: 11/ | |
| JLRY TE | | D | ate: $11/12/$ | 14 |
| | | D | ate: 11/18/2 | 24 |
| 1 | | | | , |
| | | | | |


PUBLIC IMPROVEMENT QUANTITIES PHASE NUMBER(S) PHASE

| | THAGET |
|-------------------------------|--------|
| NUMBER OF LOTS: | 2 |
| LOT # BY PHASE: | 1-2 |
| NUMBER OF UNITS: | 2 |
| LIVABLE BUILDINGS: | 2 |
| OPEN SPACE? | NO |
| NUMBER OF OPEN SPACE LOTS: | N/A |
| PUBLIC WATER (LF) | -0- |
| PRIVATE WATER (LF) | -0- |
| PUBLIC SEWER (LF) | -0- |
| PUBLIC FORCE MAIN (LF) | -0- |
| PRIVATE SEWER (LF) | -0- |
| PUBLIC STREET (LF) - FULL | -0- |
| PUBLIC STREET (LF) - PARTIAL | -0- |
| PUBLIC SIDEWALK (LF) | -0- |
| MULTI-USE PATH (LF) | -0- |
| PUBLIC STORM DRAIN (LF) | -0- |
| STREET SIGNS | -0- |
| WATER SERVICE STUBS | 1 |
| SEWER SERVICE STUBS | 1 |
| | |





ESE PLANS AND ASSOCIATED DOCUMENTS ARE THE EXCLUSIVE PROPERTY OF SHIPMAN ENGINEERING, PLLC AND MAY NOT BE REPRODUCED IN WHOLE OR IN PART. THESE DOCUMENTS SHALL NOT BE USED FC AATSOCKED INCLLIDING BLIT NOT LIMITED TO CONSTELICATION BLIDINICE AND/OF STAKING WITHOUT THE EXERCISE WAITTEN CONSENT OF SUIDMAN ENGINEEDING. PLLC



| ID RELOCATE THEM |
|------------------|
| IF DESIRED. |
| |

GENERAL SURVEY NOTES:

1. EXISTING CONDITIONS, BOUNDARY, AND TOPOGRAPHICAL DATA OF THE SUBJECT PARCEL ARE COMPILED FROM A FIELD SURVEY OF THE PROPERTY BY TAYLOR LAND CONSULTANTS, PLLC DATED OCTOBER 23, 2024. THE DATA SHOWN ON THIS DRAWING IS NOT THE RESULT OF A FIELD SURVEY BY SHIPMAN ENGINEERING, PLLC. ADDITIONAL EXISTING CONDITIONS DATA PROVIDED BY SUPPLEMENTAL DATA INCLUDING AERIAL PHOTOGRAPHY, WAKE COUNTY GIS DATA, AND OTHER DATA SOURCES AS REQUIRED. 2. REFER TO EROSION AND SEDIMENT CONTROL PLAN AND CONSTRUCTION SEQUENCE

BEFORE PERFORMING ANY CLEARING, GRUBBING, OR DEMOLITION OPERATIONS.

3. NO TITLE OPINION ON THIS PROPERTY HAS BEEN FURNISHED.

4. AREAS COMPUTED BY AUTOCAD.

- 5. THE PROPERTY SHOWN HEREON IS SUBJECT TO ALL RIGHTS-OF-WAY, EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD.
- 6. ALL DISTANCES SHOWN ON THE SURVEY ARE HORIZONTAL GROUND DISTANCES.

7. THE PROPERTY SHOWN IS LOCATED OUTSIDE OF ANY FLOOD HAZARD AREAS AS SHOWN ON FEMA FIRM 3720170500K DATED JULY 19, 2022.

8. REFER TO SEALED TOPOGRAPHICAL SURVEY BY TAYLOR LAND CONSULTANTS, PLLC. FOR HORIZONTAL AND VERTICAL DATUM INFORMATION AND OTHER SURVEY CONTROL DATA.

9. WETLAND, STREAM, AND ENVIRONMENTAL INVESTIGATION HAS NOT BEEN PERFORMED ON THIS PROPERTY. IT IS BELIEVED THAT NO ENVIRONMENTALLY SENSITIVE AREAS EXIST WITHIN THE PROJECT LIMITS.

10. CONSTRUCTION DRAWING APPROVAL IS REQUIRED BEFORE CONSTRUCTION CAN BEGIN. ALL APPLICABLE FEES SHALL ALSO BE PAID PRIOR TO CONSTRUCTION DRAWING APPROVAL.

11. NO NATURAL OR HISTORIC SITES HAVE BEEN IDENTIFIED ON OR ADJACENT TO THE PROJECT SITE PER WAKE COUNTY AND/OR CITY OF RALEIGH CULTURAL OR HISTORICAL RESOURCE MAPS.

12. TREE PROTECTION FENCING SHALL BE PROVIDED ALONG ALL VEGETATED RIPARIAN BUFFERS, TREE PRESERVATION AREAS, AND PERIMETER BUFFER AREAS.


13. CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS, DEPTHS, AND MATERIALS OF ALL EXISTING UTILITIES PRIOR TO BEGINNING CONSTRUCTION ACTIVITY ON SITE. UNDERGROUND UTILITIES ARE SHOWN BASED ON MARKINGS PROVIDED BY THE NC ONE CALL CENTER AND ABOVE GROUND EVIDENCE. EXISTING CONDITIONS SHOULD BE CONSIDERED APPROXIMATE IN NATURE. WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION GIVEN, ACTUAL FIELD CONDITIONS MAY VARY AND SHOULD BE CONFIRMED PRIOR TO CONSTRUCTION.

DEMOLITION NOTES

- REMOVE/DEMOLISH/ABANDON EXISTING FEATURES AFTER EROSION AND SEDIMENT CONTROL MEASURES ARE IN PLACE AND AFTER THE APPROVAL OF THE ENGINEER.
- DO NOT INTERRUPT EXISTING UTILITY SERVICES FOR FACILITIES OCCUPIED BY THE OWNER OR OTHERS EXCEPT WHEN PERMITTED UNDER THE FOLLOWING CONDITIONS AND THEN ONLY AFTER ARRANGING TO PROVIDE ACCEPTABLE TEMPORARY UTILITY SERVICES.
- a. NOTIFY ENGINEER NOT LESS THAN 72 HOURS IN ADVANCE OF PROPOSED UTILITY SERVICE INTERRUPTIONS. b. DO NOT PROCEED WITH UTILITY INTERRUPTIONS WITHOUT RECEIVING WRITTEN PERMISSION FROM THE DESIGN ENGINEER.
- CONTRACTOR SHALL IMMEDIATELY NOTIFY OWNER IN THE EVENT THAT UNANTICIPATED HAZARDOUS MATERIALS ARE ENCOUNTERED. CONTRACTOR SHALL COMPLY WITH ALL REQUIREMENTS AND REGULATIONS REGARDING THE HANDLING AND DISPOSAL OF HAZARDOUS MATERIALS.
- SUBSURFACE UTILITIES AND FEATURES DENOTED ON THIS PLAN SHOULD BE CONSIDERED APPROXIMATE IN NATURE AND HAVE BEEN LOCATED TO THE EXTENT POSSIBLE VIA ABOVE GROUND EVIDENCE ONLY. CONTRACTOR IS RESPONSIBLE FOR SUBSURFACE UTILITY EXPLORATION. INCLUDING UTILITY "POTHOLING" OR BY THE EXCAVATION OF TEST PITS AS NECESSARY TO DETERMINE THE UTILITY LOCATION, DEPTHS, AND MATERIALS.
- VERIFY LOCATIONS AND SIZES OF ALL EXISTING FEATURES PRIOR TO COMMENCEMENT OF CONSTRUCTION. CONTRACTOR IS RESPONSIBLE FOR DOCUMENTATION OF EXISTING GH THE USE OF PHOTOGRAPHY, VIDEO, OR OTHER RECORDS DISTURBANCE ON SITE.
- LOCATE EXISTING UTILITIES PRIOR TO CONSTRUCTION, AND REPAIR ANY DAMAGES TO EXISTING UTILITIES RESULTING FROM CONSTRUCTION.
- REMOVE ALL EXISTING ON-SITE TRASH AND DEBRIS. TRASH SHALL BE REMOVED AND DISPOSED OF IN A LEGAL MANNER. NOTIFY OWNER AND ENGINEER IF ANY HAZARDOUS MATERIALS (ASBESTOS, LEAD PAINT, ETC.) ARE ENCOUNTERED.
- REMOVE SIDEWALK, CURB AND GUTTER, AND OTHER CONCRETE SECTIONS BY SAWCUTTING THE NEAREST CONTROL JOINT AWAY FROM THE AREA DESIGNATED TO BE REMOVED ON THE DEMOLITION PLAN. SAWCUT PAVEMENT IN ALL LOCATIONS WHERE ABUTTING SIDEWALK OR NEW PAVEMENT
- IS EXISTING. NOTIFY AND COORDINATE ANY REQUIRED RELOCATION AND/OR REMOVAL OF EXISTING UNDERGROUND UTILITIES, POLES, METERS, OR OTHER ABOVE GROUND APPURTENANCES WITH THE APPROPRIATE UTILITY PROVIDER (I.E. POWER, TELEPHONE, CABLE, AND
- NATURAL GAS/PROPANE) PRIOR TO THE START OF SELECTIVE DEMOLITION WORK. ARRANGE SELECTIVE DEMOLITION SCHEDULE SO AS NOT TO INTERVENE WITH OWNER'S USE OF THE PROPERTY.
- SHOULD UNCHARTED OR INCORRECTLY CHARTED EXISTING UTILITIES BE IDENTIFIED, 12. CONTACT THE ENGINEER IMMEDIATELY FOR INSTRUCTIONS. PROVIDE A SCALED DRAWING OF THE UNCHARTED OR INCORRECTLY CHARTED UTILITY FOR USE BY THE ENGINEER IN PREPARING ADDITIONAL DIRECTIONS.
- 13. CONTRACTOR SHALL MAINTAIN A CLEAN WORK SITE, FREE OF DEBRIS, TRASH, OR OTHER CONSTRUCTION MATERIALS. AREAS SUBJECT TO SITE CONSTRUCTION ADJACENT TO THE PUBLIC RIGHT OF WAY AND PEDESTRIAN SIDEWALKS SHALL BE LEFT "BROOM CLEAN" AT THE END OF EACH WORK DAY.
- 14. REMOVE ALL ITEMS SHOWN ON EXISTING CONDITIONS PLAN AS NEEDED FOR THE INSTALLATION OF NEW WORK AND/OR INFRASTRUCTURE.
- 15. NO EQUIPMENT IS ALLOWED ON THE SITE UNTIL ALL THE TREE PROTECTION AND SILT FENCING HAS BEEN INSTALLED AND APPROVED.

SURVEY LEGEND

| * | LIGHT POLE |
|---------------|-----------------------------|
| \$ 293.47 | EX. SPOT GRADE |
| \mathcal{O} | UTILITY POLE |
| co | SANITARY SEWER CLEANOUT |
| S | SANITARY SEWER MANHOLE |
| wm () | WATER METER |
| _ | SIGN |
| | PROPERTY LINE |
| | SETBACK LINE |
| | EASEMENT LINE |
| XX | FENCE LINE |
| ss ss | SANITARY SEWER LINE |
| w | WATER MAIN |
| G | NATURAL GAS MAIN |
| TTT | TELEPHONE LINE |
| U | MARKED UTLITY LINE |
| 181 | MINOR TOPOGRAPHICAL CONTOUR |
| — — —185— — — | MAJOR TOPOGRAPHICAL CONTOUR |




DEMOLITION LEGEND

ITEM TO BE DEMOLISHED

AREA TO BE DEMOLISHED

OR REMOVED





| PROJECT ZONING: |
|---|
| ADJACENT ZONING: |
| AVERAGE LOT AREA: |
| MAXIMUM ALLOWABLE LENGTH (PER UDO 8.3.2.B) |
| MIN. APPLICABLE SITE AREA: |
| PROPOSED SITE AREA: |
| MEASURED BLOCK PERIMETER: |

| N/A | |
|-------------|--|
| 2,500 LF | |
| 3 ACRES | |
| 0.339 ACRES | |
| 4,231 LF | |

R-10 R-10


SINCE SITE AREA IS LESS THAN MIN. APPLICABLE SITE AREA PER UDO 8.3.2.B, THE MEASURED BLOCK PERIMETER IS EXEMPT FROM UDO REQUIREMENTS.


INFILL COMPATIBILITY SETBACK CALCULATION

| AVERAGE PRIMARY STREET | SETBACK: |
|---|---|
| 2406 MEDWAY DR. | 42.95' |
| 2410 MEDWAY DR. | 33.26' |
| 2414 MEDWAY DR. | 34.41' |
| MEDIAN VALUE: | 34.41' |
| PROPOSED LOT WIDTHS: | |
| LOT 1: | 67' |
| LOT 2: | 70' |
| | |
| PER UDO 2.2.7.C.1.B, SETBA FOR LOTS 65'-80' IN WIDTH | CK RANGE MUST BE WITHIN 20% OF THE MEDIAN |

MIN. PRIMARY SETBACK: 0.8* 34.41' = 27.52' MAX. PRIMARY SETBACK: 1.2* 34.41' = 41.29'

PLLC -1963 LKING, NSE P. NGINE \square MAN E NCBEI [] 7 ш 6 7 IN PLA 137 HOI 919 DESIGNED BY: WZS DRAWN BY: WZS CHECKED BY: WZS DRAWING DATE: <u>10/29/24</u> SE PROJECT #: <u>2024-002</u> SUBDIVISION SETBACK MAP ZZ Ċ I ž & INFILL 2400 MEDWAY DR. ш WAK PERIMETER à Ц С BLOCK ≻ CIT SHEET NUMBER:





GENERAL NOTES:

1. EXISTING CONDITIONS, BOUNDARY, AND TOPOGRAPHICAL DATA OF THE SUBJECT PARCEL ARE COMPILED FROM A FIELD SURVEY OF THE PROPERTY BY TAYLOR LAND CONSULTANTS, PLLC DATED OCTOBER 23, 2024. THE DATA SHOWN ON THIS DRAWING IS NOT THE RESULT OF A FIELD SURVEY BY SHIPMAN ENGINEERING, PLLC. ADDITIONAL EXISTING CONDITIONS DATA PROVIDED BY SUPPLEMENTAL DATA INCLUDING AERIAL PHOTOGRAPHY, WAKE COUNTY GIS DATA, AND OTHER DATA SOURCES AS REQUIRED.

2. REFER TO EROSION AND SEDIMENT CONTROL PLAN AND CONSTRUCTION SEQUENCE BEFORE PERFORMING ANY CLEARING, GRUBBING, OR DEMOLITION OPERATIONS.

- 3. NO TITLE OPINION ON THIS PROPERTY HAS BEEN FURNISHED.
- 4. AREAS COMPUTED BY AUTOCAD.
- 5. THE PROPERTY SHOWN HEREON IS SUBJECT TO ALL RIGHTS-OF-WAY, EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD.
- 6. ALL DISTANCES SHOWN ON THE SURVEY ARE HORIZONTAL GROUND DISTANCES.

7. THE PROPERTY SHOWN IS LOCATED OUTSIDE OF ANY FLOOD HAZARD AREAS AS SHOWN ON FEMA FIRM 3720170500K DATED JULY 19, 2022. .

8. REFER TO SEALED TOPOGRAPHICAL SURVEY BY TAYLOR LAND CONSULTANTS, PLLC. FOR HORIZONTAL AND VERTICAL DATUM INFORMATION AND OTHER SURVEY CONTROL DATA.

9. WETLAND, STREAM, AND ENVIRONMENTAL INVESTIGATION HAS NOT BEEN PERFORMED ON THIS PROPERTY. IT IS BELIEVED THAT NO ENVIRONMENTALLY SENSITIVE AREAS EXIST WITHIN THE PROJECT LIMITS.

10. CONSTRUCTION DRAWING APPROVAL IS REQUIRED BEFORE CONSTRUCTION CAN BEGIN. ALL APPLICABLE FEES SHALL ALSO BE PAID PRIOR TO CONSTRUCTION DRAWING APPROVAL.

11. NO NATURAL OR HISTORIC SITES HAVE BEEN IDENTIFIED ON OR ADJACENT TO THE PROJECT SITE PER WAKE COUNTY AND/OR CITY OF RALEIGH CULTURAL OR HISTORICAL RESOURCE MAPS.

12. TREE PROTECTION FENCING SHALL BE PROVIDED ALONG ALL VEGETATED RIPARIAN BUFFERS, TREE PRESERVATION AREAS, AND PERIMETER BUFFER AREAS.

13. CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS, DEPTHS, AND MATERIALS OF ALL EXISTING UTILITIES PRIOR TO BEGINNING CONSTRUCTION ACTIVITY ON SITE. UNDERGROUND UTILITIES ARE SHOWN BASED ON MARKINGS PROVIDED BY THE NC ONE CALL CENTER AND ABOVE GROUND EVIDENCE. EXISTING CONDITIONS SHOULD BE CONSIDERED APPROXIMATE IN NATURE. WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION GIVEN, ACTUAL FIELD CONDITIONS MAY VARY AND SHOULD BE CONFIRMED PRIOR TO CONSTRUCTION.

14. ALL DIMENSIONS SHOWN ARE TO THE EDGE OF PAVEMENT, UNLESS NOTED OTHERWISE.

15. COORDINATE ELECTRICAL POWER, TELEPHONE, CABLE, FIBER, AND OTHER UNDERGROUND UTILITY INSTALLATION WITH THE APPROPRIATE UTILITY PROVIDER AND THE CITY OF RALEIGH AS REQUIRED.

16. ALL PROPOSED SIGNAGE WILL COMPLY WITH THE CITY OF RALEIGH UNIFIED DEVELOPMENT ORDINANCE, SECTION 7.3.

 CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL GRADES PRIOR TO THE START OF CONSTRUCTION. NOTIFY ENGINEER IMMEDIATELY IF DISCREPANCIES ARE NOTED.
THE MAXIMUM SIDEWALK CROSS SLOPE SHALL BE 2% (1/4" PER FOOT)

19. TACTILE WARNING MATS OR TRUNCATED DOMES ARE TO BE INSTALLED ON ALL

WHEELCHAIR RAMPS PER THE CITY OF RALEIGH ACCESSIBILITY STANDARDS. 20. ALL TEMPORARY TRAFFIC CONTROL MEASURES, SIGNS, AND MARKINGS SHALL BE

REVIEWED AND APPROVED BY THE ENGINEER PRIOR TO INSTALLATION IN THE FIELD. 21. ALL PARKING STALL MARKINGS AND LANE ARROWS SHALL BE WITHIN THE PARKING AND

VEHICULAR ARES AND SHALL BE WHITE. 22. MINIMUM CORNER CLEARANCE FROM CURB LINE OF INTERSECTING STREETS SHALL BE

22. MINIMUM CORNER CLEARANCE FROM CURB LINE OF INTERSECTING STREETS SHALL BE AT LEAST 20 FEET FROM THE POINT OF TANGENCY.


| | | CURVE T | | |
|-------|--------|---------|--------|---------------|
| CURVE | RADIUS | LENGTH | CHORD | BEARING |
| C1 | 20.04' | 25.57' | 23.87' | N 01°41'22" W |
| L | | | | |




| M | GATE VALVE |
|-----------|--------------------------|
| ۳ | TEE |
| ► | THRUST (REACTION) BLOCKI |
| • • | BLOW OFF VALVE |
| WM | WATER METER |
| RPZ | BACKFLOW PREVENTER |
| • | CLEANOUT |
| | SANITARY MANHOLE |
| | FLARED END SECTION |
| \otimes | RISER STRUCTURE |
| | CATCH BASIN |
| | YARD INLET |
| -ww | WATER LINE |
| SS | SANITARY SEWER LINE |
| | STORM DRAIN LINE |


SITE LEGEND

| ¢ | STREET LIGHT |
|----------|------------------------|
| _ | SIGN |
| WCR | WHEELCHAIR RAMP |
| CBU | CLUSTER MAILBOX UNIT |
| | ROADWAY CENTER LINE |
| | LOT LINE |
| | RIGHT OF WAY LINE |
| | RETAINING WALL |
| | SETBACK LINE |
| · · · | BMP LIMITS |
| | EASEMENT |
| | STANDARD CURB & GUTTER |
| | SPILL CURB & GUTTER |
| 00 | ORNAMENTAL FENCE |
| x | FENCE |
| | OPEN SPACE AREA |
| TPA | TREE PRESERVATION ARE/ |
| | |









'HESE PLANS AND ASSOCIATED DOCUMENTS ARE THE EXCLUSIVE PROPERTY OF SHIPMAN ENGINEERING, PLLC AND MAY NOT BE REPRODUCED IN WHOLE OR IN PART. THESE DOCUMENTS SHALL NOT BE USED FOR AI WHATSOEVER. INCLUDING. BUT NOT LIMITED TO. CONSTRUCTION. BIDDING. AND/OR CONSTRUCTION STAKING WITHOUT THE EXPRESS WRITTEN CONSENT OF SHIPMAN ENGINEERING. PLLC.

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH CITY OF RALEIGH STANDARDS AND SPECIFICATIONS.

GENERAL NOTES:

1. EXISTING CONDITIONS, BOUNDARY, AND TOPOGRAPHICAL DATA OF THE SUBJECT PARCEL ARE COMPILED FROM A FIELD SURVEY OF THE PROPERTY BY TAYLOR LAND CONSULTANTS, PLLC DATED OCTOBER 23, 2024. THE DATA SHOWN ON THIS DRAWING IS NOT THE RESULT OF A FIELD SURVEY BY SHIPMAN ENGINEERING, PLLC. ADDITIONAL EXISTING CONDITIONS DATA PROVIDED BY SUPPLEMENTAL DATA INCLUDING AERIAL PHOTOGRAPHY, WAKE COUNTY GIS DATA, AND OTHER DATA SOURCES AS REQUIRED.

2. REFER TO EROSION AND SEDIMENT CONTROL PLAN AND CONSTRUCTION SEQUENCE BEFORE PERFORMING ANY CLEARING, GRUBBING, OR DEMOLITION OPERATIONS.

- 3. NO TITLE OPINION ON THIS PROPERTY HAS BEEN FURNISHED.
- 4. AREAS COMPUTED BY AUTOCAD.
- 5. THE PROPERTY SHOWN HEREON IS SUBJECT TO ALL RIGHTS-OF-WAY, EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD.
- 6. ALL DISTANCES SHOWN ON THE SURVEY ARE HORIZONTAL GROUND DISTANCES.

7. THE PROPERTY SHOWN IS LOCATED OUTSIDE OF ANY FLOOD HAZARD AREAS AS SHOWN ON FEMA FIRM 3720170500K DATED JULY 19, 2022. .

8. REFER TO SEALED TOPOGRAPHICAL SURVEY BY TAYLOR LAND CONSULTANTS, PLLC. FOR HORIZONTAL AND VERTICAL DATUM INFORMATION AND OTHER SURVEY CONTROL DATA.

9. WETLAND, STREAM, AND ENVIRONMENTAL INVESTIGATION HAS NOT BEEN PERFORMED ON THIS PROPERTY. IT IS BELIEVED THAT NO ENVIRONMENTALLY SENSITIVE AREAS EXIST WITHIN THE PROJECT LIMITS.

10. CONSTRUCTION DRAWING APPROVAL IS REQUIRED BEFORE CONSTRUCTION CAN BEGIN. ALL APPLICABLE FEES SHALL ALSO BE PAID PRIOR TO CONSTRUCTION DRAWING APPROVAL.

11. NO NATURAL OR HISTORIC SITES HAVE BEEN IDENTIFIED ON OR ADJACENT TO THE PROJECT SITE PER WAKE COUNTY AND/OR CITY OF RALEIGH CULTURAL OR HISTORICAL RESOURCE MAPS.

12. TREE PROTECTION FENCING SHALL BE PROVIDED ALONG ALL VEGETATED RIPARIAN BUFFERS, TREE PRESERVATION AREAS, AND PERIMETER BUFFER AREAS.

13. CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS, DEPTHS, AND MATERIALS OF ALL EXISTING UTILITIES PRIOR TO BEGINNING CONSTRUCTION ACTIVITY ON SITE. UNDERGROUND UTILITIES ARE SHOWN BASED ON MARKINGS PROVIDED BY THE NC ONE CALL CENTER AND ABOVE GROUND EVIDENCE. EXISTING CONDITIONS SHOULD BE CONSIDERED APPROXIMATE IN NATURE. WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION GIVEN, ACTUAL FIELD CONDITIONS MAY VARY AND SHOULD BE CONFIRMED PRIOR TO CONSTRUCTION.

14. ALL DIMENSIONS SHOWN ARE TO THE EDGE OF PAVEMENT, UNLESS NOTED OTHERWISE.

15. COORDINATE ELECTRICAL POWER, TELEPHONE, CABLE, FIBER, AND OTHER UNDERGROUND UTILITY INSTALLATION WITH THE APPROPRIATE UTILITY PROVIDER AND THE CITY OF RALEIGH AS REQUIRED.

16. ALL PROPOSED SIGNAGE WILL COMPLY WITH THE CITY OF RALEIGH UNIFIED DEVELOPMENT ORDINANCE, SECTION 7.3.

17. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL GRADES PRIOR TO THE START OF CONSTRUCTION. NOTIFY ENGINEER IMMEDIATELY IF DISCREPANCIES ARE NOTED.

18. THE MAXIMUM SIDEWALK CROSS SLOPE SHALL BE 2% (1/4" PER FOOT)19. TACTILE WARNING MATS OR TRUNCATED DOMES ARE TO BE INSTALLED ON ALL

WHEELCHAIR RAMPS PER THE CITY OF RALEIGH ACCESSIBILITY STANDARDS. 20. ALL TEMPORARY TRAFFIC CONTROL MEASURES, SIGNS, AND MARKINGS SHALL BE

REVIEWED AND APPROVED BY THE ENGINEER PRIOR TO INSTALLATION IN THE FIELD.


21. ALL PARKING STALL MARKINGS AND LANE ARROWS SHALL BE WITHIN THE PARKING AND VEHICULAR ARES AND SHALL BE WHITE.

22. MINIMUM CORNER CLEARANCE FROM CURB LINE OF INTERSECTING STREETS SHALL BE AT LEAST 20 FEET FROM THE POINT OF TANGENCY.

IMPORTANT NOTE:


BUILDING ENVELOPES AND DOWNSPOUT LOCATIONS SHOWN ON THIS PLAN ARE ILLUSTRATIVE IN NATURE AND ARE SHOWN TO DEMONSTRATE POTENTIAL BUILDING FOOTPRINT AREAS AND COMMON DOWNSPOUT LOCATIONS AT BUILDING CORNERS. THE EXACT BUILDING FOOTPRINT FOR EACH PROPOSED HOUSE IS UNKNOWN AT THE TIME OF THIS PLAN AND WILL BE SELECTED BY A FUTURE BUYER OR HOME BUILDING CONTRACTOR.





| SITE LEGEND | | |
|---------------------------------------|---|--|
| ₩CR | STREET LIGHT SIGN WHEELCHAIR RAMP | |
| CBU | CLUSTER MAILBOX UNIT | |
| | ROADWAY CENTER LINE LOT LINE RIGHT OF WAY LINE RETAINING WALL SETBACK LINE BMP LIMITS EASEMENT STANDARD CURB & GUTTER SPILL CURB & GUTTER | |
| | ORNAMENTAL FENCE | |
| x | FENCE | |
| · · · · · · · · · · · · · · · · · · · | OPEN SPACE AREA | |
| TPA | TREE PRESERVATION AREA | |





GENERAL NOTES:

1. EXISTING CONDITIONS, BOUNDARY, AND TOPOGRAPHICAL DATA OF THE SUBJECT PARCEL ARE COMPILED FROM A FIELD SURVEY OF THE PROPERTY BY TAYLOR LAND CONSULTANTS, PLLC DATED OCTOBER 23, 2024. THE DATA SHOWN ON THIS DRAWING IS NOT THE RESULT OF A FIELD SURVEY BY SHIPMAN ENGINEERING, PLLC. ADDITIONAL EXISTING CONDITIONS DATA PROVIDED BY SUPPLEMENTAL DATA INCLUDING AERIAL PHOTOGRAPHY, WAKE COUNTY GIS DATA, AND OTHER DATA SOURCES AS REQUIRED.

2. REFER TO EROSION AND SEDIMENT CONTROL PLAN AND CONSTRUCTION SEQUENCE BEFORE PERFORMING ANY CLEARING, GRUBBING, OR DEMOLITION OPERATIONS.

- 3. NO TITLE OPINION ON THIS PROPERTY HAS BEEN FURNISHED.
- 4. AREAS COMPUTED BY AUTOCAD.
- 5. THE PROPERTY SHOWN HEREON IS SUBJECT TO ALL RIGHTS-OF-WAY, EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD.
- 6. ALL DISTANCES SHOWN ON THE SURVEY ARE HORIZONTAL GROUND DISTANCES.

7. THE PROPERTY SHOWN IS LOCATED OUTSIDE OF ANY FLOOD HAZARD AREAS AS SHOWN ON FEMA FIRM 3720170500K DATED JULY 19, 2022.

8. REFER TO SEALED TOPOGRAPHICAL SURVEY BY TAYLOR LAND CONSULTANTS, PLLC. FOR HORIZONTAL AND VERTICAL DATUM INFORMATION AND OTHER SURVEY CONTROL DATA.

9. WETLAND, STREAM, AND ENVIRONMENTAL INVESTIGATION HAS NOT BEEN PERFORMED ON THIS PROPERTY. IT IS BELIEVED THAT NO ENVIRONMENTALLY SENSITIVE AREAS EXIST WITHIN THE PROJECT LIMITS.

10. CONSTRUCTION DRAWING APPROVAL IS REQUIRED BEFORE CONSTRUCTION CAN BEGIN. ALL APPLICABLE FEES SHALL ALSO BE PAID PRIOR TO CONSTRUCTION DRAWING APPROVAL.

11. NO NATURAL OR HISTORIC SITES HAVE BEEN IDENTIFIED ON OR ADJACENT TO THE PROJECT SITE PER WAKE COUNTY AND/OR CITY OF RALEIGH CULTURAL OR HISTORICAL RESOURCE MAPS.

12. TREE PROTECTION FENCING SHALL BE PROVIDED ALONG ALL VEGETATED RIPARIAN BUFFERS, TREE PRESERVATION AREAS, AND PERIMETER BUFFER AREAS.

13. CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS, DEPTHS, AND MATERIALS OF ALL EXISTING UTILITIES PRIOR TO BEGINNING CONSTRUCTION ACTIVITY ON SITE. UNDERGROUND UTILITIES ARE SHOWN BASED ON MARKINGS PROVIDED BY THE NC ONE CALL CENTER AND ABOVE GROUND EVIDENCE. EXISTING CONDITIONS SHOULD BE CONSIDERED APPROXIMATE IN NATURE. WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION GIVEN, ACTUAL FIELD CONDITIONS MAY VARY AND SHOULD BE CONFIRMED PRIOR TO CONSTRUCTION.

14. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL GRADES PRIOR TO THE START OF CONSTRUCTION. NOTIFY ENGINEER IMMEDIATELY IF DISCREPANCIES ARE NOTED.

15. APPROVAL OF THIS PLAN IS NOT AUTHORIZATION TO GRADE OR DISTURB ADJACENT PROPERTIES. WHEN FIELD CONDITIONS WARRANT OFF-SITE GRADING, PERMISSION MUST BE OBTAINED BY THE AFFECTED PROPERTY OWNER.

16. ALL STORM DRAINAGE PIPING WITHIN THE RIGHT-OF-WAY SHALL BE PUBLIC. ALL STORM DRAINAGE PIPING OUTSIDE OF THE RIGHT-OF-WAY SHALL BE PRIVATE.

17. STORM DRAINAGE PIPING SHALL BE CLASS III RCP UNLESS OTHERWISE NOTED. STORM DRAINAGE WITH LESS THAN 2 FEET OF COVER, MEASURED FROM THE SUBGRADE TO THE TOP OF THE PIPE, SHALL BE CLASS IV RCP. INSTALL PIPING PER CTY OF RALEIGH SPECIFICATIONS AND/OR MANUFACTURER RECOMMENDATIONS.

18. CUT/FILL SLOPES SHALL BE GRADED AT A MAXIMUM OF 2.5H:1V UNLESS NOTED OTHERWISE.

19. NO GRADING EQUIPMENT SHALL BE PERMITTED ON SITE UNTIL A LAND DISTURBING PERMIT HAS BEEN ISSUED BY THE CITY OF RALEIGH.


GROUND COVER STABILIZATION SCHEDULE:

1. STABILIZE BASINS WITH GROUND COVER IMMEDIATELY AFTER INSTALLATION. 2. STABILIZE DIVERSION DITCHES INTENDED TO BE IN SERVICE FOR 30 DAYS OR MORE WITH TEMPORARY SEEDING AND EROSION CONTROL NETTING 3. FOR ALL AREAS OF MODERATE AND/OR STEEP SLOPES, PROVIDE TEMPORARY GROUND COVER IF THE SLOPE HAS NOT BEEN DISTURBED FOR A PERIOD OF 7 DAYS. 4 PROVIDE GROUND COVER SUFFICIENT TO RESTRAIN FROSION ON ANY PORTION OF THE SITE UPON WHICH FURTHER LAND-DISTURBING ACTIVITY IS NOT BEING UNDERTAKEN WITHIN 14 CALENDAR DAYS OF TEMPORARILY OR PERMANENTLY SUSPENDING LAND DISTURBING ACTIVITY. 5. ESTABLISH PERMANENT GROUND COVER SUFFICIENT TO RESTRAIN EROSION WITHIN 14

CALENDAR DAYS FOLLOWING COMPLETION OF CONSTRUCTION OR DEVELOPMENT AND/OR PRIOR TO FINAL INSPECTION.

IMPORTANT NOTE:

A RESIDENTIAL CONSTRUCTION ENTRANCE SHALL BE INSTALLED TO EACH LOT AT THE TIME OF HOME CONSTRUCTION. SHOULD CONSTRUCTION OF EACH HOME OCCUR SEPERATELY (I.E., NOT CONCURRENTLY WITH EACH OTHER), THE CONTRACTOR SHALL INSTALL SILT FENCE ALONG THE COMMON PROPERTY LINE BETWEEN LOTS 1 & 2 IN ORDER TO TOTALLY WRAP EACH PROJECT SITE IN SILT FENCE FOR THE DURATION OF LAND DISTURBING ACTIVITIES.




DESIGNED BY: WZS

DRAWN BY: <u>WZS</u>

3. INSTALL CONSTRUCTION ENTRANCE TO THE PROPERTY. BARRICADE ANY ADDITIONAL ENTRANCES TO PREVENT

9. BEGIN INSTALLATION OF SIDEWALK AND OTHER IMPROVEMENTS AS SHOWN ON THE PLANS. SEED AND STABILIZE



GENERAL NOTES:

1. EXISTING CONDITIONS, BOUNDARY, AND TOPOGRAPHICAL DATA OF THE SUBJECT PARCEL ARE COMPILED FROM A FIELD SURVEY OF THE PROPERTY BY TAYLOR LAND CONSULTANTS, PLLC DATED OCTOBER 23, 2024. THE DATA SHOWN ON THIS DRAWING IS NOT THE RESULT OF A FIELD SURVEY BY SHIPMAN ENGINEERING, PLLC. ADDITIONAL EXISTING CONDITIONS DATA PROVIDED BY SUPPLEMENTAL DATA INCLUDING AERIAL PHOTOGRAPHY, WAKE COUNTY GIS DATA, AND OTHER DATA SOURCES AS REQUIRED.

2. REFER TO EROSION AND SEDIMENT CONTROL PLAN AND CONSTRUCTION SEQUENCE BEFORE PERFORMING ANY CLEARING, GRUBBING, OR DEMOLITION OPERATIONS. 3. NO TITLE OPINION ON THIS PROPERTY HAS BEEN FURNISHED.

4. AREAS COMPUTED BY AUTOCAD.

5. THE PROPERTY SHOWN HEREON IS SUBJECT TO ALL RIGHTS-OF-WAY, EASEMENTS, COVENANTS, AND RESTRICTIONS OF RECORD.

6. ALL DISTANCES SHOWN ON THE SURVEY ARE HORIZONTAL GROUND DISTANCES.

7. THE PROPERTY SHOWN IS LOCATED OUTSIDE OF ANY FLOOD HAZARD AREAS AS SHOWN ON FEMA FIRM 3720170500K DATED JULY 19, 2022.

8. REFER TO SEALED TOPOGRAPHICAL SURVEY BY TAYLOR LAND CONSULTANTS, PLLC. FOR HORIZONTAL AND VERTICAL DATUM INFORMATION AND OTHER SURVEY CONTROL DATA.

9. WETLAND, STREAM, AND ENVIRONMENTAL INVESTIGATION HAS NOT BEEN PERFORMED ON THIS PROPERTY. IT IS BELIEVED THAT NO ENVIRONMENTALLY SENSITIVE AREAS EXIST WITHIN THE PROJECT LIMITS.

10. CONSTRUCTION DRAWING APPROVAL IS REQUIRED BEFORE CONSTRUCTION CAN BEGIN. ALL APPLICABLE FEES SHALL ALSO BE PAID PRIOR TO CONSTRUCTION DRAWING APPROVAL.

11. TREE PROTECTION FENCING SHALL BE PROVIDED ALONG ALL VEGETATED RIPARIAN BUFFERS, TREE PRESERVATION AREAS, AND PERIMETER BUFFER AREAS.

12. CONTRACTOR SHALL FIELD VERIFY THE LOCATIONS, DEPTHS, AND MATERIALS OF ALL EXISTING UTILITIES PRIOR TO BEGINNING CONSTRUCTION ACTIVITY ON SITE. UNDERGROUND UTILITIES ARE SHOWN BASED ON MARKINGS PROVIDED BY THE NC ONE CALL CENTER AND ABOVE GROUND EVIDENCE. EXISTING CONDITIONS SHOULD BE CONSIDERED APPROXIMATE IN NATURE. WHILE EVERY EFFORT HAS BEEN MADE TO ENSURE THE ACCURACY OF THE INFORMATION GIVEN, ACTUAL FIELD CONDITIONS MAY VARY AND SHOULD BE CONFIRMED PRIOR TO CONSTRUCTION.

13. CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL GRADES PRIOR TO THE START OF CONSTRUCTION. NOTIFY ENGINEER IMMEDIATELY IF DISCREPANCIES ARE NOTED.

14. CONTACT THE NC ONE CALL CENTER (811) FOR LOCATIONS OF ALL UTILITY LINES. TREES SHALL BE LOCATED A MINIMUM OF FIVE FEET FROM WATER AND SEWER CONNECTIONS. NOTIFY THE ENGINEER IF ANY CONFLICTS OR DISCREPANCIES ARE NOTED.

15. VERIFY ALL PLANT MATERIAL QUANTITIES ON THE PLAN PRIOR TO BIDDING; PLANT LIST TOTALS ARE SHOWN FOR CONVENIENCE ONLY AND SHALL BE CONFIRMED PRIOR TO SUBMITTING BIDS.

16. PROVIDE PLANT MATERIALS OF QUANTITY, SIZE, GENUS, SPECIES, AND VARIETY INDICATED ON THE PLANS, UNLESS EXPRESS WRITTEN PERMISSION IS ISSUED FROM THE OWNER OR THE ENGINEER INDICATING OTHERWISE. FINAL PLANT SELECTION MAY BE SUBJECT TO SEASONAL AVAILABILITY AND MAY BE ALTERED OR MODIFIED BY THE OWNER AS DESIRED.

17. ALL PLANT MATERIALS AND INSTALLTION SHALL COMPLY WITH RECOMMENDATIONS AND REQUIREMENTS OF ANSI Z60.1 "AMERICAN STANDARD FOR NURSERY STOCK." IF SPECIFIED PLANT MATERIAL IS NOT AVAILABLE, SUBMIT PROOF OF NON-AVAILABILITY TO THE ENGINEER, TOGETHER WITH PROPOSAL FOR THE USE OF EQUIVALENT MATERIAL, VARIETIES, OR CULTIVARS.


18. PROVIDE AND INSTALL ALL PLANTS AS IN ACCORDANCE WITH DETAILS AND CONTRACT SPECIFICATIONS.

CONSTRUCTION & INSTALLATION:

- THE OWNER AND/OR ENGINEER RESERVES THE RIGHT TO REJECT ANY PLANTS AND MATERIALS THAT ARE IN AN UNHEALTHY OR UNSIGHTLY CONDITION, AS WELL AS PLANTS AND MATERIALS THAT DO NOT CONFORM TO ANSI Z60.1 "AMERICAN STANDARD FOR NURSERY STOCK."
- 2. LABEL AT LEAST ONE TREE AND SHRUB OF EACH VARIETY AND CALIPER WITH A SECURELY ATTACHED, WATERPROOF TAG BEARING THE DESIGNATION OF BOTANICAL AND COMMON NAME.
- INSTALL LANDSCAPE PLANTINGS AT ENTRANCES/EXITS AND PARKING AREAS ACCORDING TO PLANS SO THAT MATERIALS WILL NOT INTERFERE WITH SIGHT DISTANCES.
- CONTRACTOR IS RESPONSIBLE FOR WATERING ALL PLANT MATERIAL DURING INSTALLATION AND UNTIL FINAL INSPECTION AND ACCEPTANCE BY OWNER. CONTRACTOR SHALL NOTIFY THE OWNER OF CONDITIONS WHICH AFFECTS THE GUARANTEE.

INSPECTIONS & GUARANTEE:


- UPON COMPLETION OF LANDSCAPE INSTALLATION, THE LANDSCAPE CONTRACTOR SHALL NOTIFY THE GENERAL CONTRACTOR WHO WILL VERIFY THE COMPLETENESS, INCLUDING THE REPLACEMENT OF ALL DEAD PLANT MATERIAL. CONTRACTOR IS RESPONSIBLE FOR SCHEDULING A FINAL INSPECTION BY THE ENGINEER. ALL EXTERIOR PLANT MATERIALS SHALL BE GUARANTEED FOR ONE FULL YEAR AFTER DATE OF FINAL
- INSPECTION AGAINST DEFECTS INCLUDING DEATH AND UNSATISFACTORY GROWTH. DEFECTS RESULTING FROM NEGLECT BY THE OWNER, ABUSE OR DAMAGE BY OTHERS, OR UNUSUAL PHENOMENA OR INCIDENTS WHICH ARE BEYOND THE CONTRACTORS CONTROL ARE NOT THE RESPONSIBILITY OF THE CONTRACTOR. PLANT MATERIAL QUANTITIES AND SIZES WILL BE INSPECTED FOR COMPLIANCE WITH APPROVED PLANS BY A
- SITE PLAN REVIEW AGENT OF THE PLANNING DEPARTMENT PRIOR TO THE RELEASE OF THE CERTIFICATE OF OCCUPANCY. 4. REMOVE ALL GUY WIRES AND STAKES 12 MONTHS AFTER INSTALLATION.




DESIGNED BY: WZS


L-0


DECIDUOUS TREE PLANTING DETAIL NOT TO SCALE
















| PERMANENT SEEDING | | | |
|---|-------------------------|-----------------------------------|--|
| | LL STONES, ROCKS, BOULE | | OF 6 INCHES SO AS TO PRODUCE A LOOSE, DTHER DEBRIS FROM THE SURFACE WHICH |
| | | | OF 20% SUPERPHOSPHATE PER ACRE AND A LOWER RATE OF LIME MAY BE USED. |
| MULCH AFTER SEEDING WITH 1.5 TC LIQUID ASPHALT AT 400 GALLONS PI | | | RIMP STRAW INTO SOIL OR TACK WITH ONS PER ACRE. |
| PERMANENT SEEDINGS: PLANTS AND MIXTURE: | PLANTING RATE/ACRE: | PLANTING DATES | : |
| TALL FESCUE | 110 LBS/ACRE | AUGUST 15- OCT | OBER 15 |
| JAPANESE CLOVER CHINESE LESPEDEZA (LOW MAINTENANCE SLOPE 3:1 OR LESS) | | FEBRUARY 15- MA | AY 1 |
| TALL FESCUE JAPANESE CLOVER CHINESE LESPEDEZA (LOW MAINTENANCE SLOPE 3:1 OR LESS) | 140 LBS/ACRE | AUGUST 15- OCT FEBRUARY 15- MA | |
| BLEND OF TWO TURFTYPE TALL FESCUES (90%) AND TWO OF MORE IMPROVED KENTUCKY BLUEGRASS VARIETIES (10%) (GENERAL LAWN AREAS) | 200 LBS/ACRE | AUGUST 15- OCT FEBRUARY 15- MA | |
| NOTE: FOR SPRING SEEDINGS, USE SEED. | SCARIFIED LESPEDEZA SEI | ED. FOR LATE FALL | AND WINTER SEEDINGS, USE UNSCARIFIED |
| TEMPORARY SEEDING | (PIEDMONT REGI | ON)-LATE WIN | NTER/EARLY SPRING |
| SEEDING MIXTURE: | | | |
| SPECIES: | RATE (LB/ACRE) | SEEDING D | |
| RYE (GRAIN) | 120 | MOUNTAIN | IS: ABOVE 2500 FEET- FEBRUARY 15- MAY 15 BELOW 2500 FEET- FEBRUARY 1- MAY 1 |
| ANNUAL LESPEDEZA (KOBE IN PIEDMONT & COASTAL PLAIN, | 50 | PIEDMONT | : JANUARY 1- MAY 1 |
| KOREAN IN MOUNTAINS) | | COASTAL F | PLAIN: DECEMBER 1- APRIL 15 |
| | | | |
| LIMESTONE AND 750 LBS/ACRE OF 1 | | .515 OK AFFET 2,000 | LBS/ACRE OF GROUND AGRICULTURAL |
| MULCH: APPLY 4,000 LBS/ACRE OF S TOOL. A DISK SET NEARLY STRAIGH | | | PHALT, NETTING, OR A MULCH ANCHORING |
| MAINTENANCE: REFERTILIZE IF GRO FOLLOWING EROSION OR OTHER DA | WTH IS NOT FULLY ADEQU | | |
| TEMPORARY SEEDING | | ON)-FALL | |
| SEEDING MIXTURE: | | | |
| SPECIES: | RATE (LB/ACRE) | | SEEDING DATES: |
| RYE (GRAIN) | 120 | I | MOUNTAINS: AUGUST 15- DECEMBER 15 |
| | | | COASTAL PLAIN & PIEDMONT: AUGUST 15- DECEMBER 30 |
| SOIL AMENDMENTS: FOLLOW RECO LIMESTONE AND 1,000 LBS/ACRE OF | | STS OR APPLY 2,000 | LBS/ACRE OF GROUND AGRICULTURAL |
| MULCH: APPLY 4,000 LBS/ACRE OF S TOOL. A DISK SET NEARLY STRAIGH | | | PHALT, NETTING, OR A MULCH ANCHORING L. |
| MAINTENANCE: REPAIR AND REFER MARCH. IF IT IS NECESSARY TO EXT (PIEDMOND AND COASTAL PLAIN) OF | TEND TEMPORARY COVER I | BEYOND JUNE 15, O | |
| TEMPORARY SEEDING | (PIEDMONT REGI | ON)-SUMMER | |
| SEEDING MIXTURE: | | | |
| SPECIES: | RATE (LB/ACRE) | | SEEDING DATES: |
| GERMAN MILLET | 40 | | MOUNTAINS: MAY 15- AUGUST 15 |
| IN PIEDMONT AND MOUNTAINS, SUBSTITUTED AT A RATE OF 50 | - | NGRASS MAY BE | PIEDMONT: MAY 1- AUGUST 15 |
| | | STS OR APPLY 2 000 | COASTAL PLAIN: APRIL 15- AUGUST 15 |
| LIMESTONE AND 750 LBS/ACRE OF 1 | 0-10-10 FERTILIZER. | | |
| MULCH: APPLY 4,000 LBS/ACRE OF S TOOL. A DISK SET NEARLY STRAIGH | | | PHALT, NETTING, OR A MULCH ANCHORING L. |
| MAINTENANCE: REFERTILIZE IF GRO FOLLOWING EROSION OR OTHER DA | | ATE. RESEED, REFE | RTILIZE, AND MULCH IMMEDIATELY |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |





Know what's **below. Call** before you dig.

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH CITY OF RALEIGH STANDARDS AND SPECIFICATIONS.

EXIST / PRO

PLAN W / INLET INLET PROTECTION - COR BOX

ITY

OF RALEIG

PROPOSÉD OPEN THROAT CATCH BASI

CROSS SECTION

EXISTING ABC

