

Preliminary Subdivision (SUB) Review Benchmark Report

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|--------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Total Preliminary Subdivision (SUB) Reviews | | | | | Total Plans Reviewed |
| All Associated Trades | 365 88.0% | 34 8.0% | 8 2.0% | 9 2.0% | 415 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| DS - Planning | 50 79.4% | 6 9.5% | 4 6.4% | 3 4.7% | 63 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| ES - Stormwater | 53 94.6% | 3 5.4% | 0 0.0% | 0 0.0% | 56 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| DS - Transportation | 27 56.2% | 13 27.1% | 3 6.3% | 5 10.4% | 48 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| PU - Public Utilities | 54 96.4% | 2 3.6% | 0 0.0% | 0 0.0% | 56 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| PRCR - Urban Forestry | 52 94.5% | 3 5.5% | 0 0.0% | 0 0.0% | 55 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| DS - Solid Waste Services | 14 73.7% | 4 21.1% | 1 5.3% | 0 0.0% | 19 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| IT - Addressing | 56 100% | 0 0.0% | 0 0.0% | 0 0.0% | 56 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-------------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| FD - Fire Protection | 52 94.5% | 3 5.5% | 0 0.0% | 0 0.0% | 55 |

| | Goal Met | 1-2 Days Late | 3-4 Days Late | 5+ Days Late | |
|---|-----------|---------------|---------------|--------------|-----------------------------|
| January - March 2025 Preliminary Subdivision Reviews | | | | | Total Plans Reviewed |
| DS - Site Accessibility | 7 100% | 0 0.0% | 0 0.0% | 0 0.0% | 7 |