

\$TIMESSTAMPS
\$DGN\$

1

2

3

4



5

D

C

B

A



CONSTRUCTION NOTES

- Concrete Sidewalk, City Std. T-30.01
- Asphalt Pavement Patch, City Std. T-10.05
- Brick Band, City Std. T-30.03
- 30" Curb & Gutter, City Std. T-10.26.J
- 6" W x 12" D Concrete Curb
- Curb Ramp, City Std. T-20.01.J to T-20.01.8, T-20.04.J
- Median Island Curb Ramps, City Std. T-20.02
- Pedestrian Refuge, City Std. T-20.03
- Detectable Warning Surface, City Std. T-20.04.J to T-20.04.4
- Driveway, City Std. T-10.01.J to T-10.01.2
- Conc. Median
- Bus Shelter Pad, City Std. TT-03
- 6" W x 9" D Concrete Curb
- 6" W x 11" D Concrete Curb
- New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05
- Raised Bicycle Lane
- 5' Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement
- Proposed Handrail, City Std. TT-5
- Artwork Footing
- Retaining Wall. See Detail Sheet

LEGEND

- Pavement Patch
- New Asphalt Pavement
- New Concrete
- Overlay (Include Portion Done by Others)
- Asphalt Driveway Tie-in

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER



CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN


4

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

Total Number of Right-of-Way Trees to Be Removed: 17




NOTE:
WATER AND SEWER BEING DEMOLISHED SHALL
BE REPLACED PRIOR TO THE DEMOLITION TO
PROTECT ALL EXISTING SERVED PROTECT ALL
EXISTING SERVED PROPERTIES ALONG THE
PROJECT FROM OUTAGES.

D

C

B

A



DEMOLITION NOTES

- | | |
|---|------------------------------------|
| 1. Remove Existing Fire Hydrant Assembly | 13. Remove Existing Water Meter |
| 2. Abandon Existing Manhole | 14. Sawcut |
| 3. Abandon Existing Sanitary Sewer | 15. Remove Existing Curb (Not Use) |
| 4. Remove Existing Sanitary Sewer Service | 16. Remove Existing Tree |
| 5. Remove Existing Valve Box | 17. Relocate Hot Box |
| 6. Cut and Cap | |
| 7. Remove Existing Sanitary Sewer | |
| 8. Abandon Existing Water Main | |
| 9. Cut and Cap Existing Sewer | |
| 10. New to Existing | |
| 11. Plug Invert | |
| 12. Close & Abandon Valve | |


LEGEND

- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION
Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	



**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

**DEMOLITION PLAN AND
EROSION CONTROL PLAN**

4(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

\$TIMESSTAMPS
\$CGNS

1

2

3

4


5

D

C

B

A



CONSTRUCTION NOTES

- | | |
|---|---|
| 1. Concrete Sidewalk, City Std. T-30.01 | 15. New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05 |
| 2. Asphalt Pavement Patch, City Std. T-10.05 | 16. Raised Bicycle Lane |
| 3. Brick Band, City Std. T-30.03 | 17. 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement |
| 4. 30" Curb & Gutter, City Std. T-10.26.1 | 18. Proposed Handrail, City Std. TT-5 |
| 5. 6" W x 12" D Concrete Curb | 19. Artwork Footing |
| 6. Curb Ramp, City Std. T-20.01.1 to T-20.01.8, T-20.04.1 | 20. Retaining Wall. See Detail Sheet |
| 7. Median Island Curb Ramps, City Std. T-20.02 | |
| 8. Pedestrian Refuge, City Std. T-20.03 | |
| 9. Detectable Warning Surface, City Std. T-20.04.1 to T-20.04.4 | |
| 10. Driveway, City Std. T-10.01.1 to T-10.01.2 | |
| 11. Conc. Median | |
| 12. Bus Shelter Pad, City Std. TT-03 | |
| 13. 6" W x 9" D Concrete Curb | |
| 14. 6" W x 11" D Concrete Curb | |

LEGEND

- | | |
|--|--|
| | Pavement Patch |
| | New Asphalt Pavement |
| | New Concrete |
| | Overlay (Include Portion Done by Others) |
| | Asphalt Driveway Tie-in |

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION
Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN

5

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818


Total Number of Right-of-Way Trees to Be Removed: 17

D

C

B

A



- DEMOLITION NOTES**

1. Remove Existing Fire Hydrant Assembly	13. Remove Existing Water Meter
2. Abandon Existing Manhole	14. Sawcut
3. Abandon Existing Sanitary Sewer	15. Remove Existing Curb (Not Use)
4. Remove Existing Sanitary Sewer Service	16. Remove Existing Tree
5. Remove Existing Valve Box	17. Relocate Hot Box
6. Cut and Cap	
7. Remove Existing Sanitary Sewer	
8. Abandon Existing Water Main	
9. Cut and Cap Existing Sewer	
10. New to Existing	
11. Plug Invert	
12. Close & Abandon Valve	
- NOTE:**
WATER AND SEWER BEING DEMOLISHED SHALL BE REPLACED PRIOR TO THE DEMOLITION TO PROTECT ALL EXISTING SERVED PROTECT ALL EXISTING SERVED PROPERTIES ALONG THE PROJECT FROM OUTAGES.

- LEGEND**
- Remove Existing Curb
 - Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
 - Remove Asphalt Concrete
 - Milling Asphalt by Others
 - Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

OBERLIN ROAD
STREETSCAPE

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

DEMOLITION PLAN AND
EROSION CONTROL PLAN

5(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

1

2

3

4


5

CONSTRUCTION NOTES

- Concrete Sidewalk, City Std. T-30.01
- Asphalt Pavement Patch, City Std. T-10.05
- Brick Band, City Std. T-30.03
- 30" Curb & Gutter, City Std. T-10.26.J
- 6" W x 12" D Concrete Curb
- Curb Ramp, City Std. T-20.01.I to T-20.01.8, T-20.04.J
- Median Island Curb Ramps, City Std. T-20.02
- Pedestrian Refuge, City Std. T-20.03
- Detectable Warning Surface, City Std. T-20.04.I to T-20.04.4
- Driveway, City Std. T-10.01.I to T-10.01.2
- Conc. Median
- Bus Shelter Pad, City Std. TT-03
- 6" W x 9" D Concrete Curb
- 6" W x 11" D Concrete Curb
- New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05
- Raised Bicycle Lane
- 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement
- Proposed Handrail, City Std. TT-5
- Artwork Footing
- Retaining Wall. See Detail I Sheet

LEGEND

- Pavement Patch
- New Asphalt Pavement
- New Concrete
- Overlay (Include Portion Done by Others)
- Asphalt Driveway Tie-in



CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD
STREETSCAPE

DESIGNER

CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN

6

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMPS
SOGNS

A

B

C

D

1

2

3

4

5

DEMOLITION NOTES

1. Remove Existing Fire Hydrant Assembly

2. Abandon Existing Manhole

3. Abandon Existing Sanitary Sewer

4. Remove Existing Sanitary Sewer Service

5. Remove Existing Valve Box

6. Cut and Cap

7. Remove Existing Sanitary Sewer

8. Abandon Existing Water Main

9. Cut and Cap Existing Sewer

10. New to Existing

11. Plug Invert

12. Close & Abandon Valve
13. Remove Existing Water Meter

14. Sawcut

15. Remove Existing Curb (Not Use)

16. Remove Existing Tree

17. Relocate Hot Box

Total Number of Right-of-Way Trees to Be Removed: 17

NOTE:
WATER AND SEWER BEING DEMOLISHED SHALL BE REPLACED PRIOR TO THE DEMOLITION TO PROTECT ALL EXISTING SERVED PROTECT ALL EXISTING SERVED PROPERTIES ALONG THE PROJECT FROM OUTAGES.

D

C

B

A



CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

**DEMOLITION PLAN AND
EROSION CONTROL PLAN**


6(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMP\$
\$0 GNS



PI Sta 20+59.17
Δ = 40° 33' 48.8" (RT)
D = 14° 33' 08.1"
L = 278.74'
T = 145.50'
R = 393.72'

LEGEND

- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL


CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

D
C
B
A

2/12/2021
I:\Projects\65006818-Oberlin Road Streetscape\NCDOT FOLDER STRUCTURE\Roadway\Proj\6818_Rdy_psh_7.dgn



- CONSTRUCTION NOTES**
- | | |
|---|---|
| 1. Concrete Sidewalk, City Std. T-30.01 | 15. New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05 |
| 2. Asphalt Pavement Patch, City Std. T-10.05 | 16. Raised Bicycle Lane |
| 3. Brick Band, City Std. T-30.03 | 17. 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement |
| 4. 30" Curb & Gutter, City Std. T-10.26.1 | 18. Proposed Handrail, City Std. TT-5 |
| 5. 6" W x 12" D Concrete Curb | 19. Artwork Footing |
| 6. Curb Ramp, City Std. T-20.01.1 to T-20.01.8, T-20.04.1 | 20. Retaining Wall. See Detail Sheet |
| 7. Median Island Curb Ramps, City Std. T-20.02 | |
| 8. Pedestrian Refuge, City Std. T-20.03 | |
| 9. Detectable Warning Surface, City Std. T-20.04.1 to T-20.04.4 | |
| 10. Driveway, City Std. T-10.01.1 to T-10.01.2 | |
| 11. Conc. Median | |
| 12. Bus Shelter Pad, City Std. TT-03 | |
| 13. 6" W x 9" D Concrete Curb | |
| 14. 6" W x 11" D Concrete Curb | |

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	_____
Public Utilities	_____
Stormwater	_____
Planning/Zoning	_____
Fire	_____
Urban Forestry	_____
Site Accessibility	_____

CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD STREETSCAPE

DESIGNER

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL
June 8, 2020
90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET
ROADWAY PLAN

7

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

Total Number of Right-of-Way Trees to Be Removed: 17
POT Sta. 302+17.02

D

C

B

A

MATCH 23+50.00 SEE SHEET 6(1)

MATCH 28+50.00 SEE SHEET 8(1)

302+00.00

301+00.00

24+00.00

26+00.00

27+00.00

28+00.00

NAD 83

X DEMOLITION NOTES

1. Remove Existing Fire Hydrant Assembly
2. Abandon Existing Manhole
3. Abandon Existing Sanitary Sewer
4. Remove Existing Sanitary Sewer Service
5. Remove Existing Valve Box
6. Cut and Cap
7. Remove Existing Sanitary Sewer
8. Abandon Existing Water Main
9. Cut and Cap Existing Sewer
10. New to Existing
11. Plug Invert
12. Close & Abandon Valve

NOTE:
WATER AND SEWER BEING DEMOLISHED SHALL BE REPLACED PRIOR TO THE DEMOLITION TO PROTECT ALL EXISTING SERVED PROTECT ALL EXISTING SERVED PROPERTIES ALONG THE PROJECT FROM OUTAGES.

13. Remove Existing Water Meter
14. Sawcut
15. Remove Existing Curb (Not Use)
16. Remove Existing Tree
17. Relocate Hot Box

6A Contractor shall not disturb the trees while grading along this landscaping bed. Tree Protection should be removed as necessary to complete grading operation.

Contractor shall not disturb the trees while grading along this landscaping bed. Tree Protection should be removed as necessary to complete grading operation.

COLUMBIA CAMERON VILLAGE LLC I
DB 11056 PG 1785
BM 1092 PG 136
LEGEND

- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION
Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD
STREETSCAPE

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

DEMOLITION PLAN AND
EROSION CONTROL PLAN

7(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMPS
SOGNS

1


2

3

4

5

MATCH 50I+50.00 SEE SHEET II



- CONSTRUCTION NOTES**
- Concrete Sidewalk, City Std. T-30.01
 - Asphalt Pavement Patch, City Std. T-10.05
 - Brick Band, City Std. T-30.03
 - 30" Curb & Gutter, City Std. T-10.26.1
 - 6" W x 12" D Concrete Curb
 - Curb Ramp, City Std. T-20.01.1 to T-20.01.8, T-20.04.1
 - Median Island Curb Ramps, City Std. T-20.02
 - Pedestrian Refuge, City Std. T-20.03
 - Detectable Warning Surface, City Std. T-20.04.1 to T-20.04.4
 - Driveway, City Std. T-10.01.1 to T-10.01.2
 - Conc. Median
 - Bus Shelter Pad, City Std. TT-03
 - 6" W x 9" D Concrete Curb
 - 6" W x 11" D Concrete Curb

- New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05
- Raised Bicycle Lane
- 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement
- Proposed Handrail, City Std. TT-5
- Artwork Footing
- Retaining Wall. See Detail Sheet

LEGEND

- Pavement Patch
- New Asphalt Pavement
- New Concrete
- Overlay (Include Portion Done by Others)
- Asphalt Driveway Tie-in

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN


8

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

MATCH 50I+50.00 SEE SHEET II(I)



Transportation _____

Field Services _____

Public Utilities _____

Stormwater _____

Planning/Zoning _____

Fire _____

Urban Forestry _____

Site Accessibility _____

\$DGN\$

\$TIME\$STAMP\$

1

2

3

4

5




D

C

B

A

STIMESSTAMPS
SOGNS



- X

CONSTRUCTION NOTES
1.

Concrete Sidewalk,City Std.T-30.0I
2.

Asphalt Pavement Patch,City Std.T-10.05
3.

Brick Band,City Std.T-30.03
4.

30" Curb & Gutter,City Std.T-10.26.I
5.

6" W x 12" D Concrete Curb
6.

Curb Ramp,City Std.T-20.0I.I to T-20.0I.8,T-20.04.I
7.

Median Island Curb Ramps,City Std.T-20.02
8.

Pedestrian Refuge,City Std.T-20.03
9.

Detectable Warning Surface,City Std.T-20.04.I to T-20.04.4
10.

Driveway,City Std.T-10.0I.I to T-10.0I.2
11.

Conc. Median
12.

Bus Shelter Pad,City Std.TT-03
13.

6" W x 9" D Concrete Curb
14.

6" W x 11" D Concrete Curb
15.

New Asphalt Pavement,outside boundary 2" from existing gutter line City Std.T-10.05
16.

Raised Bicycle Lane
17.

5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement
18.

Proposed Handrail,City Std.TT-5
19.

Artwork Footing
20.

Retaining Wall.See DetailI Sheet

- LEGEND
- Pavement Patch

New Asphalt Pavement

New Concrete

Overlay (Include Portion Done by Others)

Asphalt Driveway Tie-in

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation
Field Services

Public Utilities

Stormwater

Planning/Zoning

Fire

Urban Forestry

Site Accessibility

CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD
STREETSCAPE

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL
June 8, 2020
90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET
ROADWAY PLAN

9

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

1

2

3

4

5

Total Number of Right-of-Way Trees to Be Removed: 17


D

C

B

A

STIMESSTAMPS
SOGNS



DEMOLITION NOTES

- | | |
|---|------------------------------------|
| 1. Remove Existing Fire Hydrant Assembly | 13. Remove Existing Water Meter |
| 2. Abandon Existing Manhole | 14. Sawcut |
| 3. Abandon Existing Sanitary Sewer | 15. Remove Existing Curb (Not Use) |
| 4. Remove Existing Sanitary Sewer Service | 16. Remove Existing Tree |
| 5. Remove Existing Valve Box | 17. Relocate Hot Box |
| 6. Cut and Cap | |
| 7. Remove Existing Sanitary Sewer | |
| 8. Abandon Existing Water Main | |
| 9. Cut and Cap Existing Sewer | |
| 10. New to Existing | |
| 11. Plug Invert | |
| 12. Close & Abandon Valve | |
- NOTE:
WATER AND SEWER BEING DEMOLISHED SHALL BE REPLACED PRIOR TO THE DEMOLITION TO PROTECT ALL EXISTING SERVED PROPERTIES ALONG THE PROJECT FROM OUTAGES.

LEGEND

- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation	_____
Field Services	_____
Public Utilities	_____
Stormwater	_____
Planning/Zoning	_____
Fire	_____
Urban Forestry	_____
Site Accessibility	_____

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL
June 8, 2020
90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET
**DEMOLITION PLAN AND
EROSION CONTROL PLAN**

9(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMPS
SOGNS

1

2

3

4

5

D

C

B

A



CONSTRUCTION NOTES

- | | |
|---|---|
| 1. Concrete Sidewalk,City Std.T-30.0I | 15. New Asphalt Pavement,outside boundary 2" from existing gutter line City Std.T-10.05 |
| 2. Asphalt Pavement Patch,City Std.T-10.05 | 16. Raised Bicycle Lane |
| 3. Brick Band,City Std.T-30.03 | 17. 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement |
| 4. 30" Curb & Gutter,City Std.T-10.26.I | 18. Proposed Handrail,City Std.TT-5 |
| 5. 6" W x 12" D Concrete Curb | 19. Artwork Footing |
| 6. Curb Ramp,City Std.T-20.0I.I to T-20.0I.8,T-20.04.I | 20. Retaining Wall.See DetailI Sheet |
| 7. Median Island Curb Ramps,City Std.T-20.02 | |
| 8. Pedestrian Refuge,City Std.T-20.03 | |
| 9. Detectable Warning Surface,City Std.T-20.04.I to T-20.04.4 | |
| 10. Driveway,City Std.T-10.0I.I to T-10.0I.2 | |
| 11. Conc.Median | |
| 12. Bus Shelter Pad,City Std.TT-03 | |
| 13. 6" W x 9" D Concrete Curb | |
| 14. 6" W x 11" D Concrete Curb | |

LEGEND

- | | |
|--|--|
| | Pavement Patch |
| | New Asphalt Pavement |
| | New Concrete |
| | Overlay (Include Portion Done by Others) |
| | Asphalt Driveway Tie-in |

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD STREETSCAPE

DESIGNER



CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN

10

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

1

2

3

4

5


Total Number of Right-of-Way Trees to Be Removed: 17

D

C

B

A



DEMOLITION NOTES

1. Remove Existing Fire Hydrant Assembly
2. Abandon Existing Manhole
3. Abandon Existing Sanitary Sewer
4. Remove Existing Sanitary Sewer Service
5. Remove Existing Valve Box
6. Cut and Cap
7. Remove Existing Sanitary Sewer
8. Abandon Existing Water Main
9. Cut and Cap Existing Sewer
10. New to Existing
11. Plug Invert
12. Close & Abandon Valve

13. Remove Existing Water Meter
14. Sawcut
15. Remove Existing Curb (Not Use)
16. Remove Existing Tree
17. Relocate Hot Box

NOTE:
WATER AND SEWER BEING DEMOLISHED SHALL
BE REPLACED PRIOR TO THE DEMOLITION TO
PROTECT ALL EXISTING SERVED PROTECT ALL
EXISTING SERVED PROPERTIES ALONG THE
PROJECT FROM OUTAGES.

LEGEND

- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02

CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION
Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

OBERLIN ROAD
STREETSCAPE

DESIGNER

CLARK NEXSEN

333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

DEMOLITION PLAN
AND EROSION
CONTROL PLAN

10(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMPS
SOGNS

1

2

3

4


5

D

C

B

A




MATCH 701+50.00 SEE SHEET 9

CONSTRUCTION NOTES


- Concrete Sidewalk, City Std. T-30.01
- Asphalt Pavement Patch, City Std. T-10.05
- Brick Band, City Std. T-30.03
- 30" Curb & Gutter, City Std. T-10.26.J
- 6" W x 12" D Concrete Curb
- Curb Ramp, City Std. T-20.01.I to T-20.01.8, T-20.04.J
- Median Island Curb Ramps, City Std. T-20.02
- Pedestrian Refuge, City Std. T-20.03
- Detectable Warning Surface, City Std. T-20.04.I to T-20.04.4
- Driveway, City Std. T-10.01.I to T-10.01.2
- Conc. Median
- Bus Shelter Pad, City Std. TT-03
- 6" W x 9" D Concrete Curb
- 6" W x 11" D Concrete Curb
- New Asphalt Pavement, outside boundary 2" from existing gutter line City Std. T-10.05
- Raised Bicycle Lane
- 5" Monolithic Concrete Island (Keyed In) On Asphalt Concrete Pavement
- Proposed Handrail, City Std. TT-5
- Artwork Footing
- Retaining Wall. See Detail Sheet

LEGEND

- Pavement Patch
- New Asphalt Pavement
- New Concrete
- Overlay (Include Portion Done by Others)
- Asphalt Driveway Tie-in



MATCH 501+50.00 SEE SHEET 8



CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION
Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

ROADWAY PLAN

11

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818

STIMESSTAMPS
SDGNS

1

2

3

4

5

Total Number of Right-of-Way Trees Being Removed: 17

D

C


B

A


- DEMOLITION NOTES**
1. Remove Existing Fire Hydrant Assembly
 2. Abandon Existing Manhole
 3. Abandon Existing Sanitary Sewer
 4. Remove Existing Sanitary Sewer Service
 5. Remove Existing Valve Box
 6. Cut and Cap
 7. Remove Existing Sanitary Sewer
 8. Abandon Existing Water Main
 9. Cut and Cap Existing Sewer
 10. New to Existing
 11. Plug Invert
 12. Close & Abandon Valve
 13. Remove Existing Water Meter
 14. Sawcut
 15. Remove Existing Curb (Not Use)
 16. Remove Existing Tree
 17. Relocate Hot Box

LEGEND


- Remove Existing Curb
- Remove Sidewalk, Curb Ramp, Driveway or Traffic Island
- Remove Asphalt Concrete
- Milling Asphalt by Others
- Tree Protection Fence, City Std. TPP-02



MATCH 701+50.00 SEE SHEET 9(I)



MATCH 501+50.00 SEE SHEET 8(I)



CONCURRENT REVIEW APPROVAL

CITY OF RALEIGH-PLANS AUTHORIZED FOR CONSTRUCTION

Plans for the proposed use have been reviewed for general compliance with applicable codes. This limited review, and authorization for construction is not to be considered to represent total compliance with all legal requirements for development and construction. The property owner, design consultants, and contractors are each responsible for compliance with all applicable City, State and Federal laws. This specific authorization below is not a permit, nor shall it be construed to permit any violation of City, State or Federal Law. All Construction must be in accordance with all Local, State, and Federal Rules and Regulations.

Transportation Field Services	
Public Utilities	
Stormwater	
Planning/Zoning	
Fire	
Urban Forestry	
Site Accessibility	

CITY OF RALEIGH
Engineering Services Department

**OBERLIN ROAD
STREETSCAPE**

DESIGNER

CLARK NEXSEN
333 FAYETTEVILLE STREET, SUITE 1000
RALEIGH, NORTH CAROLINA 27601
919-828-1876

CONSULTANT

CORPORATE SEAL

PROFESSIONAL SEAL

SUBMITTAL

June 8, 2020

90% SUBMITTAL

REVISIONS

KEY PLAN

SHEET

**DEMOLITION PLAN
AND EROSION
CONTROL PLAN**

11(1)

SHEET XX OF XX

DESIGN: XL
DRAWN: XL
REVIEW: WMP

CN 6818