

City of Raleigh Stormwater Management Plan

NPDES MS4 Permit No. NCS000245 - Updated July 2022 - Draft - Prepared by: Brown and Caldwell

Table of Contents

Revision Log	
Certification	-
Section 1: Introduction	
Section 2: MS4 Information	
2.1 Permitted MS4 Area	
2.2 Existing MS4 Mapping	
2.3 Receiving Waters	
2.4 MS4 Interconnection	
2.5 Total Maximum Daily Loads	14
2.6 Industrial Facility Discharges	14
2.7 Non-Stormwater Discharges	14
2.8 Target Pollutants and Sources	16
Section 3: Program Implementation	
3.1 City Ordinances	17
3.2 Program Funding and Budget	17
3.3 Organizational Structure	17
Section 4: Public Education and Outreach	22
Section 5: Public Involvement and Participation	
Section 6: Illicit Discharge Detection and Elimination	
Section 7: Construction Site Runoff Controls	
Section 8: Post-Construction Site Runoff Controls	
Section 9: Pollution Prevention and Good Housekeeping for Municipal Operations	
Section 10: Program to Monitor and Control Pollutants in Storm Water Discharges to Municipal System	
Section 11: Water Quality Assessment and Monitoring	-
Section 12: Total Maximum Daily Loads	
Section 12: Program Assessment, Record Keeping, and Reporting	
13.1 Record Keeping and Program Assessment	
13.2 Annual Reporting	
13.3 Additional Reporting	
Appendix A: Stormwater Permit Delegation of Signature Authority Form	

List of Figures

Figure 1. City of Raleigh Corporate Limits and ETJ area	9
Figure 2. City of Raleigh MS4 Permit Implementation Responsible Departments Organizational Chart	18
Figure 3. City of Raleigh Stormwater Management Division MS4 Permit Implementation Organizational	l
Chart	19

List of Tables

Table 1. MS4 Receiving Waters	10
Table 2. Summary of EPA-Approved TMDLs or Nutrient Management Strategies	14
Table 3. Non-Stormwater Discharges	15

Table 4. Program Element – Program Implementation	20
Table 5. BMP Measurable Goals for the Public Education and Outreach Program	24
Table 6. BMP Measurable Goals for the Public Involvement and Participation Program	27
Table 7. BMP Measurable Goals for the IDDE Program	29
Table 8. Program Elements for Construction Site Runoff Controls	32
Table 9. BMP Measurable Goals for Post Construction Site Runoff Control	35
Table 10. Program Elements for Post-Construction Site Runoff Controls	37
Table 11. BMP Measurable Goals for Pollution Prevention and Good Housekeeping for Municipal	
Operations	41
Table 12. BMP Measurable Goals for the Program to Monitor and Control Pollutants in Stormwater	
Discharges to Municipal Systems	46
Table 13. BMP Measurable Goals for Water Quality Assessment and Monitoring	48
Table 14. BMP Measurable Goals for TMDL Program	50
Table 15. Program Elements for TMDL Program	53

Acronyms

AU	Assessment Unit
BMP	Best Management Practice
City	City of Raleigh
CWEP	Clean Water Education Partnership
DEMLR	Division of Energy, Mineral and Land Resources
DEQ	North Carolina Department of Environmental Quality
ETJ	Extra Territorial Jurisdiction
GIS	Geographic Information System
1&M	Inspection and Maintenance
IDDE	Illicit Discharge Detection and Elimination
MEP	Maximum Extent Practicable
MS4	Municipal Separate Storm Sewer System
NCDOT	North Carolina Department of Transportation
NCSU	North Carolina State University
NPDES	National Pollutant Discharge Elimination System
NSW	Nutrient Sensitive Waters
POC	Pollutant of Concern
SARA	Superfund Amendments and Reauthorization Act of 1986
SCM	Stormwater Control Measure
SLA	Service Level Agreement
SMAC	Stormwater Management Advisory Commission
SPPP	Site Pollution Prevention Plan
SOP	Standard Operating Procedure
SWMP	Stormwater Management Plan
SWPPP	Stormwater Pollution Prevention Plan
TMDL	Total Maximum Daily Load
UDO	Unified Development Ordinance
WLA	Waste Load Allocation

Revision Log

Revision Number	Date	Revision	Staff
1	July 2022	General program updates throughout document	Heather Dutra Justin Harcum Stephen Jeltema Zachary Poole Barbara Moranta

Certification

I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

- \Box I am a ranking elected official.
- □ I am a principal executive officer for the permitted MS4.
- ☑ I am a duly authorized representative for the permitted MS4 and have attached the authorization made in writing by a principal executive officer or ranking elected official which specifies me as (*check one*):
 - A specific individual having overall responsibility for stormwater matters.
 - □ A specific position having overall responsibility for stormwater matters.

Signature:		
Print Name:	S. Wayne Miles, PE	
Title:	Stormwater Program Manager	
Signed this day of 20		

Section 1: Introduction

The City of Raleigh (City) operates under a Phase I National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System (MS4) Permit Number NCS000245. The current iteration of the City permit became effective October 10, 2018 and extends through October 9, 2023.

This permit authorizes the City to discharge stormwater from the MS4, located within the City corporate limits, into receiving waters of the state within the Neuse River Basin. This document is the Stormwater Management Plan (SWMP), as required by Part I.A of the City's NPDES MS4 permit, which establishes the methods by which the City implements the permit requirements to achieve compliance and protect receiving stream water quality to the extent allowable under state and local law. The SWMP is intended to describe the various control measures and activities the City will undertake to implement the stormwater management program. The SWMP is a consolidation of the City's relevant ordinances and other regulatory requirements and a description of all programs and procedures (including standard forms to be used for reports and inspections) that will be implemented and enforced to comply with the permit and to document the selection, design, and installation of all stormwater control measures (SCMs).

In preparing this SWMP, the City has evaluated its MS4 and the permit requirements to develop a comprehensive five-year SWMP that will meet the community's needs, address local water quality issues, and provide the measures necessary to comply with the permit. This includes the effective prohibition of non-stormwater discharges to the MS4 and the reduction of pollutant discharges to the maximum extent practicable (MEP) through the implementation of the six minimum measures stipulated in the federal NPDES regulations. This SWMP identifies the program elements to be implemented under the permit program and includes: a brief program narrative, the best management practices (BMPs) intended to fulfill the permit requirements, measurable program goals, annual reporting metrics, implementation schedules, and responsible parties.

The SWMP includes the following core NPDES MS4 permit programs, which are implemented within the City's corporate limits unless noted otherwise:

- Public Education and Outreach BMPs to distribute educational materials to the community, conduct public outreach activities, raise public awareness on the causes and impacts of stormwater pollution, and inform the public on steps they can take to reduce or prevent stormwater pollution.
- Public Involvement and Participation BMPs for the public to participate in program development and implementation and to comply with applicable state and local public notice requirements.
- Illicit Discharge Detection and Elimination (IDDE) BMPs to detect and eliminate illicit discharges to the City's MS4; address significant sources of pollutants to the MS4; implement appropriate enforcement procedures and actions; maintain a map showing the City's major MS4 outfalls to state waters receiving direct discharges; and inform

employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.

- Construction Site Runoff Controls BMPs to reduce pollutants in stormwater runoff from construction activities disturbing one acre or more of land surface and to provide procedures for public input, sanctions to ensure compliance, requirements for construction site operators to implement appropriate erosion and sediment control practices, review of site plans, and procedures for site inspection and enforcement of control measures. The City's unified development ordinance (UDO) exceeds this MS4 permit requirement, requiring SCMs to reduce pollutants in stormwater runoff from construction activities disturbing 12,000 square feet or more of land surface. The City's UDO also includes procedures for public input, sanctions to ensure compliance, requirements for construction site operators to implement appropriate erosion and sediment control practices, review of site plans, and procedures for site inspection and enforcement of control measures. This City program is authorized within the corporate limits and the Extra Territorial Jurisdiction (ETJ) area.
- Post-Construction Site Runoff Controls BMPs to manage stormwater runoff from development that drains to the City's MS4 and to waters within the ETJ area, to provide a mechanism requiring long-term operation and maintenance of SCMs, and to ensure controls are in place to minimize water quality impacts. This City program is authorized within the corporate limits and the ETJ area.
- Pollution Prevention and Good Housekeeping for Municipal Operations BMPs to prevent or reduce stormwater pollution from municipal facilities and operations through pollution prevention and good housekeeping techniques.
- Program to Monitor and Evaluate Stormwater Discharges to Municipal Systems BMPs to monitor and control pollutants in stormwater discharges to the City's MS4 from hazardous waste treatment, storage, disposal, and recovery facilities; industrial facilities subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA); and industrial facilities the City determines are contributing or have a potential to contribute substantial pollutant loading to the MS4.
- Water Quality Assessment and Monitoring BMPs to evaluate the impacts of MS4 discharges on water quality through the implementation of a water quality assessment and monitoring plan.
- Total Maximum Daily Loads (TMDLs) BMPs to evaluate strategies and tailor practices within the six minimum measures to address pollutants of concern (POCs) that are discharged to TMDL-listed streams.

The SWMP will be evaluated annually and updated, if necessary, throughout the permit reporting period to ensure that the elements and minimum measures it contains continue to adequately provide for permit compliance and the community's needs. Upon approval of updates to the SWMP by the North Carolina Department of Environmental Quality (DEQ) or 90 days after submittal if no response is received, all provisions contained and referenced in this SWMP, along with any modifications to the SWMP, are incorporated by reference into the permit and become enforceable parts of the permit.

Section 2: MS4 Information

The following sections include general information about the City's administrative organization for stormwater management, the storm sewer system, and the MS4 receiving waters. These sections inform the development of the stormwater management program and successful permit program implementation.

2.1 Permitted MS4 Area

This SWMP applies throughout the corporate limits of the City, including all regulated activities associated with the discharge of stormwater from the MS4. Additionally, the City is authorized to operate, administer, and enforce the construction site runoff control and post construction site runoff control programs within the ETJ area. The City has developed an operational definition for the MS4 based on the permit language that specifies the extents of the City's permit responsibilities. The map below (Figure 1) shows the corporate limits and the ETJ area of the City as of the date of this document.




Figure 1. City of Raleigh Corporate Limits and ETJ area

2.2 Existing MS4 Mapping

In fiscal year 2014, the City conducted an MS4 mapping program which compiled and documented all known MS4 infrastructure and outfalls within the City corporate limits in a geographic information system (GIS) format. Since this initial effort, the City has continually updated the MS4 mapping, which includes pipes, ditches, inlets, catch basins, culverts, headwalls, channels, manholes, and outfalls, including sizes and inverts. City mapping includes culverts that convey stream and lake flow, which are not considered part of the MS4. The MS4 mapping updates are incorporated into the illicit discharge detection and elimination program, which is described in Section 6.

The condition of the MS4 stormwater inlets and conveyance system is evaluated through the City storm sewer system inspection and maintenance program, which is described in Section 9.

2.3 Receiving Waters

The City MS4 is located within the Neuse River Basin and discharges directly into the receiving waters listed in Table 1 below. Applicable water quality standards listed below were compiled from the following DEQ sources: NC Surface Water Classification Map (<u>https://experience.arcgis.com/experience/7073e9122ab74588b8c48ded34c3df55</u>) and the most recent EPA-approved DEQ Final 303(d) List (2022) (<u>https://edocs.deq.nc.gov/WaterResources/DocView.aspx?dbid=0&id=2361776</u>). TMDLs are addressed in Section 2.5 and Section 12.

The water quality classifications referenced in Table 1 include:

- B: Primary Recreation, Fresh Water
- C: Aquatic Life, Secondary Recreation, Fresh Water
- CA: Critical Area
- NSW: Nutrient Sensitive Waters
- WS-III: Water Supply III Moderately Developed
- WS-IV: Water Supply IV Highly Developed

Table 1. MS4 Receiving Waters

Receiving Water Name	Stream Index/ Assessment Unit (AU) Number	Water Quality Classification	303(d) Listed Parameters of Interest
Neuse River	27-(20.7)	WS-IV; NSW	N/A
Neuse River	27-(22)	WS-IV; NSW; CA	N/A
Neuse River	27-(22.5)c	C; NSW	Copper PCB Fish Tissue Advisory
Honeycutt Creek	27-20-(1)	WS-IV; NSW	N/A
Unnamed Tributary at Camp New Life	27-20.5-(2)	WS-IV; NSW	N/A

Receiving Water Name	Stream Index/ Assessment Unit (AU) Number	Water Quality Classification	303(d) Listed Parameters of Interest
Richland Creek	27-21-(1.5)	WS-IV; NSW	N/A
Toms Creek (Mill Creek)	27-24	C; NSW	Benthos
Perry Creek (Greshams Lake)	27-25-(1)	B; NSW	N/A
Perry Creek	27-25-(2)	C; NSW	N/A
Unnamed Tributary near Neuse	27-25-3-(1)	B; NSW	N/A
Unnamed Tributary near Neuse	27-25-3-(2)	C; NSW	N/A
Harris Creek (Peeples Creek) (Wake Crossroads Lake)	27-26	C; NSW	N/A
Hodges Mill Creek (Lake Mirl)	27-26-1-(1)	B; NSW	N/A
Hodges Mill Creek	27-26-1-(2)	C; NSW	N/A
Beaverdam Creek	27-27	C; NSW	N/A
Rocky Creek	27-28	C; NSW	N/A
Beaverdam Creek (east side of Neuse River) (Neuseco Lake, Beaverdam Lake)	27-29	C; NSW	N/A
Bridges Creek (Bridges Lake)	27-30	C; NSW	N/A
Milburnie Creek (Milburnie Lake)	27-31	C; NSW	N/A
Crabtree Creek (Crabtree Lake)	27-33-(3.5)	B; NSW	PCB Fish Tissue Advisory
Crabtree Creek	27-33-(10)	C; NSW	PCB Fish Tissue Advisory
Brier Creek	27-33-4	C; NSW	PCB Fish Tissue Advisory
Little Brier Creek	27-33-4-1	C; NSW	PCB Fish Tissue Advisory
Haleys Branch	27-33-7	C; NSW	N/A
Reedy Creek (Reedy Creek Lake)	27-33-8	B; NSW	N/A
Sycamore Creek (Big Lake)	27-33-9	B; NSW	N/A
Pots Branch	27-33-9-1	B; NSW	N/A

Receiving Water Name	Stream Index/ Assessment Unit (AU) Number	Water Quality Classification	303(d) Listed Parameters of Interest
Turkey Creek	27-33-9-2	B; NSW	N/A
Richlands Creek	27-33-11	C; NSW	Benthos
Hare Snipe Creek (Lake Lynn)	27-33-12-(1)	B; NSW	Benthos
Hare Snipe Creek	27-33-12-(2)	C; NSW	Benthos
House Creek	27-33-13	C; NSW	N/A
Mine Creek	27-33-14	C; NSW	Benthos
Beaverdam Creek	27-33-15	C; NSW	N/A
Southwest Prong Beaverdam Creek	27-33-15-1	C; NSW	N/A
Southeast Prong Beaverdam Creek	27-33-15-2	C; NSW	N/A
Oxford Branch	27-33-16	C; NSW	N/A
Big Branch	27-33-17	C; NSW	N/A
Hog Pen Branch	27-33-17-1-(1)	B; NSW	N/A
Hog Pen Branch	27-33-17-1-(2)	C; NSW	N/A
Pigeon House Branch	27-33-18	C; NSW	Benthos
Williamson Branch	27-33-18-1	C; NSW	N/A
Cemetery Branch	27-33-18-2	C; NSW	N/A
Bridges Branch	27-33-19	C; NSW	N/A
Marsh Creek	27-33-20	C; NSW	Benthos
Beaman Lake	27-33-20-1	C; NSW	N/A
Pews Pond	27-33-20-2	C; NSW	N/A
Longview Branch	27-33-21	C; NSW	N/A
Carolina Lake	27-33-22	C; NSW	N/A
Walnut Creek	27-34-(1)	C; NSW	PCB Fish Tissue Advisory
Walnut Creek (Lake Johnson)	27-34-(1.5)	B; NSW	PCB Fish Tissue Advisory
Walnut Creek	27-34-(1.7)	C; NSW	PCB Fish Tissue Advisory Fish Community

Receiving Water Name	Stream Index/ Assessment Unit (AU) Number	Water Quality Classification	303(d) Listed Parameters of Interest
Walnut Creek (Lake Raleigh)	27-34-(3.5)	B; NSW	PCB Fish Tissue Advisory
Walnut Creek	27-34-(4)a	C; NSW	PCB Fish Tissue Advisory Fish Community
Walnut Creek	27-34-(4)b	C; NSW	PCB Fish Tissue Advisory Copper
Simmons Branch	27-34-2	C; NSW	N/A
Bushy Creek	27-34-3	C; NSW	N/A
Rocky Branch	27-34-6	C; NSW	Benthos PCB Fish Tissue Advisory
Wildcat Branch	27-34-7	C; NSW	N/A
Watson Branch	27-34-8	C; NSW	N/A
Chavis Branch	27-34-8-1	C; NSW	N/A
Gatling Branch	27-34-9	C; NSW	N/A
Big Branch	27-34-11	C; NSW	N/A
Poplar Branch	27-34-11-1	C; NSW	N/A
Little Arm Branch	27-34-11-2	C; NSW	N/A
Unnamed Tributary to Swift Creek (Silver Lake)	27-43-5-(1)	WS-III; B; NSW	N/A
Unnamed Tributary to Swift Creek (Yates Mill Pond)	27-43-5-(1.5)	WS-III; NSW	N/A

2.4 MS4 Interconnection

The City's MS4 is interconnected with two regulated MS4s and conveys stormwater runoff to the North Carolina Department of Transportation (NCDOT) and North Carolina State University (NCSU) storm sewer systems, as determined by the City's storm sewer system conveyance data. There are multiple points of interconnection between the City and NCDOT MS4s at the edge of roadway rights-of-way and the City, and NCSU at the property boundaries within the City's corporate limits. There are no known interconnections with the MS4s of the City's neighboring communities.

2.5 Total Maximum Daily Loads

The TMDLs listed in Table 2 have been approved by EPA within the MS4 receiving waters, as determined by the map and list provided on the DEQ Modeling and Assessment/TMDL web page (<u>https://deq.nc.gov/about/divisions/water-resources/planning/modeling-assessment/tmdls</u>). The table also indicates whether the approved TMDL has an individual numeric stormwater Waste Load Allocation (WLA) assigned to the City permitted MS4, and whether a water quality recovery program has been implemented to address the WLA.

Water Body Name	TMDL Pollutant(s) of Concern	Assigned Numeric MS4 WLA (Y/N)	Water Quality Recovery Program (Y/N)
Pigeon House Branch	Copper and Fecal Coliforms	No	No
Perry Creek	Benthos	No	No
Falls Lake	Nitrogen and Phosphorus	No	City is participating in 4B nutrient management strategy
Neuse River Estuary	Nitrogen	No	City is implementing the State Nutrient Sensitive Waters Management Strategy

Table 2. Summary of EPA-Approved TMDLs or Nutrient Management Strategies

2.6 Industrial Facility Discharges

The City corporate limits encompass multiple industrial facilities which hold NPDES Industrial Stormwater Permits. The list of permitted industrial facilities within the City corporate limits is reviewed annually and updated, if necessary, as required by Part II Section H.2 (a). The City will provide program results in the City's annual reporting, as documented in Section 10.

2.7 Non-Stormwater Discharges

In addition to authorized point source discharges of stormwater runoff from the MS4, nonstormwater discharges from facilities that are permitted by and in compliance with another NPDES discharge permit, including discharges of process and non-process wastewater and stormwater associated with industrial activities, are also allowed.

The water quality impacts of other allowable non-stormwater discharges, documented in Part I Section I.2 of the permit, have been evaluated by the City as summarized in Table 3 below. The non-permitted non-stormwater discharges listed as incidental do not significantly impact water quality based upon historical illicit discharges and City staff judgement. The two sources identified below with potential for significant water quality impacts include residential and charity car washing and dechlorinated swimming pool discharges. These two non-stormwater discharges are primarily addressed by the City through their public education and outreach program, as documented in Section 4.

Non-Stormwater Discharge	Water Quality Impacts
Water line flushing	Incidental
Landscape irrigation	Incidental
Diverted stream flows	Incidental
Rising groundwater	Incidental
Uncontaminated groundwater infiltration	Incidental
Uncontaminated pumped groundwater	Incidental
Discharges from potable water sources	Incidental
Foundation drains	Incidental
Air conditioning condensate	Incidental
Irrigation waters	Incidental
Springs	Incidental
Water from crawl space pumps	Incidental
Footing drains	Incidental
Lawn watering	Incidental
Residential and charity car washing	Potential
Flows from riparian habitats and wetlands	Incidental
Dechlorinated swimming pool discharges	Potential
Street wash water	Incidental
Flows from emergency firefighting	Incidental

Table 3. Non-Stormwater Discharges

Non-Stormwater Discharge	Water Quality Impacts
Splash pad (spray ground) water from potable water source only	Incidental

2.8 Target Pollutants and Sources

In addition to the parameters of interest identified through the 303(d) listings and the TMDLs described in Sections 2.3 and 2.5, target pollutants and sources within the City's MS4 will be reviewed annually and identified based on inspection results and enforcement activities within the MS4 program elements. The City will provide annual program target pollutants and results in the City's annual reporting, as documented in Section 13.

Section 3: Program Implementation

This section corresponds to Part II Section A of the MS4 permit. The City's program organization and funding are necessary elements for implementing the elements of the MS4 program. Annual reporting metrics are included in Table 4.

3.1 City Ordinances

The current City regulations, ordinances, policies, and procedures can be accessed on the City website at: <u>https://raleighnc.gov/services/government/city-code</u> and <u>https://raleighnc.gov/business/content/PlanDev/Articles/Zoning/ZoningRemapping.html.</u>

3.2 Program Funding and Budget

In accordance with the MS4 permit, the City maintains adequate funding to implement and manage the provisions of the SWMP and comply with the permit requirements. Multiple sources of funding are utilized by the responsible parties to achieve permit compliance. Program elements are primarily funded by the City stormwater utility fee. Additional sources of funding include plan review and permit application fees; the City general fund and Raleigh Water utility fee revenue may be utilized for pollution prevention and good housekeeping activities by owning departments.

A fiscal analysis will be conducted annually to confirm funds are adequate to meet program needs. A discussion of program funding will be included in the City's Annual Report, as documented in Section 13.

3.3 Organizational Structure

The City MS4 program is implemented by multiple departments with oversight and coordination led by the Stormwater Management Division, which is within the Engineering Services Department. The responsible parties are identified in the organizational charts in Figures 2 and 3. These charts depict responsible parties for MS4 permit implementation and do not reflect the entire City organizational structure. The responsible parties also are identified by program element and BMP in Sections 4 through 12. Some responsible departments have been identified for having a direct role in implementing the SWMP, such as the SCM Program, and others have an ancillary role (i.e., implement pollution prevention and good housekeeping practices or provide program support activities, such as Information Technology).




Figure 2. City of Raleigh MS4 Permit Implementation Responsible Departments Organizational Chart




Figure 3. City of Raleigh Stormwater Management Division MS4 Permit Implementation Organizational Chart

Table 4. Program Element – Program Implementation

	Program Actions			
Program Element	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section A. The permittee will implement, manage and oversee all provisions of its Stormwater Management Plan to control to the maximum extent practical the discharge of pollutants from its municipal storm sewer system associated with stormwater runoff and illicit discharges, including spills and illegal dumping. The overall program implementation, however, will be subject to, at a minimum, either 1) an annual review by the Division to determine implementation status and progression toward meeting the pollutant control intent of the Stormwater Management Plan, i.e., a compliance audit, or 2) a voluntary assessment process that has been approved by the Division and is at least as stringent as the annual review described herein.	Complete annual review with DEQ or conduct a voluntary assessment.	Complete annual review with DEQ or conduct a voluntary assessment.	Stormwater Program Manager Water Quality Manager	 Report type of assessment completed
Part II Section A.1. The permittee will maintain adequate legal mechanism, such as regulations, ordinances, policies, and procedures to implement all provisions of the SWMP. If major modifications are proposed in the timeline for development of these authorities, the Division must be notified of the changes, the reasons for the changes, and justifications for the changes. The Division may comment on the modifications and require changes as allowed by Federal and State and as deemed necessary to assure appropriate implementation of the SWMP. The Permittee shall obtain prior approval of changes to the SWMP that eliminate or reduce any program or measure in an approved SWMP.	Review or evaluate regulations, ordinances, policies, and procedures annually and update, as needed.	Review or evaluate regulations, ordinances, policies, and procedures annually and update, as needed.	Stormwater Program Manager Water Quality Manager City Attorney's Office	 Report modifications to the regulations, ordinances, policies, and procedures
Part II Section A.2. The permittee will implement provisions of the SWMP and evaluate the performance and effectiveness of the program components.	Evaluate program effectiveness with responsible parties annually, as described in Table 4 through Table 15 and Section 13.	Evaluate program effectiveness with responsible parties annually, as described in Table 4 through Table 15 and Section 13.	Stormwater Program Manager Water Quality Manager	 Program evaluation completed (Y/N) Annual reporting of program effectiveness is described in each annual report section
Part II Section A.3. The permittee is required to keep the SWMP up to date with annual updates if any changes are warranted. The permittee is required to make available its SWMP to the Division upon request. At a minimum, the permittee shall include ordinances, or other regulatory mechanisms or a list identifying the ordinances, or other regulatory mechanisms providing the legal authority necessary to implement and enforce the requirements of the permit. The Division may review reports submitted by the permittee to assure that the SWMP is implemented appropriately to address the requirements of the permit. The Division may require modifications to any part of the permittee's SWMP where deficiencies are found. If modifications to the SWMP are necessary, then the Division will notify the permittee of the need to modify the SWMP to be consistent with the permit and will establish a deadline to finalize such changes to the program.	Review the SWMP at least once annually and update, as needed.	Review the SWMP at least once annually and update, as needed.	Stormwater Program Manager Water Quality Manager	 Report modifications to the SWMP and make available to DEQ upon request

Program Element	Program Actions		Responsible Party(ies)	Annual Reporting Metric(s)
	FY2023	FY2024 – FY2027	Responsible Party(les)	Annual Reporting Metric(s)
Part II Section A.4. The permittee shall maintain, and make available to the Division upon request, written procedures for implementing the six minimum control measures. Written procedures shall identify specific action steps, schedules, resources, and responsibilities for implementing the six minimum measures.	Maintain written procedures as documented in Sections 4 through 12.	Maintain written procedures as documented in Sections 4 through 12.	Stormwater Program Manager Water Quality Manager	 N/A, written procedures are available to DEQ upon request

Section 4: Public Education and Outreach

As documented in Part II Section B of the MS4 permit, the objectives of the public education and outreach program are to make educational materials available to the community, conduct public outreach activities, raise public awareness on the causes and impacts of stormwater pollution, and inform the public of actions they can take to reduce or prevent stormwater pollution. This is achieved through a variety of BMPs detailed in Table 5.

Describe target pollutants and target pollutant sources. In addition to the areas of focus identified in Tables 1, 2, and 3, the City reviews datasets, such as citizen complaints, illicit discharges, and other program activities to identify target pollutants to focus the public education and outreach materials and activities.

Describe target audiences. Target audiences may be defined by target parameters of interest and associated sources. The City identifies target audiences by reviewing the types of activities correlated to citizen complaints, illicit discharges, and other activities that may cause pollutants to reach the MS4.

Informational website. The City maintains a stormwater website located at https://raleighnc.gov/stormwater.

Distribute public education materials to identified user groups. The City utilizes multiple mechanisms to provide educational materials to identified user groups, including attending City events to engage the general public, utilization of social media platforms, mailing materials to target audiences, and providing materials during response to complaint calls. Additionally, the City participates in the Clean Water Education Partnership (CWEP), which conducts regional media campaigns and develops educational materials. Media campaigns and materials include television public service announcements, radio public service announcements, print advertisements, and a stormwater education website at https://nc-cleanwater.com/.

Promote and maintain Hotline(s) or Helpline(s). The City maintains a public helpline, referred to as the stormwater administration helpline, at (919) 996-3940, which is included on education and outreach materials and the website. The helpline is staffed by multiple stormwater administrative staff during regular business hours.

Implement a public education and outreach program. The City implements a program to educate the general public, provide classroom educational activities, and target audiences

selected based on target parameters of interest and associated sources, as informed by other MS4 permit program elements.

Table 5. BMP Measurable Goals for the Public Education and Outreach Program

Permit	Measurable Goals	Program	Actions	Doon on sible Douts (iso)	Annual Reporting Metric(s)
Reference/BMP	ivieasurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	
		Review annually the target pollutants and sources in the Education, Outreach, and Public Involvement Plan and update, as needed.	Review annually the target pollutants and sources in the Education, Outreach, and Public Involvement Plan and update, as needed.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration,	
Part II Section B.2 (a). Describe target pollutants and sources	Describe the target pollutants and target pollutant sources the permittee's public education program is designed to address and why they are an issue.	Implement the public education and outreach program utilizing the Education, Outreach, and Public Involvement Plan and the Communications Plan.	Implement the public education and outreach program utilizing the Education, Outreach, and Public Involvement and the Communications Plan.	IDDE, PPGH, NPDES Industrial Sites Public Education Water Quality Project Development,	 Report target pollutants and the associated sources Report reason each target pollutant was selected
		Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Monitoring, and Volunteer Engagement Communications	
		Review annually the target audiences associated with each pollutant and source in the Education, Outreach, and Public	Review annually the target audiences associated with each pollutant and source in the Education, Outreach, and Public	Stormwater Program Manager Water Quality Manager	
Part II Section B.2 (b). Describe target	Describe the target audiences likely to have significant stormwater impacts and why	Involvement Plan and update, as needed. Implement the public education and outreach program utilizing the Education, Outreach, and	Involvement Plan and update, as needed. Implement the public education and outreach program utilizing the Education, Outreach, and	NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	 Report identified target audiences likely to have significant stormwater impacts for each target
audiences	they were selected.	Public Involvement Plan and the Communications Plan.	Public Involvement Plan and the Communications Plan.	Public Education Water Quality Project Development, Monitoring, and Volunteer	pollutant.Report reason each target audience was selected
		Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Engagement	
	The permittee shall promote and maintain	Maintain and update the stormwater program webpage.	Maintain and update the stormwater program webpage.	Stormwater Program Manager	Report number of hits to
Part II Section B.2 (c). Informational website	an internet web site designed to convey the program's message.	Evaluate the program effectiveness annually	Evaluate the program effectiveness annually	Water Quality Manager	Stormwater Management Division main site and
		and notify the Water Quality Manager of plan and/or program modifications.	and notify the Water Quality Manager of plan and/or program modifications.	Communications	SWMP web page
Part II Section B.2 (d).	Distribute general stormwater educational material to appropriate target groups as likely to have a significant stormwater	Distribute public education materials, as described in the Education, Outreach, and Public Involvement Plan.	Distribute public education materials, as described in the Education, Outreach, and Public Involvement Plan.	Stormwater Program Manager Water Quality Manager	Report number of
Distribute public education materials to	impact. Instead of developing its own materials, the permittee may rely on state-	Participate in CWEP activities and events.	Participate in CWEP activities and events.	Public Education	educational materialsdistributed by typeProvide CWEP annual
identified user groups	supplied Public Education and Outreach materials, as available, when implementing its own program.	Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Water Quality Project Development, Monitoring, and Volunteer Engagement	report

Permit Measurable Goals		Program Actions		Posponsible Dorty/ics)	Appual Departing Matria(s)
Reference/BMP	Wiedsurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section B.2 (e). Promote and maintain hotline(s) or helpline(s)	Promote and maintain a stormwater hotline(s) or helpline(s) for the public to request information about stormwater, public involvement & participation, and to report illicit connection and discharges, etc.	Maintain the stormwater administration helpline to share information and receive public complaints. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Maintain the stormwater administration helpline to share information and receive public complaints. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Stormwater Program Manager Water Quality Manager Administrative Support Customer Service	 Report number of calls handled by the stormwater administration helpline by type of call
Part II Section B.2 (f). Implement a public education and outreach program	The permittee's outreach program, including those elements implemented locally or through a cooperative agreement, shall include a combination of approaches designed to reach the target audiences. For each media, event, or activity, including those elements implemented locally or through a cooperative agreement the permittee shall estimate and record the extent of exposure.	Review annually the Education, Outreach, and Public Involvement Plan and update, as needed. Review annually the Communications Plan and update, as needed. Implement the public education and outreach program utilizing the Education, Outreach, and Public Involvement Plan and the Communications Plan. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Review annually the Education, Outreach, and Public Involvement Plan and update, as needed. Review annually the Communications Plan and update, as needed. Implement the public education and outreach program utilizing the Education, Outreach, and Public Involvement Plan and the Communications Plan. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Stormwater Program Manager Water Quality Manager Public Education Water Quality Project Development, Monitoring, and Volunteer Engagement Communications	 Report City events and number of handouts distributed at each event Report City in-school events and number of participants

Section 5: Public Involvement and Participation

As documented in Part II Section C of the MS4 permit, the objectives of this program are to provide opportunities for the public to participate in program development and implementation and to comply with applicable state and local public notice requirements. This is achieved through the application of a variety of BMPs detailed in Table 6.

Volunteer community involvement program. The City promotes multiple volunteer opportunities on its website, including Adopt a Stream, storm drain marking, and the volunteer water quality monitoring program.

Establish a mechanism for public involvement. The City engages the public through the Stormwater Management Advisory Commission (SMAC). The SMAC, which is comprised of City residents, meets with Stormwater Management Division staff to discuss program activities and provides feedback to inform Stormwater Management Division decisions.

Establish Hotline(s) or Helpline(s). As described in Section 4, the City maintains the stormwater administration helpline at (919) 996-3940 to share information with the public, including public involvement and engagement opportunities.

Public review and comment. A review and comment period will be provided for public input before finalization of updates to the SWMP. Public input will also be received during a public hearing. Once approved by DEQ or more than 90 days after submission, the City will make the current version of the SWMP available to the public on their website.

Public notice. The City complies with public notice requirements when implementing their public involvement and participation program. Public notice is provided for public engagement opportunities during all SMAC meetings.

Table 6. BMP Measurable Goals for the Public Involvement and Participation Program

Permit		Program		
Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party
Part II Section C.2 (a). Volunteer community involvement program	The permittee shall include and promote volunteer opportunities designed to promote ongoing citizen participation.	Continue to provide community volunteer opportunities. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Continue to provide volunteer community opportunities. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manag Water Quality Projec Development, Monitoring, and Volunteer Engageme
Part II Section C.2 (b). Establish a mechanism for public involvement	The permittee shall provide and promote a mechanism for public involvement that provides for input on stormwater issues and the stormwater program.	Conduct meeting(s) with the SMAC. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Conduct meeting(s) with the SMAC. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manag
Part II Section C.2 (c). Establish hotline(s) or helpline(s)	The permittee shall promote and maintain a stormwater hotline(s) or helpline(s) for the public to request information about stormwater, public involvements & participation, and to report illicit connection and discharges, etc.	Maintain the stormwater administration helpline to receive public complaints. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan program modifications.	Maintain the stormwater administration helpline to receive public complaints. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan program modifications.	Stormwater Program Manager Water Quality Manag Administrative Suppo Customer Service
Part II Section C.2 (d). Public review and comment	The permittee shall make their most recent Stormwater Management Plan available for public review and comment	Maintain the webpage for the most recent version of the SWMP. Publicize a comment period for updates to the SWMP. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Maintain the webpage for the most recent version of the SWMP. Publicize a comment period for updates to the SWMP. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Stormwater Program Manager Water Quality Manag Communications
Part II Section C.2 (e). Public notice	Pursuant to 40 CFR 122.34 the permittee must, at a minimum, comply with State, Tribal and local public notice requirements when implementing a public involvement / participation program	program modifications. Place legal public notice to advertise public review and comment opportunities when implementing a public involvement/participation program, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	 program modifications. Place legal public notice to advertise public review and comment opportunities when implementing a public involvement/participation program, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications. 	Stormwater Program Manager Water Quality Manag

y(ies)	Annual Reporting Metric(s)
m ager ect nent	 Report number of participants in each City volunteer opportunity
m ager	 Report dates for SMAC meetings and discussion topics pertaining to MS4 compliance
m ager port	 N/A, see helpline reporting metrics in Table 5, Part II Section B.2 (e)
m ager	 Report webpage link for SWMP Report mechanisms used for public review and comment on the SWMP
m ager	 If public notice occurred for SWMP updates, report mechanism(s) used to advertise public review and comment and public notice period Report number of SMAC meetings that provided an opportunity for public involvement/participation

Section 6: Illicit Discharge Detection and Elimination

As documented in Part II Section D of the MS4 permit, the objectives of this program are to detect and eliminate illicit discharges to the City's MS4; address significant contributors of pollutants to the MS4; implement appropriate enforcement procedures and actions; maintain a map showing the City's major MS4 outfalls to waters of the state; and inform employees, businesses, and the general public of hazards associated with illegal discharges. These objectives are achieved through a variety of BMPs detailed in Table 7.

Maintain appropriate legal authorities. The City maintains legal authorities to operate its program as documented in Section 3.1.

Maintain a storm sewer system base map of the major MS4 outfalls. The City maintains a storm sewer base map of major MS4 outfalls, as described in Section 2.2.

Inspection and detection program to detect dry weather flows at MS4 outfalls. The IDDE program is conducted by the City under the guidelines provided in the most recent version of the IDDE and dry weather screening standard operating procedures (SOPs) to specify a timeframe for monitoring and identify the number of outfalls for screening and areas to be targeted for inspection.

Employee training. Employee training on detection and reporting of illicit discharges is conducted regularly to ensure that City staff can recognize and report illicit discharges. Training is conducted virtually, in an in-person classroom setting, or by other means.

Maintain a public reporting mechanism(s). In addition to the stormwater administration helpline discussed in Section 4, the public may report an illicit discharge via the City's illegal discharge email address, the SeeClickFix mobile application, and other mechanisms documented on the City website and outreach materials.

Documentation. The City maintains documentation for each illicit discharge investigation for a minimum of five years, including the date of the activity and any enforcement actions and remediation activities that occurred. During each illicit discharge investigation, City staff evaluate if the discharge poses an imminent threat to health or the environment and confirms the required notification to DEQ is completed, as needed.

Table 7. BMP Measurable Goals for the IDDE Program

Permit	Measurable Goals	Permit Program Actions		Descosible Destudies)	
Reference/BMP	wieasurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metrics
Part II Section D.2 (a). Maintain appropriate legal authorities	Maintain adequate ordinance or other legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program	Maintain and enforce public ordinances. Update, if necessary, to maintain legal authority. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Maintain and enforce public ordinances. Update, if necessary, to maintain legal authority. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager City Attorney's Office	 N/A, see Table 4, Part II Section A.1 for reporting of legal authority updates
Part II Section D.2 (b). Maintain a storm sewer system base map of major MS4 outfalls	The permittee shall maintain a current map showing major outfalls and receiving streams	Maintain the storm sewer system base map in GIS and update annually as new inventory is added. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Maintain the storm sewer system base map in GIS and update annually as new inventory is added. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Mapping, Inventory, GIS, and Asset Management	 Report number of major outfalls Provide overview map of receiving streams and major outfalls
Part II Section D.2 (c). Inspection/detection program to detect dry weather flows at MS4 outfalls	Maintain written procedures and/or SOPs for detecting and tracing the sources of illicit discharges and for removing the sources or reporting the sources to the State to be properly permitted. Written procedures and/or SOPs shall specify a timeframe for monitoring and how many outfalls and the areas that are to be targeted for inspections.	Review annually the IDDE Plan and update, as needed. Implement the IDDE Plan. Report any discharge that constitutes an imminent threat to health or the environment by phone or email to the DEQ Regional Office (during business hours) or NC Division of Emergency Management State Operation Center hotline (outside of business hours) within 24 hours. Raleigh Water is responsible for reporting of sanitary sewer overflows. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Review annually the IDDE Plan and update, as needed. Implement the IDDE Plan. Report any discharge that constitutes an imminent threat to health or the environment by phone or email to the DEQ Regional Office (during business hours) or NC Division of Emergency Management State Operation Center hotline (outside of business hours) within 24 hours. Raleigh Water is responsible for reporting of sanitary sewer overflows. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites Raleigh Water	 Report number of dry weather inspections completed and results Report number of discharges reported to the DEQ Regional Office or NC Division of Emergency Management due an imminent threat to health or the environment
Part II Section D.2 (d). Employee training	Conduct training for appropriate municipal staff on detecting and reporting illicit connections and discharges.	Review annually the Education, Outreach, and Public Involvement Plan, and update, as needed. Conduct employee training and document attendance. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Review annually the Education, Outreach, and Public Involvement Plan and update, as needed. Conduct employee training and document attendance. Evaluate the program effectiveness annually and notify the Water Quality Manager of plan and/or program modifications.	Stormwater Program Manager Water Quality Manager Public Education NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	 Report types of IDDE training provided and number of staff in attendance

Permit	Measurable Goals	Program Actions		Posponsible Portu/ies)	Annual Donorting Matrice
Reference/BMP		FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metrics
		Maintain the stormwater administration helpline to receive public reports.	Maintain the stormwater administration helpline to receive public reports.		
		Maintain the illicit discharge reporting email address (IllegalDischarge@raleighnc.gov).	Maintain the illicit discharge reporting email address (IllegalDischarge@raleighnc.gov).	Stormwater Program Manager	• Report the total number
Part II Section D.2	Maintain and publicize reporting mechanism(s)	Coordinate with appropriate City staff so	Coordinate with appropriate City staff so illicit	Water Quality Manager	of illicit discharge complaints received
reporting mechanism(s)		illicit discharge complaints received through the SeeClickFix app are routed to the Stormwater Management Division.	discharge complaints received through the SeeClickFix app are routed to the Stormwater Management Division.	Administrative Support Customer Service	 See helpline reporting metrics in Table 5, Part II Section B.2 (e)
		Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	
		Maintain IDDE inspection records, notices of violations and compliance, and other	Maintain IDDE inspection records, notices of violations and compliance, and other program	Stormwater Program Manager	 Report date(s) of
Part II Section D.2 (f). The permittee shall document the date of investigations, any enforcement action(s) or	program records.	records.	Water Quality Manager	investigations, any enforcement action(s),	
Documentation	remediation that occurred.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	and remediation that occurred

Section 7: Construction Site Runoff Controls

As documented in Part II Section E of the MS4 permit, the objectives of this program are to:

- Reduce pollutants in stormwater runoff from construction activities disturbing one or more acres of land, or less than an acre within a larger common plan of development located within the City corporate limits and ETJ area.
- Provide procedures for public input, sanctions to ensure compliance, requirements for construction site operators to implement appropriate erosion and sediment control practices, review of site plans that incorporate consideration of potential water quality impacts, and procedures for site inspection and enforcement of control measures.
- Implement a locally delegated program that meets state requirements.

Delegated local program. The erosion and sediment control program is delegated to the City by DEQ. The City adopted an erosion and sediment control ordinance, originally as part of its development regulations, and recodified the ordinance on June 1, 2021, under the City's UDO, Erosion and Sedimentation Control. The UDO is updated, when necessary, to meet DEQ's minimum requirements. The City's UDO exceeds the MS4 permit requirement, requiring SCMs to reduce pollutants in stormwater runoff from construction activities disturbing 12,000 square feet or more of land surface. The UDO is available on the City stormwater website listed in Section 3.1. The objectives of the erosion and sediment control program include identifying critical areas, limiting time of exposure and exposed areas, controlling surface waters and sedimentation, managing stormwater runoff, and controlling operations in lakes or natural watercourses.

Plan reviews. Erosion and sediment control plans for new development and redevelopment within the City are reviewed by Plan Review staff for compliance with the UDO and the Raleigh Guidance for Land Disturbing Activities and amendments.

Construction inspections. The City Development Inspections Program staff inspect the landdisturbing activities at reasonable times to ensure the activities are being conducted in accordance with the approved plan or the requirements of the UDO and to determine whether the measures implemented are effective in controlling accelerated erosion and preventing offsite sedimentation.

These objectives are achieved through a variety of BMPs detailed in Table 8.

Table 8. Program Elements for Construction Site Runoff Controls

Drogrow Flow out	Program Actions		Despensible Doutu(ies)	Annual Demonstra Matuia(a)
Program Element	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section E.2 (a). The permittee has a delegated or authorized Sediment and Erosion Control Program. As such, to the extent authorized by law, the permittee is responsible for compliance with the	Implement standard construction site inspection procedures.	Implement standard construction site inspection procedures.	Stormwater Program Manager	
Sediment Pollution Control Act of 1973 and Chapter 4 of Title 15A of the North Carolina Administrative Code. The delegated or authorized Sediment and Erosion Control Program effectively meets the MEP	Perform erosion and sediment control plan reviews.	Perform erosion and sediment control plan reviews.	Water Quality Manager	 Report number of inspections and enforcement activities
standard for Construction Site Runoff Controls by permitting and controlling development activities disturbing one or more acres of land	Perform enforcement activities, if necessary.	Perform enforcement activities, if necessary.	Development Inspections Program	conducted
surface and those activities less than one acre that are part of a larger common plan of development as authorized under the Sediment Pollution Control Act of 1973 and Chapter 4 of Title 15A of the North Carolina Administrative Code.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Plan Review	
Part II Section E.2 (b). The NCG010000 permit establishes requirements for construction site operators to control waste such as discarded	Perform construction site inspections for the erosion and sediment control program and appropriate enforcement activities that meet requirements of Part II Section E.2 (a), if necessary.	Perform construction site inspections for the erosion and sediment control program and appropriate enforcement activities that meet requirements of Part II Section E.2 (a), if necessary.	Stormwater Program Manager Water Quality Manager	 N/A, see reporting metrics in
building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that may cause adverse impacts to water quality.	Perform illicit discharge investigations when reported by City staff or residents.	Perform illicit discharge investigations when reported by City staff or residents.	Development Inspections Program NPDES MS4 Permit Administration,	Part II Section E.2 (a) and Table 7, Part II Section D (f)
	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	IDDE, PPGH, NPDES Industrial Sites	
Part II Section E.2 (c). The permittee shall provide and promote a means for the public to notify the appropriate authorities of observed erosion	Maintain the stormwater administration helpline to receive public reports.	Maintain the stormwater administration helpline to receive public reports.	Stormwater Program Manager Water Quality Manager	 N/A, see reporting metrics in
and sedimentation problems. The permittee may implement a plan promoting the existence of the DEQ "Stop Mud" hotline (1-866-STOPMUD) to meet the requirements of this paragraph.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Administrative Support Customer Service	Table 5, Part II Section B.2 (c)
Part II Section E.2 (d). For new development and redevelopment projects to be built within the permittee's planning jurisdiction by entities with eminent domain authority, the permittee shall, to the MEP, coordinate the approval of the construction site runoff control with the DEMLR.	Coordinate with DEQ for development and redevelopment projects by entities with eminent domain authority, if necessary. This includes land-disturbing activities conducted by local, state, or United States governments or entities with the power of eminent domain (e.g., public utilities), which remain under jurisdiction of the Division of	Coordinate with DEQ for development and redevelopment projects by entities with eminent domain authority, if necessary. This includes land-disturbing activities conducted by local, state, or United States governments or entities with the power of eminent domain (e.g., public utilities), which remain under jurisdiction of the DEMLR.	Stormwater Program Manager Water Quality Manager Plan Review	 Report number of plans that required DEQ coordination for entities with eminent domain authority
	Energy, Mineral, and Land Resources (DEMLR).	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.		

Program Element	Program Actions		Despensible Derty/ice)	
	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.			

Section 8: Post-Construction Site Runoff Controls

As documented in Part II Section F of the MS4 permit, the objectives of this program are to manage stormwater runoff from development that disturbs one acre or more of land surface within the City's corporate limits and ETJ area, provide a mechanism requiring long-term operation and maintenance of SCMs, and ensure controls are in place to minimize water quality impacts. These objectives are achieved through the application of a variety of BMPs detailed in Tables 9 and 10.

Nutrient Sensitive Waters. The City implements the Neuse River Basin Nutrient Sensitive Waters Management Strategy throughout the City corporate limits and ETJ area.

Post-construction stormwater management program. The City maintains appropriate ordinances for implementing the program, as documented in Section 3.1.

Strategies which include SCMs appropriate for the MS4. Through the UDO and Stormwater Design Manual, the City requires that SCMs are designed to meet DEQ requirements, and designs are reviewed by Plan Review staff prior to construction approval. SCM construction is confirmed by qualified third-party professionals through an as-built submittal process, which requires City acceptance prior to issuance of the Certificate of Occupancy. To confirm adequate operation and maintenance of SCMs, the City requires annual inspection reports by qualified professionals as defined by the UDO. The City maintains inspection records of each SCM and conducts enforcement activities, if necessary, when SCMs are deemed noncompliant.

Deed restrictions and protective covenants. The City provides mechanisms to record deed restrictions and protective covenants in the UDO, as documented in Section 3.1.

Operation and maintenance plan. The City requires an operation and maintenance plan with a legally enforceable acknowledgement by the responsible party for each SCM during the design review process; if revisions are made, the updated operation and maintenance plan must be approved. The City maintains records of the plan for each SCM.

Educational materials and training for developers. The City provides periodic training for contractors and developers.

Table 9. BMP Measurable Goals for Post Construction Site Runoff Control

Permit Reference/BMP	Measurable Goals	Program Actions		Desmonsible Deutulies)	
		FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section F.2 (a). Post-construction stormwater management program	Maintain an ordinance (or similar regulatory mechanism) that authorizes a program to address stormwater runoff from new development and redevelopment to the extent allowable under the State law	Review the UDO and Stormwater Design Manual annually and make documents available to developers and construction site operators. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review the UDO and Stormwater Design Manual annually and make documents available to developers and construction site operators. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review	 N/A, see reporting metrics documented in Table 4, Part II Section A
Part II Section F.2 (b). Strategies which include SCMs appropriate for the MS4	 Maintain strategies that include a combination of structural and/or non-structural SCMs implemented in concurrence with (a) above. Provide a mechanism to require long-term operation and maintenance of structural SCMs. Require annual inspection reports of permitted structural SCMs performed by a qualified professional. A qualified professional (as defined in the UDO) means an individual trained and/or certified in the design, operation, inspection, and maintenance aspects of the SCMs being inspected, for example, someone trained and certified by NC State for SCM Inspection & Maintenance. Within 12 months of the effective date of this permit, the permittee shall evaluate, and revise as needed, SCM requirements, to be at least as stringent as the minimum requirements in 15A NCAC 02H .1000. 	Maintain the UDO and Stormwater Design Manual so that the City requirements are at least as stringent as the minimum requirements in 15A NCAC 02H .1000 and make documents available to developers and construction site operators. Review annually the SCM Inspections Program Plan and update, if necessary. Implement the SCM inspection and maintenance program. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Maintain the UDO and Stormwater Design Manual so that the City requirements are at least as stringent as the minimum requirements in 15A NCAC 02H .1000 and make documents available to developers and construction site operators. Review annually the SCM Inspections Program Plan and update, if necessary. Implement the SCM inspection and maintenance program. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager SCM Program	 Report number of sites with SCMs Report number of sites where SCM inspections have been received Report SCM enforcement activities
Part II Section F.2 (c). Deed restriction and protective covenants	The permittee shall provide mechanisms such as recorded deed restrictions, plats, and/or protective covenants so that development activities maintain the project consistent with approved plans.	Develop covenant template for single-owner SCMs. Maintain recording mechanisms for deed restrictions and protective covenants. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Maintain recording mechanisms for deed restrictions and protective covenants. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review	 Verify that mechanisms, such as recorded deed restrictions, plats, and/or protective covenants, are provided so that development activities maintain the project consistent with approved plans

Permit Reference/BMP	Measurable Goals	Program Actions		Posponsible Portu(ies)	
		FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section F.2 (d). Operation and maintenance plan	The developer shall provide the permittee with an operation and maintenance plan for the stormwater system, indicating the operation and maintenance actions that shall be taken, specific quantitative criteria used for determining when those actions shall be taken, and who is responsible for those actions. The plan must clearly indicate the steps that shall be taken and who shall be responsible for restoring a stormwater system to design specifications if a failure occurs and must include a legally enforceable acknowledgment by the responsible party. Development must be maintained consistent with the requirements in the approved plans and any modifications to those plans must be approved by the Permittee.	Require submittal of operation and maintenance plan(s) prior to Certificate of Occupancy issuance and maintain records of each plan. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Require submittal of operation and maintenance plan(s) prior to Certificate of Occupancy issuance and maintain records of each plan. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review SCM Program	 Report number of sites with newly approved operation and maintenance plan(s) at time of plan review
Part II Section F.2 (e). Educational materials and training for developers	Provide educational materials and training for developers. New materials may be developed by the permittee, or the permittee may use materials adopted from other programs and adapted to the permittee' s new development and redevelopment program.	Review annually developer training and outreach materials and update, as needed. Conduct training for developers. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review annually developer training and outreach materials and update, as needed. Conduct training for developers. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Communications Public Education Water Quality Project Development, Monitoring, and Volunteer Engagement SCM Program	 Report types of fact sheets, educational brochures, and other materials made available to developers Report training events held for developers and number of participants

Table 10. Program Elements for Post-Construction Site Runoff Controls

Drogrow Flowant	Program Actions		Desponsible Derty/ies)	
Program Element	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section F.3. To meet the Post-construction Stormwater Runoff Control requirements the permittee may use the Department's model ordinance, design its own post-construction practices that meet or exceed the rules found in 15A NCAC 02H .1000, or develop its own comprehensive watershed plan that is determined by the Department to meet the post-construction stormwater management measure required by 40 Code of Federal Regulations § 122.34(b)(5) (1 July 2003 Edition).	Review annually the DEQ model ordinance and regulations for changes affecting the City's post-construction practices. Incorporate and submit revisions to DEQ for approval, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review annually the DEQ model ordinance and regulations for changes affecting the City's post-construction practices. Incorporate and submit revisions to DEQ for approval, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review	 Report whether UDO was updated (Y/N)
Part II Section F.4. To the extent allowable under State law, additional requirements shall apply to projects draining to certain sensitive receiving waters as set forth in 15A NCAC 02H .1017(9). For areas draining to Nutrient Sensitive Waters (NSW), where the Department has approved a locally implemented Nutrient Management Strategy that addresses post-construction runoff, the provisions of that Strategy fulfill the MS4 post-construction requirement.	Maintain Table 1, which identifies City receiving waters, including NSW and Water Supply Watershed designations. Implement the Neuse River Basin Nutrient Sensitive Waters Management Strategy throughout the City's corporate limits and ETJ area. Implement Water Supply Watershed rules in designated watersheds. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Maintain Table 1, which identifies City receiving waters, including NSW and Water Supply Watershed designations. Implement the Neuse River Basin Nutrient Sensitive Waters Management Strategy throughout the City's corporate limits and ETJ area. Implement Water Supply Watershed rules in designated watersheds. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review	 N/A, see Table 2 and Table 4, Part II Section A.1.
Part II Section F.5. The permittee shall meet the requirements of the post-construction program for construction projects that are performed by, or under contract for, the permittee. To meet this requirement, the permittee may either develop the necessary requirements for post-construction controls that will pertain to their own projects, or develop procedures to ensure that the permittee meets these requirements by complying with other entities' Phase I or Phase II Stormwater Management Programs for post-construction. If the permittee decides to rely on another program for compliance with these program areas for their own projects, they shall indicate in their Stormwater Management Program that the permittee will fully comply with the requirements of the second party's post-construction programs.	Maintain UDO and Stormwater Design Manual and make documents available to all City Departments. Review annually the Asset Management SCM	Maintain UDO and Stormwater Design Manual and make documents available to all City Departments. Review annually the Asset Management SCM Operation & Maintenance Plan and update, if necessary. Implement SCMs and dams asset management program. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Plan Review SCMs and Dams Asset Management Program	 N/A, see reporting metrics in Table 9, Part II Section F.2 (b) and Table 11, Part II Section G.2 (g) Number of City projects approved for post- construction compliance

_

Drogrom Flomont	Program Actions		Descensible Derty/ice)	Annual Departing Matuic(s)
Program Element	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section F.6. Pursuant to 15A NCAC 02H .1000, the water quality design volume of SCMs shall account for the runoff at build out from all surfaces draining to the system. Drainage from off-site areas may be	Maintain UDO and Stormwater Design Manual and make documents available for developers and construction site operators. Evaluate the program effectiveness annually	Maintain UDO and Stormwater Design Manual and make documents available for developers and construction site operators. Evaluate the program effectiveness annually	Stormwater Program Manager Water Quality Manager	 N/A, see reporting metrics in Table 9 Part II Section F.2 (b) and Table 4 Part II
bypassed.	and notify the Water Quality Manager of program modifications.	and notify the Water Quality Manager of program modifications.	Plan Review	Section A.1
Part II Section F.7. Projects undertaken by an entity other than North Carolina Department of Transportation (NCDOT) fulfill the post- construction minimum control measure requirement for linear	Document design requirements for linear projects that will be conveyed to NCDOT demonstrating consistency with current City practices.	Review annually the guidance for design of linear NCDOT projects and revise, if necessary.	Stormwater Program Manager	 Report the number of
transportation projects if they are designed, constructed, and conveyed as set forth in 15A NCAC 02H .1001(1)(c). The NCDOT Stormwater BMP	Implement guidance for NCDOT projects.	Implement guidance for NCDOT projects.	Water Quality Manager	linear projects with an approved design that will
Toolbox is available at: <u>https://connect.ncdot.gov/resources/hydro/Pages/Highway-</u> <u>Stormwater-Program.aspx</u>	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Plan Review	be conveyed to NCDOT

Section 9: Pollution Prevention and Good Housekeeping for Municipal Operations

As documented in Part II Section G of the MS4 permit, the objectives of this program are to reduce stormwater pollution from municipal operations that drain to the MS4 and incorporate pollution prevention and good housekeeping techniques into municipal operations.

This is achieved through the application of a variety of BMPs detailed in Table 11 and managed in cooperation with multiple departments in the City, also referred to as facility owning departments, which may include but are not limited to the following:

- Convention Center and Performing Arts
- Emergency Communications Center
- Engineering Services Department
- Raleigh Fire Department
- Office of Emergency Management
- Parks, Recreation, and Cultural Resources Department
- Police Department
- Raleigh Water
- Transportation Department
- Solid Waste Services

Inventory of municipal facilities and operations. The City has developed an inventory of municipal facilities and defined criteria to identify facilities that have significant potential for generating polluted stormwater runoff. The City will update the list as new facilities are constructed or as the Stormwater Management Division is made aware of facility changes. Additionally, the City maintains a list of operations that may generate polluted stormwater runoff. The City also maintains a list of municipally-owned SCMs.

Inspection and maintenance program for municipal facilities and operations. The Stormwater Management Division oversees a program for managing stormwater pollution from municipal facilities and operations with significant potential for generating polluted stormwater runoff through facility inspections conducted by facility owning departments and the Stormwater Management Division and maintenance performed by facility owning departments. This may include, but is not limited to, municipal facilities with NPDES Industrial Stormwater Permits, other facilities with significant potential for generating polluted stormwater runoff, municipal operations with significant potential for generating polluted stormwater runoff outside of municipal facilities, and maintenance of municipally owned streets, roads, and parking lots. **Site pollution prevention plans (SPPPs) for municipal facilities.** City facilities with NPDES Industrial Stormwater Permits maintain stormwater pollution prevention plans (SWPPPs), as required by their respective permits. The City also coordinated with facility owning departments to develop SPPPs for municipal facilities that have significant potential for generating polluted stormwater runoff but have not been required to apply for an NPDES Industrial Stormwater Permit.

Spill response procedures for municipal facilities and operations. The City maintains a general SOP to establish the responsibilities and steps to be followed by City staff in the handling of emergencies involving hazardous and non-hazardous materials that threaten to enter the MS4. Site specific spill response procedures are included in SWPPPs, as required by the NPDES Industrial Stormwater Permits. Spill response procedures are also included in SPPPs for municipal facilities and operations with significant potential for generating polluted stormwater runoff.

Prevent or minimize contamination of stormwater runoff from municipal facility areas used for vehicle and equipment cleaning. Measures and actions to be taken for preventing and minimizing pollution of stormwater runoff from areas used for vehicle and equipment cleaning are identified in the SWPPP for each municipal facility with an NPDES Industrial Stormwater Permit. For municipal facilities without SWPPPs that conduct vehicle washing, such as fire stations with three or fewer trucks, the Stormwater Management Division is coordinating with facility staff to utilize measures to remove or reduce wash water runoff from entering the storm sewer system. Stormwater Management Division staff review all plans for new construction and renovations for City facilities that require a permit by the UDO. When facilities with three or fewer fire trucks undergo structural renovations, the City will recommend measures to prevent wash water from entering the storm sewer system during the plan review process.

Street, road, and public parking lot maintenance. The City conducts maintenance activities, such as street sweeping, leaf and lawn litter pick up, and other measures, to maintain municipally owned streets, roads, and public parking lots.

Inspection and maintenance for municipally-owned or maintained SCMs and the storm sewer system. The City conducts programs to inspect and maintain municipally-owned SCMs and the storm sewer system. This includes conducting third-party inspections of regulatory SCMs and visual inspections, use of pole cameras, and closed-caption television inspections to determine the storm sewer system condition. The City conducts maintenance activities, if necessary, based on the storm sewer system condition. Additionally, the Stormwater Management Division is executing agreements with facility owning departments to provide maintenance of SCMs located at municipal facilities.

Staff training. Employee training for pollution prevention and good housekeeping is conducted regularly, as described in the facility SPPP or SWPPP and in the Education, Outreach, and Public Involvement Plan. Training may be conducted virtually, in an in-person classroom setting, or by other means.

Table 10. BMP Measurable Goals for Pollution Prevention and Good Housekeeping for Municipal Operations

Permit	Measurable Goals	Program Actions			A
Reference/BMP		FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section G.2 (a). Inventory of municipal facilities and operations	Maintain an inventory of municipal facilities and operations owned and operated by the permittee that have been determined by the permittee to have significant potential for generating polluted stormwater runoff. Also maintain an inventory of municipally owned structural SCMs.	Review the inventory annually and update, as needed, based on changes in municipal facilities and operations. Maintain and update annually an inventory of municipally-owned SCMs. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Review the inventory annually and update, as needed, based on changes in municipal facilities and operations. Maintain and update annually an inventory of municipally-owned SCMs. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites SCMs and Dams Asset Management	 Report inventory of facilities determined to have significant potential for generating polluted stormwater runoff Report number of municipal SCMs by type
Part II Section G.2 (b). Inspection and maintenance program for municipal facilities and operations	Implement an inspection and maintenance program for facilities and operations owned and operated by the permittee for potential sources of polluted runoff, including stormwater controls and conveyance systems. The inspection program shall evaluate pollutant sources, document deficiencies, plan corrective actions, implement appropriate controls, and document the accomplishment of corrective actions. The maintenance program shall include maintenance activities and procedures aimed at preventing or reducing pollutants generated from municipal facilities and operations.	program modifications. Review annually the Asset Management SCM Operations and Maintenance Plan and Industrial Facility Inspection Program Plan guidance and update, as needed. Inspect and document municipal facility inspections, including any corrective actions. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	program modifications. Review annually the Asset Management SCM Operations and Maintenance Plan and Industrial Facility Inspection Program Plan guidance and update, as needed. Inspect and document municipal facility inspections, including any corrective actions. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Program Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites Facility Owning Departments	 Report number of facilities inspected Report corrective actions taken at municipal facilities or operations
Part II Section G.2 (c). SPPPs for municipal facilities	Maintain and implement SPPPs for municipal facilities owned and operated by the permittee that have been determined by the permittee to have significant potential for generating polluted stormwater runoff that has the goal of preventing or reducing pollutant runoff.	Review annually facility SPPPs/SWPPPs with facility owning departments and update, as needed. Develop SPPPs/SWPPPs for newly identified facilities, if necessary. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review annually facility SPPPs/SWPPPs with owning departments and update, as needed. Develop SPPPs/SWPPPs for newly identified facilities, if necessary. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites Facility Owning Departments	 Report number of facilities within the City corporate limits with SPPPs/SWPPPs
Part II Section G.2 (d). Spill response procedures for municipal facilities and operations	Maintain spill response procedures for municipal facilities and operations owned and operated by the permittee that have been determined by the permittee to have significant potential for generating polluted stormwater runoff.	Review facility, operation, and Citywide spill response procedures annually and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review facility, operation, and Citywide spill response procedures annually and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites Facility Owning Departments	 Report number of spill response procedures developed/updated

Permit		Program Actions			
Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section G.2 (e). Prevent or minimize contamination of stormwater runoff from all areas used for vehicle and equipment cleaning	Describe measures that prevent or minimize contamination of the stormwater runoff from all areas used for vehicle and equipment cleaning, including fire stations that have more than three fire trucks and ambulances. Perform all cleaning operations indoors, cover the cleaning operations, ensure wash water drains to the sanitary sewer system, collect wash water and stormwater run-on from the cleaning area and provide treatment or recycling, or other equivalent measures. If sanitary sewer is not available to the facility and cleaning operations take place outdoors, wash water shall drain to an SCM for treatment, or else the cleaning operations shall take place on or drain directly to grassed or graveled areas to prevent point source discharges of the wash water into the storm drains or surface waters. Where cleaning operations cannot be performed as described above and when operations are performed in the vicinity of a storm drainage collection system, the drain is to be covered with a portable drain cover during cleaning activities. Any excess standing water shall be removed and properly handled prior to removing the drain cover. Facilities that have three or fewer fire trucks and ambulances should attempt to comply with the above requirements; however, those that cannot comply with these requirements due to existing limitations shall incorporate structural measures during facility renovation to the extent practicable.	Review procedures for vehicle and equipment cleaning operations annually and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review procedures for vehicle and equipment cleaning operations annually and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites Facility Owning Departments	 Report number of high priority facilities performing vehicle and equipment cleaning operations Report actions taken to prevent or minimize stormwater runoff from vehicle and equipment cleaning Report number of facilities with three or fewer fire trucks/ambulances undergoing renovations that will include structural measures to prevent wash water from entering the storm sewer system to the extent feasible

Permit		Program Actions		Despersible Devty (i.e.s)	
Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
		Document street, road, and public parking lot BMPs in the MS4 Operation and Maintenance Plan.	Review annually the MS4 Operation and Maintenance Plan and revise, as needed.	Stormwater Program Manager	
Part II Section G.2 (f). Streets, roads, and public parking lots maintenance	The permittee shall implement BMPs to reduce polluted stormwater runoff from municipally owned streets, roads, and public parking lots within the corporate limits.	Implement BMPs to reduce polluted stormwater runoff from municipally-owned streets, roads, and public parking lots.	Implement BMPs to reduce polluted stormwater runoff from municipally-owned streets, roads, and public parking lots.	Water Quality Manager Transportation Field Services	 Report maintenance activities completed in the previous fiscal year
maintenance		Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Facility Owning Departments	
Part II Section G.2 (g). Inspection and Maintenance (I&M) for municipally-owned or maintained stormwater control measures (SCMs) and the storm sewer system.	The permittee shall maintain and implement an inspection and maintenance program for SCMs owned and operated by the municipality and the municipal storm sewer system including catch basins, the conveyance system, and SCMs.	Programme and any provided any provided any programme and provided any programme and provided any	Review annually the MS4 Operation and Maintenance Plan and Asset Management SCM Operation and Maintenance Plan, and revise, as needed. Implement inspection and maintenance programs documented in the MS4 Operation and Maintenance Plan and Asset Management SCM Operation and Maintenance Plan. Review existing SLAs and coordinate with facility owning departments, if necessary. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager Transportation Field Services SCM Program SCMs and Dam Asset Management Program Stormwater Maintenance/Asset Management Coordination Facility Owning Departments	 Report number of municipal SCMs inspected Report number of storm sewer conveyance system components inspected Report maintenance and repair actions

Permit	Measurable Goals	Program Actions		Decessible Devision	
Reference/BMP	ivieasurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section G.2 (h). Staff training	Maintain and implement a training plan that indicates when, how often, and who is required to be trained and what they are to be trained on.	 Review annually and implement the Education, Outreach, and Public Involvement Plan, in conjunction with Part II Section D.2 (d) in Table 7, which documents the employee training program, including who should receive training, types of training, and frequency. Conduct employee training and document attendance. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications. 	Review annually the Education, Outreach, and Public Involvement Plan and update, as needed. Conduct employee training and document attendance. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	 Report types of training provided and number of staff who completed pollution prevention and good housekeeping training

Section 10: Program to Monitor and Control Pollutants in Storm Water Discharges to Municipal Systems

As documented in Part II Section H of the MS4 permit, the objective of this program is to evaluate pollutants in stormwater discharges to the City's MS4 from industrial facilities that have been determined to contribute or have potential to contribute substantial pollutant loading to the MS4, including the following types of facilities: hazardous waste treatment, disposal, and recovery facilities; industrial facilities subject to Section 313 of Title III of SARA; and facilities with NPDES Industrial Stormwater Permits. This is achieved through a variety of BMPs detailed in Table 12.

Maintain an inventory of industrial facilities. The City maintains an inventory of industrial facilities and previous inspection records. At least once per permit cycle, the City reviews and updates the list of facilities with data obtained from the DEQ NPDES Industrial Stormwater Permit program to identify permitted industrial facilities, EPA's RCRAInfo search tool (<u>https://enviro.epa.gov/facts/rcrainfo/search.html</u>) to identify permitted hazardous waste facilities, and EPA's Toxic Release Inventory (<u>https://www.epa.gov/toxics-release-inventory-triporgram#trisearch</u>) to identify facilities that are subject to Section 313 of SARA Title III.

Inspection program. The City has established inspection guidance and documentation procedures for the program.

Evaluate industrial facilities discharging stormwater to the City's MS4. Industrial sites within the City's corporate limits will be evaluated using the inspection program guidance. Those sites demonstrating significant non-compliance will be reported to the permitting authority or appropriate enforcement action will be taken for non-permitted sites where non-compliance is determined. Where compliance with an existing NPDES Industrial Stormwater Permit does not result in adequate control of pollutants to the MS4, City staff will recommend and document the need for modifications or additional action to the permit issuing authority. If a potential illicit discharge is identified, it will be investigated using the procedures described in Section 6.

		Progran	n Actions	Descrete it to Desch (is a)	Annual Reporting Metric(s)	
Permit Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)		
Part II Section H.2 (a).	Maintain an inventory of permitted hazardous waste treatment, disposal, and recovery facilities, industrial facilities that are subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA), and industrial facilities identified with an industrial activity permitted to discharge	Review at least once per permit cycle the industrial facility inventory and update, as needed.	Review at least once per permit cycle the industrial facility inventory and update, as needed.	Stormwater Program Manager Water Quality Manager	 Report number of industrial facilities 	
industrial facilities For the	stormwater to the permittee's MS4. For the purposes of this permit, industrial activities shall mean all permitted industrial activities as defined in 40 CFR 122.26.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	identified within the City's corporate limit	
		Review annually the Industrial Facility Inspection Program Plan and update inspection guidance and checklists, if necessary.	Review annually the Industrial Facility Inspection Program Plan and update inspection guidance and checklists, if necessary.	Stormwater Program Manager	 Report number of 	
Part II Section H.2 (b). Inspection program	Identify priorities and inspection procedures. At a minimum, priority facilities include those identified above in subsection II.H.2.a.	Review inspections results and identify program priorities, as needed.	Review inspections results and revise program priorities, as needed.	Water Quality Manager NPDES MS4 Permit Administration, IDDE,	 Report number of facility inspections conducted Identify program priorities 	
		Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	PPGH, NPDES Industrial Sites		
Part II Section H.2 (c).	The Permittee is required to evaluate control measures implemented at permitted hazardous waste treatment, disposal, and recovery facilities, industrial facilities that are subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA), industrial facilities identified with an industrial activity permitted to discharge stormwater to the permittee's MS4, or as identified as an illicit discharge under the IDDE Program. For permitted facilities, the municipality shall establish procedures for	Conduct inspection activities based on established procedures documented in City guidance and	Conduct inspection activities based on established procedures documented in City guidance and	Stormwater Program Manager	Report number of	
Evaluate industrial facilities discharging stormwater to the City's MS4	reporting deficiencies and non-compliance to the permitting agency. Where compliance with an existing industrial stormwater permit does not result in adequate control of pollutants to the MS4, municipality will recommend and document the need for permit modifications or additions to the permit issuing authority.	checklists. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	checklists. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Water Quality Manager NPDES MS4 Permit Administration, IDDE, PPGH, NPDES Industrial Sites	 deficiencies identified and forwarded to DEQ Report number of illicit discharges identified at industrial facilities 	
	For the purposes of this permit, industrial activities shall mean all permitted industrial activities as defined in 40 CFR 122.26. For the purpose of this permit, the Permittee is authorized to inspect the permitted hazardous waste treatment, disposal, and recovery facilities as an authorized representative of the Director.					

Table 11. BMP Measurable Goals for the Program to Monitor and Control Pollutants in Stormwater Discharges to Municipal Systems

Section 11: Water Quality Assessment and Monitoring

As documented in Part II Section I of the MS4 permit, the objective of this program is to evaluate the impacts of MS4 discharges on surface water quality. This is achieved through the application of a variety of BMPs detailed in Table 13.

Water quality assessment and monitoring plan. The City has developed a Water Quality Assessment and Monitoring Plan that identifies monitoring locations, a monitoring schedule, monitoring parameters, sample data analysis, and data evaluation and assessment. The Water Quality Assessment and Monitoring Plan is compliant with the monitoring and records requirements documented in Part V Section C of the MS4 permit.

Water quality monitoring. City staff conduct water quality monitoring, as documented in the Water Quality Assessment and Monitoring Plan. The current version of the plan has been submitted to DEQ.

Table 12. BMP Measurable Goals for Water Quality Assessment and Monitoring

Permit		Progran	Program Actions		
Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Reporting Metric(s)
Part II Section I.2 (a). Water Quality Assessment and Monitoring Plan	Maintain a Water Quality Assessment and Monitoring Plan. The Plan shall include a schedule for implementing the proposed assessment and monitoring activities.	Review annually the Water Quality Assessment and Monitoring Plan and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Review annually the Water Quality Assessment and Monitoring Plan and update, as needed. Evaluate the program effectiveness annually and notify the Water Quality Manager of	Stormwater Program Manager Water Quality Manager Water Quality Project Development, Monitoring,	 Report updates and revisions to the Water Quality Assessment and Monitoring Plan and the date submitted to DEQ, if applicable
		program modifications.	program modifications.	and Volunteer Engagement	
		Conduct water quality monitoring and data evaluation as documented in the Water Quality Assessment and Monitoring Plan.	Conduct water quality monitoring and data evaluation as documented in the Water Quality Assessment and Monitoring Plan.	Stormwater Program Manager	Report number of stream sites
Water quality Asses	Maintain and implement the Water Quality Assessment and Monitoring Plan submitted to DEMLR.	Provide the current Water Quality Assessment and Monitoring Plan to DEQ, if revised.	Provide the current Water Quality Assessment and Monitoring Plan to DEQ, if revised.	Water Quality Manager Water Quality Project Development, Monitoring,	 monitored Report number of samples collected Report parameters analyzed
		Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	and Volunteer Engagement	

Section 12: Total Maximum Daily Loads

As documented in Part II Section J of the MS4 permit, the City will determine whether the MS4 discharges to receiving waters with a TMDL and identify the POCs, utilize BMPs within the six minimum control measures and the City's TMDL Plan(s) or Watershed Action Plan(s) to meet the assigned NPDES MS4 regulated stormwater WLA, and address the WLA assigned to the City to the MEP. The City is not expected to attain the water quality standards for the subject receiving waters.

The TMDLs identified within the City are documented in Section 2.5 and Table 2. The Falls Lake TMDL is being addressed through the City's participation in the Upper Neuse River Basin Association. As documented in Section 8, the Neuse River Estuary is a Nutrient Sensitive Water, so the City addresses this TMDL through the implementation of the Nutrient Sensitive Waters Management Strategy. The Pigeon House Branch and Perry Creek TMDL are local TMDLs without individual numeric WLAs assigned to the City MS4.

Implementation of TMDLs, such as Pigeon House Branch and Perry Creek, are achieved through the application of a variety of BMPs detailed in Table 14 for TMDLs with an individual numeric WLA or the program elements in Table 15 for other TMDLs within the corporate limits.

Table 13. BMP Measurable Goals for TMDL Program

Permit	Measurable Goals	Prog	Despensib	
Reference/BMP		FY2023	FY2024 – FY2027	Responsib
Part II Section J.3 (a). Identify, describe and map watershed, outfalls, and streams	 Within 12 months the permittee shall prepare a plan that: Identifies the watershed(s) subject to an approved TMDL with an approved Waste Load Allocation (WLAs) assigned to the permittee; and Includes a description of the watershed(s); and Includes a map of watershed(s) showing streams & outfalls; Identifies the locations of currently known major outfalls within its corporate limits with the potential of contributing to the cause(s) of the impairment to the impaired segments, to their tributaries, and to segments and tributaries within the watershed contributing to the impaired segments; and Includes a schedule (not to exceed 6 months) to discover and locate other unknown major outfalls within its corporate limits that may be contributing to the cause of the impairment to the impaired stream segments, to their tributaries within the watershed stream segments. 	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, evaluate strategies and tailor SWMP BMPs to address the POCs and associated TMDLs and develop a TMDL Plan.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, evaluate strategies and tailor SWMP BMPs to address the POCs and associated TMDLs and develop a TMDL Plan.	Stormwater Progr Water Quality Pro Water Quality Pro Monitoring, and V Engagement
Part II Section J.3 (b). Evaluate existing measures	 Within 12 months the permittee shall prepare a plan that: Shall describe existing measures currently being implemented by the Permittee designed to achieve the MS4's NPDES WLA and to reduce the TMDL pollutant of concern to the MEP within the watershed to which the TMDL applies; and Provide an explanation as to how those measures are designed to reduce the TMDL pollutant of concern. 	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish measures for identifying and reducing POCs to the MEP.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish measures for identifying and reducing POCs to the MEP.	Stormwater Progr Water Quality Pro Water Quality Pro Monitoring, and V Engagement

ble Party(ies)	Annual Reporting Metric(s)
gram Manager rogram Manager roject Development, Volunteer	 Report TMDLs with WLAs within the MS4 Report changes in outfall inventory that may be contributing to impairment of identified streams
gram Manager rogram Manager roject Development, Volunteer	 N/A, Report POCs and measures taken for reduction

Permit	Permit		ram Actions	Deexersible Deets (is a)	
Reference/BMP	Measurable Goals	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section J.3 (c). Assessment of available monitoring data	Within 24 months the permittee shall prepare a plan that shall include an assessment of available monitoring data. Where long-term data is available, this assessment should include an analysis of the data to show trends.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, review and assess monitoring data.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, review and assess monitoring data.	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 N/A, Report monitoring data summary and data trends
Part II Section J.3 (d). Monitoring Plan	Within 24 months the permittee shall develop a Monitoring Plan for the permittee's assigned NPDES regulated WLA as specified in the TMDL. The permittee shall maintain and implement the Monitoring Plan as additional outfalls are identified and as accumulating data may suggest. Following any review and comment by the Division the permittee shall incorporate any necessary changes to monitoring plan and initiate the plan within 6 months. Modifications to the monitoring plan shall be approved by the Division.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, develop TMDL monitoring plan for applicable assigned NPDES regulated WLA.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, develop TMDL monitoring plan for applicable assigned NPDES regulated WLA.	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 N/A, Report updates to monitoring plan
Part II Section J.3 (e). Additional Measures	 Within 24 months the permittee shall prepare a plan to: Describe additional measures to be implemented by the permittee designed to achieve the permittee's MS4's NPDES WLA and to reduce the TMDL pollutant of concern to the MEP within the watershed to which the TMDL applies; and Provide an explanation as to how those measures are designed to achieve the permittee's MS4's NPDES regulated WLA to the MEP within the watershed to which the TMDL applies. 	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish programs and measures to be implemented within the City's MS4 permit program that are designed to achieve the assigned MS4 NPDES regulated WLA and to reduce the TMDL pollutant of concern to the MEP within the watershed to which the TMDL applies.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish programs and measures to be implemented within the City's MS4 permit program that are designed to achieve the assigned MS4 NPDES regulated WLA and to reduce the TMDL pollutant of concern to the MEP within the watershed to which the TMDL applies.	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 N/A, Report additional measures taken
Part II Section J.3 (f). Implementation Plan	 Within 48 months the permittee shall prepare a plan that describes the measures to be implemented within the remainder of the permit term designed to achieve the MS4's NPDES WLA and to reduce the TMDL pollutant of concern to the MEP; and Identify a schedule, subject to Division approval, for completing the activities. Implement the permittee's TMDL plan 	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish a schedule to address the NPDES WLA pollutant of concerns	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, establish a schedule to address the NPDES WLA pollutant of concerns	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 N/A, Report achievement of schedule milestones

Permit	Measurable Goals	Program Actions		Decremeitele Dertu/ice)	
Reference/BMP	Reference/BMP	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)
Part II Section J.3 (g). Incremental Success	The permittee's plan must outline ways to track progress and report successes designed to achieve the MS4's NPDES regulated WLA and to reduce the TMDL pollutant of concern to MEP within the watershed to which the TMDL applies.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, track successes per the plan. Review and update as needed	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, track successes per the plan. Review and update as needed	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	• N/A, Report successes
Part II Section J.3 (h). Reporting	The permittee shall conduct and submit to the Division an annual assessment of the program designed to achieve the MS4's NPDES WLA and to reduce the TMDL pollutant of concern to the MEP within the watershed to which the TMDL applies. Any monitoring data and information generated from the previous year are to be submitted with each annual report.	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, prepare an assessment of activities and data analysis for the TMDL watershed plan	Continue to monitor TMDL development. If a TMDL is developed that assigns an individual numeric WLA to the City MS4, prepare an assessment of activities and data analysis for the TMDL watershed plan	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 N/A, Report annual assessment outcomes

Table 14. Program Elements for TMDL Program

Duo guo ta Flotta ont	Program Actions		Despensible Derty/ice)	Annual Donouting Matuic(s)	
Program Element	FY2023	FY2024 – FY2027	Responsible Party(ies)	Annual Reporting Metric(s)	
Part II Section J.4. If no MS4 NPDES regulated waste load allocation (WLA) is specified in the TMDL At any time during the effective dates of this permit, if a TMDL has been approved that does not assign a WLA for the POC to the MS4, or if there was no WLA specified for the POC in the TMDL assigned to the MS4, in lieu of developing a plan within this permit section: within 24 months the Permittee shall evaluate strategies and tailor BMP's within the Permittee's MS4 service area and in the context of the scope of the six minimum permit measures to address the POC in the watershed(s) to which the TMDL applies, to the MEP and to the extent allowable by law.	Develop Watershed Action Plans for Pigeon House Branch and Perry Creek that include strategies and tailor BMPs to address the POC in the watersheds. Implement the Watershed Action Plans. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Review annually the Watershed Action Plans and update, if necessary. Implement the Watershed Action Plans. Coordinate with the Department of Water Resources to integrate the Pigeon House Branch and Perry Creek Watershed Action Plans into the DEQ StoryMap format, as staff and resources are available within DEQ. Evaluate the program effectiveness annually and notify the Water Quality Manager of program modifications.	Stormwater Program Manager Water Quality Program Manager Water Quality Project Development, Monitoring, and Volunteer Engagement	 Report the development/maintenance of the Watershed Action Plans and modifications, if necessary Report BMPs implemented 	

Section 13: Program Assessment, Record Keeping, and Reporting

13.1 Record Keeping and Program Assessment

Program assessments may be conducted by DEQ throughout the duration of the MS4 permit. As required in Part III of the MS4 permit, the City will document implementation of this SWMP, including inspections, maintenance activities, educational programs, monitoring and sampling, implementation of BMPs, enforcement actions, and other stormwater activities. Documentation will be kept on-file by the City for at least five years and made available to DEQ upon request. As required in Part IV.A of the MS4 permit, the City will retain records of monitoring data, including all calibration and maintenance records, and copies of reports required by the permit for at least five years from the date of the sample, measurement, report, or application.

The SWMP will be reviewed on an annual basis and updated, if necessary. This annual SWMP review will include reporting by responsible departments for each permit element to the Water Quality Manager, including whether updates are required to program actions or metrics, as documented in each program action in Table 4 through Table 15. The Water Quality Manager will be responsible for incorporating these program changes into the SWMP and documenting these program changes during annual reporting. The City will submit an annual report of the SWMP evaluation and monitoring information to DEQ, as described in Section 13.2.

13.2 Annual Reporting

As required in Part IV.B of the MS4 permit, the City will submit an annual report to DEQ that tracks progress in implementing the SWMP. The annual report will include the following components:

- A detailed description of the status of implementation of the SWMP, including the development and implementation of each major component of the SWMP for the past year and schedules and plans for the following year
- A description and justification of any proposed changes to the SWMP. This will include descriptions and supporting information for the proposed changes and how these changes will impact the SWMP (i.e., results, effectiveness, implementation schedule, etc.)
- Any necessary changes to programs or practices for assessment of management measures implemented through the SWMP
- A summary of data accumulated as part of the SWMP throughout the year with an assessment of what the data indicates
- An assessment of compliance with the permit, information on the establishment of appropriate legal authorities, inspections, and enforcement actions
- Discussion of program funding

13.3 Additional Reporting

As stated in Part III and Part IV.C of the MS4 permit, the City will provide reporting information to DEQ more frequently if requested by DEQ. The documents that will be retained on file are included in Section 13.1.

Appendix A: Stormwater Permit Delegation of Signature Authority Form



NC Department of Environmental Quality

Division of Energy, Mineral and Land Resources

Stormwater Permit Delegation of Signature Authority Form

Directions are in red.

- ⇒ This form shall be used to delegate signature authority from the permit Owner (Permittee) to another party. Only the Responsible Official defined below may submit permit applications and reports required by the permit (such as Data Monitoring Reports and Annual Reports) until this form is completed and submitted to the DEMLR Stormwater Program. Please note that delegating signature authority does not relieve the Permit Owner from the responsibility for permit compliance.
- ⇒ The permit Owner is the legal entity to which/whom a permit has been issued, and may be an individual or an organization such as a company or government agency. Every Owner is required to have a Responsible Official who meets the legal signature authority requirements in <u>40 CFR 122.22</u>, summarized below:
 - For a corporation, the Responsible Official shall be a president, secretary, treasurer, or vicepresident in charge of a principal business function, or another individual who performs similar functions for the corporation, or the manager of one or more manufacturing, production, or operating facilities who is authorized to make management decisions about the facility operation.
 - For a partnership or sole proprietorship, the Responsible Official shall be a general partner or the proprietor, respectively; or
 - For a municipality, State, Federal, or other public agency, the Responsible Official shall be either a
 principal executive officer [City/County Manager] or ranking elected official [Mayor].
- ⇒ Even if delegated signatory authority has been delegated to another individual, the Responsible Official retains responsibility for compliance with permit conditions.

Permittee:	City of Raleigh				
Permit Number:	NCS000245				
Responsible Official Title:	City Manager				
Email Address:	citymanager@raleighnc.gov Phone: 919-996-3		070		
Mailing Address:	222 W. Hargett Street				
City:	Raleigh	State:	NC	Zip:	27601

A. Persons to Receive Signatory Authority

⇒ The signatures of the persons listed below indicates their acceptance of signatory authority.

Delegated Party Name:	S. Wayne Miles				
Delegated Party Title:	Stormwater Program Manager				
Delegated Party Organization:	City of Raleigh				
Email Address:	wayne.miles@raleighnc.gov Phone:		919-996-3964		64
Mailing Address:	P.O. Box 590 West Hargett Street			•.	
City:	Raleigh	State:	NC	Zip:	27601
Signature of Delegated Party indicating acceptance of Signatory Authority:	Shaph	2	1.0		12,001
Date:	J ala	4			

Delegated Party Name:			
Delegated Party Title:			
Delegated Party Organization:			
Email Address:	Phone:		
Mailing Address:			
City:	State:	Zip:	
Signature of Delegated Party indicating acceptance of Signatory Authority:	I		
Date:			

Delegated Party Name:			
Delegated Party Title:			
Delegated Party Organization:			
Email Address:	Phone:		
Mailing Address:			
City:	State:	Zip:	
Signature of Delegated Party indicating acceptance of Signatory Authority:			
Date:			

Delegated Party Name:			
Delegated Party Title:			
Delegated Party Organization:			
Email Address:	Phone:		
Mailing Address:			
City:	State:	Zip:	
Signature of Delegated Party indicating acceptance of Signatory Authority:			
Date:			

Stormwater Permit Delegation of Signatory Authority Form Page 2

B. Responsible Official Signature

The Responsible Official, as identified in accordance with 40 CFR 122.22, is the appropriate individual with the authority to sign and submit reports for the organization.

As the Responsible Official, I, Marchell	Adams-David	_ (printed name),
have the authority to enter into this Ag	reement for	
City of Raleigh	(Owner/Organization Name	e).

I request that the DEMLR Stormwater Program include the persons listed in Part A of this form signatory authority for the above-named permit.

I acknowledge that I, and the persons listed in Part A of this form work at/for my organization and have authority to act as a signatory for purposes of the NCDEQ's electronic document systems.

By submitting this application, I, <u>Marchell Adams-David</u> (printed name), have read, understand, and accept the terms and conditions of the stormwater permit(s) for which I am the Responsible Official.

Responsible Official Signature

City Manager Title

2022

Date

Stormwater Permit Delegation of Signatory Authority Form Page 3