
Existing Zoning

Z-14-2022



Property	107, 117, 123, & 125 Glenwood Ave
Size	0.8 acres
Existing Zoning	DX-3-SH; OX-3-DE w/NCOD
Requested Zoning	DX-20-SH-CU



Rezoning

Rezoning Application and Checklist

General Use



Office Use Only

Master Plan

Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500

Please complete all sections of the form and upload via the Permit and Development Portal (permitportal.raleighnc.gov). Please see page 18 for information about who may submit a rezoning application. A rezoning application will not be considered complete until all required submittal components listed on the Rezoning Checklist have been received and approved. For questions email rezoning@raleighnc.gov.

Rezoning Request

X Conditional Use

Rezoning						Rezoning case #
Type	Text change to zoning conditions					
Existing zoning base d	istrict: See Atta	Height: See Atta	chment A F	rontage	: See Attachment A	Overlay(s): See Attachment A
Proposed zoning base	district: DX	Height: 20	F	Frontage: SH		Overlay(s):
Helpful Tip: View the 2 layers.	Zoning Map to se	arch for the addre	ss to be rez	zoned, t	hen turn on the 'Zo	oning' and 'Overlay'
If the property has bee	n previously rezo	ned, provide the r	ezoning cas	se numb	er:	
		General I	nformatio	n		
Date: Date a		nmended (1): Date amende		Date amended (2	d (2):	
Property address: See	Attachment A					
Property PIN: See Attac	hment A					
Deed reference (book/	page): See Attach	ment A				
Nearest intersection: Se	Nearest intersection: See Attachment A Property size (acres): 0.80					
1 of plainted development		Total units:		Total square footage		otage:
		Total parcels:	otal parcels:		Total buildings:	
Property owner name and address: See Attachment A						
Property owner email:	Property owner email: shervin@TuscanyConstruction.com					
Property owner phone:	(919) 571-9196					

Applicant name and address: 107 Glenwood, LLC, 712 W. Johnson Street, Raleigh, NC, 27603

Applicant email: shervin@TuscanyConstruction.com

Applicant signature(s):
Additional email(s):

Page **1** of **11** REVISION 07.20.21

Attachment A

Property List

PIN	Address	Deed	Nearest	Acreage	Owner Nam/Address	Currently	Proposed
		Book/Page	Intersection			Zoned	Rezoning
1703494746	107 Glenwood	018777 /	Glenwood	0.28	107 Glenwood, LLC, 712 W. Johnson	DX-3-SH	DX-40-SH-CU
	Ave	01518	Ave / Willard		Street, Raleigh, NC , 27603		
			Place		shervin@TuscanyConstruction.com		
					919-571-9196		
1703493883	117 Glenwood	017913 /	Glenwood	0.23	TAHSSILI REAL ESTATE VENTURES LLC,	DX-3-SH &	DX-40-SH-CU
	Ave	00089	Ave / Willard		SHERVIN TAHSSLIL, 712 W JOHNSON ST,	OX-3-DE	
			Place		RALEIGH NC 27603	(NCOD)	
					shervin@TuscanyConstruction.com		
					919-571-9196		
1703494972	123 Glenwood	016463/	Glenwood	0.16	123 GLENWOOD LLC	DX-3-SH	DX-40-SH-CU
	Ave	01864	Ave / West		712 W JOHNSON ST		
			Jones St		RALEIGH NC 27603		
					shervin@TuscanyConstruction.com		
					919-571-9196		
1703494977	125 Glenwood	015525 /	Glenwood	0.13	COCO PROPERTY & INVESTMENT LLC,	DX-3-SH	DX-40-SH-CU
	Ave	00381	Ave / West		125 GLENWOOD AVE, RALEIGH NC		
			Jones St		27603-1703		
					shervin@TuscanyConstruction.com		
					919-571-9196		
Total				0.80			
Acreage							

Conditional Use District Zoning Conditions			
Zoning case #:	Date submitted:	Office Use Only Rezoning case #	
Existing zoning: DX-3-SH & OX-3-DE (NCOD)	Proposed zoning: DX-20-SH		

Narrative of Zoning Conditions Offered
1. Buildings on that portion of 117 Glenwood Avenue (PIN 1703493883) previously zoned OX-3-DE (NCOD), as shown on Exhibit A, shall be limited to 12 stories in height.
The property owner(s) hereby offers, consents to, and agrees to abide, if the rezoning request is

Property Owner(s) Signature:

Shervin Tahssili

Shervin Tahssili

may be photocopied if additional space is needed.

Page **2** of **11** REVISION 07.20.21

approved, the conditions written above. All property owners must sign each condition page. This page

Rezoning Application Addendum #1	
Comprehensive Plan Analysis	Office Use Only
The applicant is asked to analyze the impact of the rezoning request and its consistency with the Comprehensive Plan. The applicant is also asked to explain how the rezoning request is reasonable and in the public interest.	Rezoning case #

Statement of Consistency

Provide brief statements regarding whether the rezoning request is consistent with the future land use designation, the urban form map, and any applicable policies contained within the 2030 Comprehensive Plan.

All aspects of the proposed zoning district are compatible with the Central Business District designation in which the majority of the site is located, as well as with the applicable Downtown and Core Transit Area designations of the Urban Form Map. The site is well located to provide mixed uses walkable to services, jobs, and residences. In acknowledgment of the differing designation on a portion of one of the existing parcels, a lower height limit has been proposed for that portion of the site.

Additionally, many Comprehensive Plan policies support the requested designation, including LU 2.2 (Compact Development); LU 4.7 (Capitalizing on Transit Access); LU 6.2 (Complementary Land Uses and Urban Vitality); LU 7.6 (Pedestrian Friendly Development); ED 1.2 (Mixed Use Redevelopment); ED 5.4 (Niche Office Development); ED 5.8 (Supporting Retail Infill and Reinvestment); H 1.8 (Zoning for Housing); UD 3.4 (Enhanced Sidewalks); DT 1.6 (Supporting Retail Growth); DT 3.1 (Ground Floor Uses on Primary Retail Streets); DT 4.1 (Encouraging Downtown Housing); and DT 7.3 (Streetwalls).

Public Benefits

Provide brief statements explaining how the rezoning request is reasonable and in the public interest.

The proposed rezoning would bring the site into better alignment with city policies regarding placement of density and mixed uses, expanding the housing supply, economic development, and providing niche office space. The proposed urban frontage will maintain and reinforce the pedestrian environment of downtown and Glenwood South.

Page **3** of **11** REVISION 07.20.21

Rezoning Application Addendum #2	
Impact on Historic Resources	
The applicant is asked to analyze the impact of the rezoning request on historic resources. For the purposes of this section, a historic resource is defined as any site, structure, sign, or other feature of the property to be rezoned that is listed in the National Register of Historic Places or designated by the City of Raleigh as a landmark or contributing to a Historic Overlay District.	Office Use Only Rezoning case #
Inventory of Historic Resources	
List in the space below all historic resources located on the property to be rezor the proposed zoning would impact the resource.	ned. For each resource, indicate how
None	
Public Mitigation	
Provide brief statements describing actions that will be taken to mitigate all neg	ative impacts listed above.
N/A	

Page **4** of **11** REVISION 07.20.21

Design Guidelines

The Applicant must respond to the **Urban Design Guidelines** contained in the 2030 Comprehensive Plan if:

- a) The property to be rezoned is within a "City Growth Center", "Mixed-Use Center", or "Transit Station Areas". OR:
- b) The property to be rezoned is located along a "Main Street" or "Transit Emphasis Corridor" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

Policy UD 7.3:

The Design Guidelines in Table UD-1 shall be used to review rezoning petitions and development applications for mixed-use developments; or rezoning petitions and development applications along Main Street and Transit Emphasis Corridors or in City Growth, TOD and Mixed-Use Centers, including preliminary site plans and development plans, petitions for the application of Downtown Overlay Districts, Planned Development Districts, and Conditional Use zoning petitions.

The Applicant must respond to the **Downtown Urban Design Guidelines** contained in the 2030 Comprehensive Plan if:

a) The property to be rezoned is within "Downtown" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

Policy DT 7.18:

The design guidelines in Table DT-1 shall be used to review rezoning, alternative means of compliance, special use permits, and planned development master plan applications in downtown.

Please click here to download the Design Guidelines Addendum if required.

Urban Form Designation: Downtown | Click here to view the Urban Form map.

Please continue to the next page for the Rezoning Checklist Submittal Requirement.

Page **5** of **11** REVISION 07.20.21

Downtown Urban Design Guidelines

The Applicant must respond to the Downtown Urban Design Guidelines contained in the 2030 Comprehensive Plan if:

a) The property to be rezoned is within "Downtown" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

Policy DT 7.18:

The design guidelines in Table DT-1 shall be used to review rezoning, alternative means of compliance, special use permits, and planned development master plan applications in downtown.

	its, and planned development master plan applications in downtown.
Click	<u>here</u> to view the Urban Form map
	Fayetteville Street should be free of service elements, including loading docks, mechanical equipment, and driveways.
1	Response: N/A
2	Loading or service entrances should be embedded within the block where possible. If embedding the loading dock is not possible, the loading dock should be located to the side or rear of a building. The width should be minimized and doors or gates should shield the loading docks from view. Roll-down gates should be decorative if facing the public realm.
	Response: This guideline will inform the design process.
	Surface and structured parking should be landscaped, emphasizing interior tree canopies in surface lots, formal borders, and street trees to reinforce the streetwall.
3	Response: This guideline will inform the design process.
4	Mechanical equipment, satellite or microwave dishes, elevator penthouses, and other utilitarian equipment should be screened from view by a structure that complements the design of the building through the use of similar materials, colors, finishes, and architectural details. Views from buildings above should also be considered when designing rooftop mechanical equipment.
	Response: This guideline will inform the design process.
5	The widths of all curb cuts at parking deck entrances should be minimized. Design techniques should be used (such as lane splits within the deck to encourage consolidated single exit or entrance lanes at the street side, and/or columns between lanes to reduce the perceived size of the openings), while maintaining adequate ingress and egress capacity to provide efficient operations and meet air quality conformity.
	Response: This guideline will inform the design process.
	Building entries should be emphasized with architectural features, changes in roofline, different massing, or unique materials.
6	Response: This guideline will inform the design process.

Page **5** of **11** REVISION 05.0.21

_	The primary pedestrian building entrances should be located along the store front. For buildings that front on three streets, the primary pedestrian entrances should be located on the axial street or the corner if the building is located at an intersection.
7	Response:
	Shopfront frontage has been requested and addresses this concern.
8	Building entries should be at grade.
	Response:
	This guideline will inform the design process.
	The level of architectural detail should be most intense at street level, within view of pedestrians on the sidewalk.
9	Response:
	This guideline will inform the design process.
	The use of solid roll-down security gates is discouraged.
10	Response:
	This guideline will inform the design process.
	Façades should be broken into distinct 20-30 foot modules or bays from side to side to prevent a monolithic edge to the street.
11	Response:
	This guideline will inform the design process.
	Large unarticulated walls are discouraged and should have a window or functional public access at least every 10 feet.
12	Response:
	This guideline will inform the design process.
	The articulation of the façade should be designed to appear more vertical than horizontal.
13	Response:
	This guideline will inform the design process.
14	Entries that provide access to a building's upper floors should be located along a street to promote street life. They should be designed as separate entries and distinguished from ground level spaces with different architectural details, materials, colors, lighting, signage, and/or paving so that it is clear which entries are public and which are private.
	Response:
	This guideline will inform the design process.
45	Recessed entries are encouraged. They should be no wider than one-third of the width of the storefront or 20 feet, whichever is less. Recessed entries should be a minimum of 4 feet deep, except where necessary to meet fire code.
15	Response:
	This guideline will inform the design process.

Page **6** of **11** REVISION 05.0.21

Windows should be used to display products and services and maximize visibility into storefronts. Windows should not be obscured with elements that prevent pedestrians from seeing inside. Response: This guideline will inform the design process. The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	oucigii L	invelope ib. 30430EnE-1 310-4BnE-7/130-1 340204000Bb
Response: 66% transparency is required for mixed-use buildings in the requested DX district Windows should be used to display products and services and maximize visibility into storefronts. Windows should not be obscured with elements that prevent pedestrians from seeing inside. Response: This guideline will inform the design process. The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture.		façade, a minimum of 85 percent must be transparent. Tinted or reflective glass is discouraged. First-story
Windows should be used to display products and services and maximize visibility into storefronts. Windows should not be obscured with elements that prevent pedestrians from seeing inside. Response: This guideline will inform the design process. The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	16	Response:
should not be obscured with elements that prevent pedestrians from seeing inside. Response: This guideline will inform the design process. The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture.		66% transparency is required for mixed-use buildings in the requested DX district.
This guideline will inform the design process. The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		
The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	17	Response:
(20) feet. Response: N/A If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		This guideline will inform the design process.
If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		
If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	18	Response:
foot minimum deep space immediately adjacent to the window before the drop in the ceiling. Response: This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mittigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		N/A
This guideline will inform the design process. The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		
The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	19	Response:
and shade ground level spaces. Response: This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		This guideline will inform the design process.
This guideline will inform the design process. Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		
Arcades, colonnades, and galleries are discouraged within the public right-of-way. Response: This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	20	Response:
This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		This guideline will inform the design process.
This guideline will inform the design process. Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		Arcades, colonnades, and galleries are discouraged within the public right-of-way.
Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	21	Response:
more accessible. Response: N/A An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		This guideline will inform the design process.
An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		
An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:	22	Response:
concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture. Response:		N/A
Response:	23	concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the
This guideline will inform the design process.		Response:
		This guideline will inform the design process.

Page **7** of **11** REVISION 05.0.21

24	In larger courtyard style spaces visible from the public right-of-way, use groundcovers, shrubs, and flowers to accent and fill blank areas with interest. Minimize the use of bare mulch and rocks. Areas of bare earth are discouraged.
2-4	Response: This guideline will inform the design process.
	Walls of buildings should parallel the orientation of the street grid.
25	Response: This guideline will inform the design process.
	Towers or high-rise buildings should have three zones: a streetwall or base zone, a tower transition zone, and a tower top zone. Cornices should be considered to separate base zone from tower transition zone.
26	Response: This guideline will inform the design process.
	Distance between towers on different blocks should be a minimum of 100 feet to ensure access to light and air.
27	Response: This guideline will inform the design process.
	Public art, performance facilities, and/or civic monuments should be an integral part of any building plan.
28	Response: This guideline will inform the design process.
29	Fences, railings, and walls are discouraged except to screen surface parking lots and unimproved lots, to protect pedestrians from grade changes, and to delineate a private courtyard. Fences are preferred over walls except where designed to hold grade.
29	Response: This guideline will inform the design process.
30	Fences should be a minimum of 36 inches and a maximum of 42 inches tall and a minimum of 70 percent open. Railings should be 42 inches tall. Solid walls should be a minimum of 18 inches and a maximum of 32 inches tall.
	Response: This guideline will inform the design process.
	Fences, railings, and walls should be designed to complement the adjacent architecture through the use of similar materials, colors, finishes, and architectural details.
31	Response: This guideline will inform the design process.

Page **8** of **11** REVISION 05.0.21

	·
	Designs should be contextual to adjacent buildings, including their cornice lines and horizontal banding.
32	Response:
	This guideline will inform the design process.
	Innovative design and unusual lighting of the exterior of the building is important to emphasize the monumentality of government buildings.
33	Response: N/A
	The principal building entrance should be easily identified by building features and landscape elements; additional public entrances should be provided at every street face.
34	Response: This guideline will inform the design process.
35	Building materials should be of stone, brick, or similar durable, high quality materials. Building form, articulation, and materials should respect and be sympathetic to the major governmental and institutional buildings in the area.
33	Response: This guideline will inform the decign process
	This guideline will inform the design process.
	Preferred materials (other than glass) include metal, brick, stone, concrete, plaster, and wood trim; discouraged materials include vinyl siding, pressed wood siding, and exterior insulated finishing systems (EIFS).
36	Response:
	This guideline will inform the design process.
	Materials covering original architectural features of historic or architecturally significant buildings are discouraged.
37	Response:
	This guideline will inform the design process.
	A minimum of 35 percent of each upper story should be windows.
38	Response:
	This guideline will inform the design process.
	Building corners that face an intersection should strive for a distinctive form and high level of articulation.
39	Response: This guideline will inform the design process.
	Buildings may step back further at intersections in order to articulate the corners.
40	Response: This guideline will inform the design process.

Page **9** of **11** REVISION 05.0.21

41	Buildings downtown and in Pedestrian Business Overlays should have stepbacks and articulated facades to mitigate wind effects and increase light and air. Buildings should step back 10 to 15 feet at the 60-foot point above the ground on a wide street and 15 feet on a narrow street. A wide street is 75 feet in width or more.
	Response: This guideline will inform the design process.
42	Flat roof buildings should have decorative parapets with elements, such as detailed cornices, corbeling, applied medallions, or other similar architectural treatments.
	Response: This guideline will inform the design process.
	Signage should be compatible in scale, style, and composition with the building or storefront design as a whole.
43	Response: This guideline will inform the design process.
	Diverse graphic solutions are encouraged to help create the sense of uniqueness and discovery found in an urban, mixed-use environment.
44	Response: This guideline will inform the design process.
	All mechanical and electrical mechanisms should be concealed.
45	Response: This guideline will inform the design process.
	Signs should not obscure a building's important architectural features, particularly in the case of historic buildings.
46	Response: This guideline will inform the design process.
	Signs should be constructed with durable materials and quality manufacturing.
47	Response: This guideline will inform the design process.
	Sign bands above transom and on awnings are preferred signage locations.
48	Response: This guideline will inform the design process.
	Only the business name, street address, building name, and logo should be on an awning or canopy. The lettering should not exceed 40 percent of the awning area.
49	Response: This guideline will inform the design process.

Page **10** of **11** REVISION 05.0.21

50	Illuminated signs should avoid the colors red, yellow, and green when adjacent to a signal controlled vehicular intersection.
	Response: This guideline will inform the design process.
51	Allowed sign types: channel letter signs, silhouette signs (reverse channel), individualized letter signs, projecting signs, canopy/marquee signs, logo signs, awning signs, and interior window signs.
	Response: This guideline will inform the design process.
52	Discouraged sign types: signs constructed of paper, cardboard, styrofoam-type materials, formed plastic, injected molded plastic, or other such materials that do not provide a sense of permanence or quality; signs attached with suction cups or tape; signs constructed of luminous vacuum-formed plastic letters; signs with smoke-emitting components. Changeable copy signs are prohibited.
	Response: This guideline will inform the design process.

Page **11** of **11** REVISION 05.0.21

Rezoning Checklist (Submittal Requirements)								
To be completed by Applicant				To be completed by staff				
General Requirements – General Use or Conditional Use Rezoning:	Yes	N/A	Yes	No	N/A			
1. I have referenced this Rezoning Checklist and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh	✓							
2. Pre-application conference	✓							
3. Neighborhood meeting notice and report	✓							
4. Rezoning application review fee (see <u>Development Fee Guide</u> for rates).	√							
5. Completed application submitted through Permit and Development Portal	✓							
6. Completed Comprehensive Plan consistency analysis	✓							
7. Completed response to the urban design or downtown design guidelines	✓							
8. Two sets of stamped envelopes addressed to all property owners of area to be rezoned and properties with 500 feet of area to be rezoned	✓							
9. Trip generation study		√						
10. Traffic impact analysis		√						
For properties requesting a Conditional Use District:	Yes	N/A	Yes	No	N/A			
11. Completed zoning conditions, signed by property owner(s)	✓							
If applicable, see page 18:	Yes	N/A	Yes	No	N/A			
12. Proof of Power of Attorney or Owner Affidavit	√							
For properties requesting a Planned Development or Campus District:	Yes	N/A	Yes	No	N/A			
13. Master plan (see Master Plan submittal requirements)		√						
For properties requesting a text change to zoning conditions:	Yes	N/A	Yes	No	N/A			
14. Redline copy of zoning conditions with proposed changes		√						
15. Proposed conditions signed by property owner(s)		√						

Please continue to the next page for the Master Plan Submittal Requirements checklist.

Page **6** of **11** REVISION 07.20.21

Master Plan (Submittal Requirements)								
To be completed by Applicant					To be completed by staff			
General Requirements – Master Plan:	Yes	N/A	Yes	No	N/A			
1. I have referenced this Master Plan Checklist and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh		✓						
2. Total number of units and square feet		✓						
3. 12 sets of plans		✓						
4. Completed application submitted through Permit and Development Portal		✓						
5. Vicinity Map		✓						
6. Existing Conditions Map		✓						
7. Street and Block Layout Plan		✓						
8. General Layout Map/Height and Frontage Map		✓						
9. Description of Modification to Standards, 12 sets		√						
10. Development Plan (location of building types)		✓						
11. Pedestrian Circulation Plan		✓						
12. Parking Plan		✓						
13. Open Space Plan		\checkmark						
14. Tree Conservation Plan (if site is two acres or more)		✓						
15. Major Utilities Plan/Utilities Service Plan		✓						
16. Generalized Stormwater Plan		√						
17. Phasing Plan		√						
18. Three-Dimensional Model/renderings		✓						
19. Common Signage Plan		✓						

Page **7** of **11** REVISION 07.20.21

Who Can Initiate a Zoning Request?

If requesting to down-zone property, the rezoning application must be signed by all the property owners whose property is subject to the downzoning. Downzoning is defined as a zoning ordinance that affects an area of land in one of the following ways:

- 1. By decreasing the development density of the land to be less dense than was allowed under its previous usage.
- 2. By reducing the permitted uses of the land that are specified in a zoning ordinance or land development regulation to fewer uses than were allowed under its previous usage.

If requesting to rezone property to a conditional district, the rezoning application must be signed by all owners of the property to be included in the district. For purposes of the application only (not the zoning conditions), the City will accept signatures on behalf of the property owner from the following:

- 1. The property owner:
- 2. An attorney acting on behalf of the property owner with an executed power of attorney; or
- 3. A person authorized to act on behalf of the property owner with an executed owner's affidavit.

An owner's affidavit must be made under oath, properly notarized and, at a minimum, include the following information:

- The property owner's name and, if applicable, the property owner's title and organization name.
- The address, PIN and Deed Book/Page Number of the property.
- A statement that the person listed as the property owner is the legal owner of the property described.
- The name of the person authorized to act on behalf of the property owner as the applicant. If applicable, the authorized person's title and organization name.
- A statement that the property owner, as legal owner of the described property, hereby gives authorization and permission to the authorized person, to submit to the City of Raleigh an application to rezone the described property.
- A statement that the property owner understands and acknowledges that zoning conditions must be signed, approved and consented to by the property owner.
- The property owner's signature and the date the property owner signed the affidavit.

If requesting to rezone property to a general use district that is not a down-zoning, the rezoning application may be signed, for the purpose of initiating the request, by property owners or third-party applicants.

Page **8** of **11** REVISION 07.20.21

Date: December 30, 2021

Re: Neighborhood Meeting regarding 107, 117, 123, & 125 Glenwood Ave (collectively, the "Property")

Dear Neighbors:

You are invited to attend a neighborhood meeting on Thursday, **January 13, 2022, from 5pm to 7pm**. The meeting will be held virtually. You can participate online or by telephone. Please note that the presentation is planned to begin at 5pm and will be followed by an opportunity for questions and answers. Depending on attendance, the programmed portion of the meeting is likely to end between 5:30 and 6pm. The additional time is intended to allow for a late start in the event of any technical issues related to the virtual meeting, and your flexibility is appreciated. Once the meeting has been successfully completed, the online meeting, including the telephone dial-in option, will remain open until 7pm, and we will be happy to review the proposal or answer additional questions during this time

The purpose of this meeting is to discuss a potential rezoning of the Property, located at 107, 117, 123, & 125 Glenwood Ave. This Property is currently zoned Downtown Mixed-Use, up to seven floors, with Shopfront frontage and Office Mixed-Use, up to 3 floors, Detached frontage, Neighborhood Conservation Overlay District (DX-7-SH & OX-3-DE (NCOD)) and is proposed to be rezoned to Downtown Mixed Use, up to 40 stories, with Shopfront frontage, Conditional Use (DX-40-SH-CU). The purpose of the zoning request is to permit mixed-use development of the site at a maximum height of 40 stories with retail on the main level. Our goal is to gather comments through your participation in this virtual neighborhood meeting or, alternatively, through your written comments to the City of Raleigh Planning Department. After the meeting, we will prepare a report for the Raleigh Planning Department regarding the items discussed. Any other person attending the meeting can submit written comments about the meeting or the request in general, but to be included in the Planning Commission agenda packet written comments must be received at least 10 days prior to the date of the Planning Commission meeting where the case is being considered.

Prior to the submittal of any rezoning application, the City of Raleigh requires that a neighborhood meeting be held for all property owners within 500 feet of the area requested for rezoning.

Information about the rezoning process is available online; visit www.raleighnc.gov and search for "Rezoning Process." If you have further questions about the rezoning process, please contact:

Carmen Kuan Raleigh Planning & Development (919) 996-2235 Carmen.Kuan@raleighnc.gov

If you have any concerns or questions about this potential rezoning I can be reached at:

Molly M. Stuart
Morningstar Law Group
919-890-3318
mstuart@mstarlaw.com
Sincerely,

M87

Aerial



Zoning





How to Participate in the January 13, 2022 Neighborhood Meeting Re: 107, 117, 123, & 125 Glenwood Ave

- To participate by PC, Mac, iPad, iPhone or Android device,
 - Go to morningstarlaw.group/01132022mtg to register for the meeting.
 (Registration is necessary as we are required by the City of Raleigh to have a record of attendance.)
 - Upon registration, you will receive a confirmation email with instructions on how to access the meeting.
- To participate by phone,
 - Dial one of the following numbers:
 - **+**1 312 626 6799
 - **+**1 929 436 2866
 - **+**1 301 715 8592
 - **+**1 346 248 7799
 - **+**1 669 900 6833
 - +1 253 215 8782
 - o Enter Webinar ID: 886 4157 3594
 - o Enter password: 551625
 - For attendance purposes as required by the City of Raleigh, individuals
 participating via telephone will be unmuted and asked to identify themselves
 including their name and address.

If you have difficulty connecting or have technical difficulties during the meeting, you can email us at meetings@mstarlaw.com or call 919-590-0366.

You are encouraged to join the meeting via your computer or smartphone so that you will have access to Zoom Webinar's interactive features including Raise Hand and Chat.

During the meeting, participants will be muted by default. Also, participants' video will be off by default, i.e. only the presenters will be visible.

- If you are participating via your computer, iPhone or Android device, you can submit questions/comments by using the Raise Hand and/or Chat features. If you use Raise Hand, a panelist will either unmute you to allow you to speak or will chat with you to solicit your questions/comments.
- If you are participating via telephone, you can submit questions/comments prior to and during the meeting via email at meetings@mstarlaw.com. At the end of the Q&A period of the meeting, all callers will be unmuted to allow for questions/comments.

Exhibit A



SUMMARY OF ISSUES

A neighborhood meeting was held on January 13, 2022 (date) to discuss a potential rezoning located at								
107, 117, 123, and 125 Glenwood Avenue	(property address). The neighborhood							
Meeting was held at [virtual]	_ (location). There were approximately1							
(number) neighbors in attendance. The general issues discussed were:								
Summary of Issues:								
The request is for 20 story zoning, limited to 12 stories for the i	rear portion of 117 Glenwood Ave.							
The North Boylan neighborhood has not yet reached out on thi	is.							
No opposition has been received.								

Page **10** of **11** REVISION 07.20.21

Attendance Roster						
Name	Address					
Chrysanthe Georges	46 West 89th Street, Apt 1					
Tim Peters						
Joan Smyth						
Laurie Reed	400 West North Street					
Laura Priestner	900 S McDowell St					
Brian Purdy	One Glenwood Avenue, Suite 201					
Neil Gray						
WILLIAM WENDT	2521 NOBLIN RD					
Bob OBrien	109 BERKSHIRE RD					
Paxton Massarelli						
Matthew Klem						
Plus one phone attendee whose name we do not have						

Page **11** of **11** REVISION 07.20.21

Attachment A

Property List

PIN	Address	Deed	Nearest	Acreage	Owner Nam/Address	Currently	Proposed
		Book/Page	Intersection			Zoned	Rezoning
1703494746	107 Glenwood	018777 /	Glenwood	0.28	107 Glenwood, LLC, 712 W. Johnson	DX-3-SH	DX-20-SH-CU
	Ave	01518	Ave / Willard		Street, Raleigh, NC , 27603		
			Place		shervin@TuscanyConstruction.com		
					919-571-9196		
1703493883	117 Glenwood	017913 /	Glenwood	0.23	TAHSSILI REAL ESTATE VENTURES LLC,	DX-3-SH &	DX-20-SH-CU
	Ave	00089	Ave / Willard		SHERVIN TAHSSLIL, 712 W JOHNSON ST,	OX-3-DE	
			Place		RALEIGH NC 27603	(NCOD)	
					shervin@TuscanyConstruction.com		
					919-571-9196		
1703494972	123 Glenwood	016463/	Glenwood	0.16	123 GLENWOOD LLC	DX-3-SH	DX-20-SH-CU
	Ave	01864	Ave / West		712 W JOHNSON ST		
			Jones St		RALEIGH NC 27603		
					shervin@TuscanyConstruction.com		
					919-571-9196		
1703494977	125 Glenwood	015525 /	Glenwood	0.13	COCO PROPERTY & INVESTMENT LLC,	DX-3-SH	DX-20-SH-CU
	Ave	00381	Ave / West		125 GLENWOOD AVE, RALEIGH NC		
			Jones St		27603-1703		
					shervin@TuscanyConstruction.com		
					919-571-9196		
Total				0.80			
Acreage							