

# **Existing Zoning**

# **Z-72-2022**



Property	423 S Blount St
Size	0.13 acres
Existing Zoning	DX-3-UG w/HOD-G
Requested Zoning	DX-12-UG-CU



# **Rezoning Application and Checklist**



Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500

Please complete all sections of the form and upload via the Permit and Development Portal (permitportal.raleighnc.gov). Please see page 8 for information about who may submit a rezoning application. A rezoning application will not be considered complete until all required submittal components listed on the Rezoning Checklist have been received and approved. For questions email rezoning@raleighnc.gov.

Rezoning Request

		<u> </u>	- 1				
Rezoning	Genera	al Use Cond	itional Use	Master Plan	Office Use Only Rezoning case #		
Type	Text ch	ange to zoning cor	ditions				
Existing zoning base d	strict: DX	Height: 3	Frontage	::UG	Overlay(s): HOD-G		
Proposed zoning base	district: DX	Height: 12	Frontage	::UG	Overlay(s):		
<b>Helpful Tip:</b> View the 2 layers.	Zoning Map to se	arch for the addres	s to be rezoned, t	hen turn on the 'Zo	oning' and 'Overlay'		
If the property has been	n previously rezo	ned, provide the rea	zoning case numb	per:			
		General In	formation				
Date:	Date a	amended (1):		Date amended (2	Date amended (2):		
Property address: 423	S. Blount Street						
Property PIN: 1703768	939						
Deed reference (book/	page): 019024/00	387					
Nearest intersection: S.	Blount Street and	E. Cabarrus Street	Property size (ad	cres): 0.13			
For planned development		Total units:		Total square footage:			
applications	only	Total parcels:		Total buildings:			
Property owner name and address: Blount Property Partners, LLC, 107 Glenwood Avenue, Raleigh NC 27603-1703							
Property owner email:							
Property owner phone: 919-590-0377							
Applicant name and address: Blount Property Partners, LLC, 107 Glenwood Avenue, Raleigh NC 27603-1703							
Applicant email: mpaul@morningstarlawgroup.com							
Applicant phone: 919-590-0397 or signed by:							
Applicant signature(s):	( )	ssili					
Additional email(s):							

**RECEIVED** 

By Sarah Shaughnessy at 9:09 am, Sep 19, 2022

Page **1** of **11** REVISION 05.05.21

Cor	ons		
Zoning case #:	Date submitted:	OFFICE USE ONLY Rezoning case #	
Existing zoning: DX-3-UG-HOD-G	Proposed zoning: DX-12-UG		

#### **Narrative of Zoning Conditions Offered**

- 1. The following Principal Uses as listed in UDO Section 6.1.4. that are permitted, limited, or special uses in the DX- district shall be prohibited: (i) Dormitory, fraternity, sorority; (ii) Adult establishment; (iii) Pawnshop; (iv) Vehicle Fuel Sales; (v) Detention center, jail, prison; (vi) Vehicle repair (minor) and (vii) Vehicle repair (major.)
- 2. Public facades of structured parking:
- a. Any such façades of the parking structure shall have openings screened to prevent views into the structure except for perpendicular vehicular ingress and egress openings at a maximum width of 30 feet and pedestrian access openings at a maximum width of eight feet.
- b. Screening elements shall be designed in a structurally sound manner and have a gap of no more than 18 inches from the frame of the screening element to the wall opening. Alternative decorative elements which provide an equivalent level of screening may be allowed in an accessory parking structure where such elements are employed to match the architectural character of the main building. Mesh or decorative panels, louvers, green walls, tinted or sandblasted opaque spandrel glass, or similar screening elements shall be used. Where mesh or other materials containing openings is used in conjunction with the screening frame, no individual opening shall exceed four square inches. Chain link fencing and similar screening elements shall be prohibited as an allowable mesh or similar screening element.
- 3. Parapet walls. On all levels where parking is provided adjacent to an exterior wall, all façades shall have exterior opaque walls a minimum height of 42 inches above any finished grade and any finished floor.
- 4. Lighting within structured parking: Lighting shall be designed to reduce light spillage outside the parking structure according to the following:
- a. Internal illumination shall be screened so that internal light sources shall not be visible from the adjacent public right-of-way or adjacent parcels. Light fixtures directly visible from the exterior of a parking structure shall be directed internally upward or shall contain shielded fixtures to prevent such visibility.
  - b. Internal illumination shall conform to the standards of UDO Section 7.4.7. Vehicular Canopies
- c. Rooftop lighting shall be located at an elevation height less than the top of the nearest exterior perimeter rooftop wall; or shall be setback a minimum of 15 feet from the exterior perimeter of the rooftop wall at a maximum mounted height of 12 feet above finished floor with cutoff light fixtures that have a maximum 90 degree illumination.
- d. Lighting levels measured at the property line of parcels adjacent to the structured parking deck shall not be greater than 0.5 footcandles.

The property owner(s) her	eby offers, consents to, and agrees to abide, if the rezoning request is approved, the
conditions written above.	All property owners must sign each condition page. This page may be photocopied if
additional space is needed	DocuSigned by:
Property Owner(s) Signati	ire: Shervin talissili
Shervin <sup>-</sup> Printed Name:	ahssili

RECEIVED

By Sarah Shaughnessy at 9:09 am, Sep 19, 2022

# Rezoning Application Addendum #1 Comprehensive Plan Analysis The applicant is asked to analyze the impact of the rezoning request and its consistency with the Comprehensive Plan. The applicant is also asked to explain how the rezoning request is reasonable and in the public interest. OFFICE USE ONLY Rezoning case #

#### Statement of Consistency

Provide brief statements regarding whether the rezoning request is consistent with the future land use designation, the urban form map, and any applicable policies contained within the 2030 Comprehensive Plan.

- 1. The proposed rezoning district with the Future Land Use Map designation for the properties of Central Business District (CBD). The CBD category is intended to enhance Downtown Raleigh as a vibrant mixed use urban center. CBD recognizes Downtown as the "heart of the city" with high-intensity office, retail, housing, institutional, cultural and visitor-serving uses and is consistent with the Downtown element of the 2030 Comprehensive Plan contained in Map DT-1.
- 2. The properties are within the Urban Form Map, which supports the proposed urban frontage. Consequently, the rezoning will enhance the streets in this area, providing amenities for pedestrians and visitors. The proposed rezoning meets a number of Urban Design policies, including Policy UD 2.1 (Building Orientation), Policy UD 2.3 (Activating the Street) and Policy UD 3.4 (Enhanced Street Walls). In particular, S. Wilmington Street and S. Blount Street are priority pedestrian and green streets per Map DT-4.
- 3. The proposed height is consistent with policies contained in Table LU-2 as designated on the Future Land Use Map and core/transit area along the S. Wilmington Street bus rapid transit line. The site is in the core of the Urban Form Map UD-1 and consequently, the proposed height is appropriate. In addition, the Subject Property is outside of the Downtown Transition Area according to Map DT-3 in the Downtown Element of the Comprehensive Plan. Consequently, the proposed height provides an appropriate transition between the Downtown Core and surrounding area.
- 4. The proposed rezoning supports a number of land use and design policies contained in the Comprehensive Plan, including Policy DT 1.3 (Underutilized Sites in Downtown). In particular, the proposed rezoning meets several economic development policies, including Policy ED 2.4 (Attracting Investment in Emerging Neighborhoods), Policy ED 1.1 (Corridor revitalization) and Policy 1.2 (Mixed Use development), Policy DT 1.2 (Vertical Mixed Use), Policy LU 4.7 (Capitalizing on Transit Access), and Policy LU 5.1 (Reinforcing the Urban Pattern).

#### **Public Benefits**

Provide brief statements explaining how the rezoning request is reasonable and in the public interest.

The rezoning request is reasonable and in the public interest because it provides greater zoning flexibility for a site that is ripe for development given its current underutilization and location.

This rezoning request will support businesses, food, hotel and other amenities for the residents of the surrounding area.

Page **3** of **15** REVISION 10.27.20

# Rezoning Application Addendum #2 Impact on Historic Resources

The applicant is asked to analyze the impact of the rezoning request on historic resources. For the purposes of this section, a historic resource is defined as any site, structure, sign, or other feature of the property to be rezoned that is listed in the National Register of Historic Places or designated by the City of Raleigh as a landmark or contributing to a Historic Overlay District.

OFFICE USE ONLY
Rezoning case #

#### **Inventory of Historic Resources**

List in the space below all historic resources located on the property to be rezoned. For each resource, indicate how the proposed zoning would impact the resource.

The property is located in the Prince Hall Historic Overlay District and is adjacent to the Masonic Temple located at 427 S. Blount Street.

#### **Proposed Mitigation**

Provide brief statements describing actions that will be taken to mitigate all negative impacts listed above.

The rezoning will allow for assistance with regard to preservation of the adjacent Masonic Temple. and keeping up with the history of Prince Hall.

Page **4** of **15** REVISION 10.27.20

#### **Downtown Urban Design Guidelines**

The Applicant must respond to the Downtown Urban Design Guidelines contained in the 2030 Comprehensive Plan if:

a) The property to be rezoned is within "Downtown" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

#### Policy DT 7.18:

The design guidelines in Table DT-1 shall be used to review rezoning, alternative means of compliance, special use permits, and planned development master plan applications in downtown.

permits, and planned development master plan applications in downtown.					
Click here to view the Urban Form map					
	Fayetteville Street should be free of service elements, including loading docks, mechanical equipment, and driveways.				
1	Response: N/A				
2	Loading or service entrances should be embedded within the block where possible. If embedding the loading dock is not possible, the loading dock should be located to the side or rear of a building. The width should be minimized and doors or gates should shield the loading docks from view. Roll-down gates should be decorative if facing the public realm.				
	Response: Based on the proposed Shopfront frontage, loading or service entrances will be minimized.				
	Surface and structured parking should be landscaped, emphasizing interior tree canopies in surface lots, formal borders, and street trees to reinforce the streetwall.				
3	Response: Based on the proposed Shopfront frontage, there shall be no surface parking between any building and the street.				
4	Mechanical equipment, satellite or microwave dishes, elevator penthouses, and other utilitarian equipment should be screened from view by a structure that complements the design of the building through the use of similar materials, colors, finishes, and architectural details. Views from buildings above should also be considered when designing rooftop mechanical equipment.				
	Response: This guideline will inform the design process in the future.				
5	The widths of all curb cuts at parking deck entrances should be minimized. Design techniques should be used (such as lane splits within the deck to encourage consolidated single exit or entrance lanes at the street side, and/or columns between lanes to reduce the perceived size of the openings), while maintaining adequate ingress and egress capacity to provide efficient operations and meet air quality conformity.				
	Response: Based on the Shopfront frontage, curb cuts will be minimized.				
	Building entries should be emphasized with architectural features, changes in roofline, different massing, or unique materials.				
6	Response: Based on the Shopfront frontage, buildings shall have street facing entrances.				

Page **5** of **11** REVISION 05.0.21

-	The primary pedestrian building entrances should be located along the store front. For buildings that front on three streets, the primary pedestrian entrances should be located on the axial street or the corner if the building is located at an intersection.					
7	Response:					
	Based on the Shopfront frontage, the buildings shall have street facing entrances.					
8	Building entries should be at grade.					
	Response:					
	Based on the Shopfront frontage, building entries shall be at grade.					
	The level of architectural detail should be most intense at street level, within view of pedestrians on the sidewalk.					
9	Response:					
	This guideline will inform the design process in the future.					
	The use of solid roll-down security gates is discouraged.					
10	Response:					
	There are no plans for solid roll-down security gates.					
	Façades should be broken into distinct 20-30 foot modules or bays from side to side to prevent a monolithic edge to the street.					
11	Response:					
	Based on the UDO building type requirements, facades shall be broken up and lank walls avoided.					
	Large unarticulated walls are discouraged and should have a window or functional public access at least every 10 feet.					
12	Response:					
	Based on the UDO, the building type requirements and UDO standards for tall buildings, the buildings shall have sufficient transparency and articulation.					
	The articulation of the façade should be designed to appear more vertical than horizontal.					
13	Response:					
	Through the UDO standards for tall buildings, the buildings shall address vertical design.					
14	Entries that provide access to a building's upper floors should be located along a street to promote street life. They should be designed as separate entries and distinguished from ground level spaces with different architectural details, materials, colors, lighting, signage, and/or paving so that it is clear which entries are public and which are private.					
	Response:					
	Based on the Shopfront Footage, buildings shall provide pedestrian accessible street facing entrances.					
45	Recessed entries are encouraged. They should be no wider than one-third of the width of the storefront or 20 feet, whichever is less. Recessed entries should be a minimum of 4 feet deep, except where necessary to meet fire code.					
15	Response:					
	It is anticipated that entrances for tall commercial buildings will be recessed.					

Page **6** of **11** REVISION 05.0.21

16	A minimum of 2/3 of the first story façade should be windows. Of the total amount of glass on the first-floor façade, a minimum of 85 percent must be transparent. Tinted or reflective glass is discouraged. First-story windows should be located a maximum of three (3) feet above the adjacent sidewalk.
	Response:
	Based on UDO building type requirements, buildings shall have substantial transparency.
	Windows should be used to display products and services and maximize visibility into storefronts. Windows should not be obscured with elements that prevent pedestrians from seeing inside.
17	Response:
	Based on the UDO building type standards and proposed Shopfront frontage, windows will be used to display products and services.
	The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet.
18	Response:
	N/A
	If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling.
19	Response:
	There is no intent to have ceilings below ground level height.
	The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare, and shade ground level spaces.
20	Response:
	Where appropriate, the owner intends to use deep awnings and canopies on the first story.
	Arcades, colonnades, and galleries are discouraged within the public right-of-way.
21	Response:
	The owner has no intent to have arcades, colonnades, or galleries within the public right-of-way.
	Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible.
22	Response:
	N/A
23	An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture.
	Response:

Page **7** of **11** REVISION 05.0.21

24	In larger courtyard style spaces visible from the public right-of-way, use groundcovers, shrubs, and flowers to accent and fill blank areas with interest. Minimize the use of bare mulch and rocks. Areas of bare earth are discouraged.
	Response:
	The owner intends to have courtyard spaces with groundcovers, shrubs, etc and avoid bare earth, bare mulch and rocks.
	Walls of buildings should parallel the orientation of the street grid.
25	Response:
	The owner intends for the walls of buildings to be parallel to the orientation of the street grid.
	Towers or high-rise buildings should have three zones: a streetwall or base zone, a tower transition zone, and a tower top zone. Cornices should be considered to separate base zone from tower transition zone.
26	Response: The owner intends to have variable vertical articulation.
	Distance between towers on different blocks should be a minimum of 100 feet to ensure access to light and air.
27	Response:
	Based on UDO standards for tall buildings, there shall be adequate spacing for light and air.
	Public art, performance facilities, and/or civic monuments should be an integral part of any building plan.
28	Response:
	The owner will consider public art, performance facilities, and/or civic monuments in the buildings.
29	Fences, railings, and walls are discouraged except to screen surface parking lots and unimproved lots, to protect pedestrians from grade changes, and to delineate a private courtyard. Fences are preferred over walls except where designed to hold grade.
23	There is no intent to have fences, railings, or walls.
20	Fences should be a minimum of 36 inches and a maximum of 42 inches tall and a minimum of 70 percent open. Railings should be 42 inches tall. Solid walls should be a minimum of 18 inches and a maximum of 32 inches tall.
30	Response: There is no intent to have any fences or solid walls.
	Fences, railings, and walls should be designed to complement the adjacent architecture through the use of similar materials, colors, finishes, and architectural details.
31	Response:
	The owner intends to design any fences, railings, and walls to complement the adjacent architecture.

Page **8** of **11** REVISION 05.0.21

•	·
	Designs should be contextual to adjacent buildings, including their cornice lines and horizontal banding.
32	Response:
	The owner intends for the design to be contextual to adjacent buildings.
	Innovative design and unusual lighting of the exterior of the building is important to emphasize the monumentality of government buildings.
33	Response:
	The owner intends to have innovative design.
	The principal building entrance should be easily identified by building features and landscape elements; additional public entrances should be provided at every street face.
34	Response:
	Based on the proposed Shopfront frontage, the building entrances shall be easily identified.
35	Building materials should be of stone, brick, or similar durable, high quality materials. Building form, articulation, and materials should respect and be sympathetic to the major governmental and institutional buildings in the area.
	Response:
	The owner intends to use high quality materials that will respect major buildings in the area.
	Preferred materials (other than glass) include metal, brick, stone, concrete, plaster, and wood trim; discouraged materials include vinyl siding, pressed wood siding, and exterior insulated finishing systems (EIFS).
36	Response:
	The owner intends to use a mixture of one or more of the following: metal, brick, stone, concrete, plaster, and wood trim.
	Materials covering original architectural features of historic or architecturally significant buildings are discouraged.
37	Response:
	The owner does not intent to cover original architectural features of historic or architecturally significant buildings.
	A minimum of 35 percent of each upper story should be windows.
38	Response:
	Based on UDO building types, upper stories shall have substantial transparency.
	Building corners that face an intersection should strive for a distinctive form and high level of articulation.
39	Response:
	The owner intends for corners that face an intersection to be distinctive and have high level articulation.
	Buildings may step back further at intersections in order to articulate the corners.
40	Response:
	The owner intends for buildings to acknowledge the intersections at the corners.

Page **9** of **11** REVISION 05.0.21

41	Buildings downtown and in Pedestrian Business Overlays should have stepbacks and articulated facades to mitigate wind effects and increase light and air. Buildings should step back 10 to 15 feet at the 60-foot point above the ground on a wide street and 15 feet on a narrow street. A wide street is 75 feet in width or more.
	Response:
	Based on UDO standards for tall buildings, stepbacks will be wide enough to mitigate wind and increase light and air.
	Flat roof buildings should have decorative parapets with elements, such as detailed cornices, corbeling, applied medallions, or other similar architectural treatments.
42	Response:
	The owners intend for flat roof buildings to have decorative architectural treatments.
	Signage should be compatible in scale, style, and composition with the building or storefront design as a whole.
43	Response:
	Based on signage requirement in the UDO, the signage shall be compatible with the building or storefront design as a whole.
	Diverse graphic solutions are encouraged to help create the sense of uniqueness and discovery found in an urban, mixed-use environment.
44	Response:
	The owner intends to have diverse graphics, creating a sense of uniqueness and discovery.
	All mechanical and electrical mechanisms should be concealed.
45	Response:
	The owner intends for all mechanical and electrical mechanisms to be concealed.
	Signs should not obscure a building's important architectural features, particularly in the case of historic buildings.
46	Response:
	The owner intends for signs to not obscure the buildings architectural features.
	Signs should be constructed with durable materials and quality manufacturing.
47	Response:
	The owner intends for signs to be constructed of durable materials and quality manufacturing.
	Sign bands above transom and on awnings are preferred signage locations.
48	Response:
	The owner intends to utilize a signage plan in keeping with the high quality of the building design.
	Only the business name, street address, building name, and logo should be on an awning or canopy. The lettering should not exceed 40 percent of the awning area.
49	
49	Response:

Page **10** of **11** REVISION 05.0.21

50	Illuminated signs should avoid the colors red, yellow, and green when adjacent to a signal controlled vehicular intersection.
	Response: The owner intends for signs to utilize a signage plan in keeping with the high quality of the building design.
	Allowed sign types: channel letter signs, silhouette signs (reverse channel), individualized letter signs, projecting signs, canopy/marquee signs, logo signs, awning signs, and interior window signs.
	Response: Based on the UDO signage requirements, the buildings will only have allowed sign types.
52	Discouraged sign types: signs constructed of paper, cardboard, styrofoam-type materials, formed plastic, injected molded plastic, or other such materials that do not provide a sense of permanence or quality; signs attached with suction cups or tape; signs constructed of luminous vacuum-formed plastic letters; signs with smoke-emitting components. Changeable copy signs are prohibited.
	Response: The owner intends to utilize a signage plan in keeping with the high quality of the building design.

Page **11** of **11** REVISION 05.0.21

Rezoning Checklist (Submittal Requirements)						
To be completed by Applicant				To be completed by staff		
General Requirements – General Use or Conditional Use Rezoning	Yes	N/A	Yes	No	N/A	
I have referenced this <b>Rezoning Checklist</b> and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh	<b>√</b>					
2. Pre-application conference.	$\checkmark$					
3. Neighborhood meeting notice and report	<b>\</b>					
4. Rezoning application review fee (see <u>Fee Guide</u> for rates).	$\checkmark$					
Completed application submitted through Permit and Development     Portal	<b>√</b>					
6. Completed Comprehensive Plan consistency analysis	<b>✓</b>					
7. Completed response to the urban design guidelines	<b>√</b>					
8. Two sets of stamped envelopes addressed to all property owners and tenants of the rezoning site(s) and within 500 feet of area to be rezoned.	<b>✓</b>					
9. Trip generation study		<b>✓</b>				
10. Traffic impact analysis		<b>✓</b>				
For properties requesting a Conditional Use District:						
11. Completed zoning conditions, signed by property owner(s).	<b>√</b>					
If applicable, see page 11:						
12. Proof of Power of Attorney or Owner Affidavit.		<b>✓</b>				
For properties requesting a Planned Development or Campus District:						
13. Master plan (see Master Plan submittal requirements).		<b>✓</b>				
For properties requesting a text change to zoning conditions:						
14. Redline copy of zoning conditions with proposed changes.						
15. Proposed conditions signed by property owner(s).	<b>√</b>					

Page **9** of **15** REVISION 10.27.20

Date: July 11, 2022

Re: Property Located at 423 S. Blount Street, hereinafter, (the "Property")

Neighboring Property Owners:

You are invited to attend a neighborhood meeting on Thursday, July 21, 2022, from 7:00 pm to 8:00 pm. This meeting will be held at John Chavis Community Center, MP Room 1, 505 Martin Luther King Jr. Blvd., Raleigh NC 27601.

The purpose of this meeting is to discuss the potential rezoning of the Property, located on S. Blount Street near East Cabarrus Street. The Property is currently zoned Downtown Mixed Use up to three stories with an Urban General Frontage, located within the South Park Historic District, (DX-3-UG-(HOD-G)), and is proposed to be rezoned to Downtown Mixed Use up to twelve stories with an Urban General frontage, (DX-12-UG), and removal of the Historic District (HOD-G). The purpose of the zoning request is to allow flexibility in height and removal of the historic district overlay. Our goal is to gather comments through your participation in this virtual neighborhood meeting or, alternatively, through your written comments to the City of Raleigh Planning Department. After the meeting, we will prepare a report for the Raleigh Planning Department regarding the items discussed.

The City of Raleigh requires a neighborhood meeting involving the owners and tenants of property within 500 feet of the site prior to filing a rezoning application. After the meeting, we will prepare a report for the Raleigh Planning Department regarding the items discussed at the meeting.

Prior to the submittal of any rezoning application, the City of Raleigh requires that a neighborhood meeting be held for all property owners and tenants within 500 feet of the area requested for rezoning.

Information about the rezoning process is available online; visit www.raleighnc.gov and search for "Rezoning Process." If you have further questions about the rezoning process, please contact:

Robert.Tate@raleighnc.gov Raleigh Planning & Development (919) 996-2235 Robert.Tate@raleighnc.gov

If you have any concerns or questions about this potential rezoning I can be reached at:

Mack Paul Morningstar Law Group (919) 590-0377 mpaul@mstarlaw.com


Sincerely,

M. I P.M


# Neighborhood Meeting Agenda

- I. Introductions
- II. The rezoning process
- III. The project
- IV. Question and answer period

### **Aerial Photo**



#### **Zoning**



# **Rezoning Application and Checklist**



Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500

Please complete all sections of the form and upload via the Permit and Development Portal (permitportal.raleighnc.gov). Please see page 8 for information about who may submit a rezoning application. A rezoning application will not be considered complete until all required submittal components listed on the Rezoning Checklist have been received and approved. For questions email rezoning@raleighnc.gov.

**Rezoning Request** 

Rezoning	Gene	ral Use Cond	itional Use	Master Plan	Office Use Only Rezoning case #		
Type	Text o	Text change to zoning conditions					
Existing zoning base district: DX		Height: 3	Frontage	e:UG	Overlay(s): HOD-G		
Proposed zoning base district: DX		Height: 12	Frontage	e: UG	Overlay(s):		
<b>Helpful Tip:</b> View the Zoning Map to search for the address to be rezoned, then turn on the 'Zoning' and 'Overlay' layers.					oning' and 'Overlay'		
If the property has been previously rezoned, provide the rezoning case number:							
		General In	formation				
Date: Date amen		amended (1):	nended (1):		Date amended (2):		
Property address: 423	S. Blount Stree						
Property PIN: 1703768	939						
Deed reference (book/	page): 019024/0	0387					
Nearest intersection: S.	Blount Street an	d E. Cabarrus Street	Property size (ad	cres): 0.13			
For planned development applications only		Total units:		Total square footage:			
		Total parcels:		Total buildings:			
Property owner name and address: Blount Property Partners, LLC, 107 Glenwood Avenue, Raleigh NC 27603-1703							
Property owner email:							
Property owner phone:	919-590-0377						
Applicant name and address: Blount Property Partners, LLC, 107 Glenwood Avenue, Raleigh NC 27603-1703							
Applicant email: mpaul@morningstarlawgroup.com							
Applicant phone: 919-590-0377							
Applicant signature(s):							
Additional email(s):							
	·	·					

Page **1** of **11** REVISION 05.05.21

Master Plan (Submittal Requirements)					
To be completed by Applicant		To be completed by staff			
General Requirements – Master Plan	Yes	N/A	Yes	No	N/A
1. I have referenced this <b>Master Plan Checklist</b> and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh.		<b>√</b>			
2. Total number of units and square feet		$\checkmark$			
3. 12 sets of plans		<b>✓</b>			
4. Completed application; submitted through Permit & Development Portal		$\checkmark$			
5. Vicinity Map		<b>✓</b>			
6. Existing Conditions Map		<b>✓</b>			
7. Street and Block Layout Plan		<b>✓</b>			
8. General Layout Map/Height and Frontage Map		<b>✓</b>			
9. Description of Modification to Standards, 12 sets		$\checkmark$			
10. Development Plan (location of building types)		<b>✓</b>			
11. Pedestrian Circulation Plan		<b>✓</b>			
12. Parking Plan		<b>✓</b>			
13. Open Space Plan		<b>✓</b>			
14. Tree Conservation Plan (if site is 2 acres or more)		$\checkmark$			
15. Major Utilities Plan/Utilities Service Plan		<b>√</b>			
16. Generalized Stormwater Plan		<b>✓</b>			
17. Phasing Plan		<b>✓</b>			
18. Three-Dimensional Model/renderings		<b>✓</b>			
19. Common Signage Plan		<b>✓</b>			

Page **10** of **15** REVISION 10.27.20

#### SUMMARY OF ISSUES

A neighborhood meeting was held on July 21, 2022 (date) to discuss a potential rezoning located at
423 S. Blount Street (property address). The neighborhood
Meeting was held at
(number) neighbors in attendance. The general issues discussed were:
Summary of Issues:
Discussed rezoning process and where the matter is in the process. Introduction of owners and design team – Discussion of qualifications and vision. Discussed current zoning and proposed zoning.
Discussed purpose of the meeting is to understand the neighborhood concerns and desires for the site. Discussed Prince Hall Historic Overlay. Discussed the Shaw University campus rezoning.
Applicant discussed desire to work with Masonic Temple next door to assist in keeping up with the history of Prince Hall.  Participant asked where parking will be located.
Response: Parking will be in the Red Hat Parking Deck via Valet service. Participant discussed the Williams project - Person St. and Blount St. and how it relates to this project. Discussed there is a lot of interest in the downtown area.
Participant asked what will happen to the cell tower? Response: They believe that the cell tower will stay. It is well maintained.  Participant asked if the proposed twelve stories will impact the cell tower.
Response: No, the twelve stories will be lower than the height of the cell tower. Applicant explained the vision and design for the building.
Applicant discussed intention to try to assist in renovating the Prince Hall Masonic Temple building located next door.  Participant asked if City asked for 20 stories at City Market? Response: We believe that is correct.
Discussed the Historic Preservation Office will be a part of the rezoning process and will have thirty days to respond to the request to remove the overlay.  Participant discussed that she doesn't necessarily like the changes but understands that it is inevitable.

Page **10** of **11** REVISION 05.05.21

Attendand	ce Roster
Name	Address
Hannah Reychow	Ralush Planning & Darehopment
Hannah Reuchow	Rallich Romer & Dorehouset
js.	,
	,
	,

DocuSign Envelope ID: 316CFDE0-6B01-45A8-BF1A-0CC85457682D  $4235\cdot Blow + St.$ 

7/21/22

A	Attendance Roster
Name	Address
SOUHEIL AL-AWAR	14201 WYNDFIELD ON RAVELLY
SHERVIN I ALTONIA	107 Gerwood Ave Rotagh NC 2
:	
P	