

Existing Zoning

Z-76-2022



Property	1915 Jones Franklin Rd
Size	0.61 acres
Existing Zoning	R-4 w/SHOD-1 & SWPOD
Requested Zoning	OX-3



Rezoning Application and Checklist



Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500

Please complete all sections of the form and upload via the Permit and Development Portal (permitportal.raleighnc.gov). Please see page 11 for information about who may submit a rezoning application. A rezoning application will not be considered complete until all required submittal components listed on the Rezoning Checklist have been received and approved. For questions email rezoning@raleighnc.gov.

	10.0		Rezoning Reg	uest		
Rezoning	√ General ι	ise	Conditional us	e [Master plan	OFFICE USE ONLY
Type	Text cha	ange to	zoning condition	ıs		Rezoning case #
Existing zoning base of	listrict: R-4	Heig	ht:	Fronta	ge:	Overlay(s): SHOD-1, SWPOD
Proposed zoning base	e district: OX	Heig	jht: 3	Fronta	ge:	Overlay(s)::SHOD-1,SWPOD
Helpful Tip : View the layers.	Zoning Map to s	search	for the address to	be rez	oned, then turn o	on the 'Zoning' and 'Overlay'
If the property has bee	en previously rez	zoned,	provide the rezor	ing cas	e number:	
			General Inform	ation		
Date: 09/23/22		Date a	amended (1):		Date am	ended (2):
Property address: 1915	JONES FRANK	LIN RD	RALEIGH, NC 27	606		
Property PIN: 0772999	209					
Deed reference (book/	page):					
Nearest intersection: D	OILLARD DR W/ JO	DNES FI	RANKLIN RD Pro	perty siz	ze (acres): 0.61	
For planned developm	nent	Total (units: 1		Total sq	uare footage: 1440
applications only:		Total	parcels: 1		Total bu	ildings: 1
Property owner name	and address: JA	AMAL C	DDEH 1208 SWAL	LOW C7	Γ RALEIGH, NC 2	7606
Property owner email:	JAMAL@ODEH	CPA.CC	OM			
Property owner phone	: 919-412-5352					
Applicant name and a	ddress: SAME A	NS OW	NER			
Applicant email: SAME	E AS OWNER					
Applicant phone: SAM	E AS OWNER	2				
Applicant signature(s)	M	a	M			
Additional email(s): N//	4 Jan	~16	Podehes	a. C	om	

	Conditional Use District Zoning Condi	tions
Zoning case #:	Date submitted: 09/23/22	OFFICE USE ONLY Rezoning case #
Existing zoning: R-4	Proposed zoning: OX-3	Troining odds ii

Narrative of Zoning Conditions Offered

The property owner(s) hereby offers, consents to, and agrees to abide, if the rezoning request is approved, the conditions written above. All property owners must sign each condition page. This page may be photocopied if additional space is needed.

Property Owner(s) Signature: __

Printed Name: JAMAL ODEH

Rezoning Application Addendum #1

Comprehensive Plan Analysis

The applicant is asked to analyze the impact of the rezoning request and its consistency with the Comprehensive Plan. The applicant is also asked to explain how the rezoning request is reasonable and in the public interest.

OFFICE USE ONLY Rezoning case #

Statement of Consistency

Provide brief statements regarding whether the rezoning request is consistent with the future land use designation, the urban form map, and any applicable policies contained within the 2030 Comprehensive Plan.

THE PROPERTY IS ON THE CORNER OF JONES FRANKLIN ROAD AND DILLARD DRIVE. THE LAND IMMEDIATLY ADJACENT TO AND IN FRONT OF THE PROPERTY ARE ZONED FOR BUSINESS USE OR CONSIDERED BUSINESS USE (IN THE CASE OF THE APARTMENT COMPLEX). OVER 50 PERCENT OF THE IMMEDIATE SURROUNDINGS OF THE PROPERTY ARE BUSINESSES OR RESIDENTIAL MIXED USE. ADDITIONALLY, THE PROPERTY IS ON A BUSY CROSSROAD AND NOT SUITABLE FOR A RESIDENCE. ADDITIONALLY, REFERINCING THE CITY OF RALEIGH ZONING MAP, THERE ARE MULTIPLE OX-3 CARVE OUTS ALL ALONG JONES FRANKLIN ROAD. SPECIFICALLY, THREE PROPERTIES LOCATED NEAR THE CROSS STREETS OF JONES FRANKLIN ROAD, WAYNE STREET AND WOODSDALE ROAD.

Public Benefits

Provide brief statements explaining how the rezoning request is reasonable and in the public interest.

THE REZONING REQUEST IS REASONABLE AND IN THE PUBLIC INTEREST BECAUSE MY CPA OFFICE IS NEIGHBORHOOD FRIENDLY. HOURS OF OPERATION ARE DURING THE DAYTIME. THE NATURE OF OUR BUSINESS DOES NOT CREATE ANY TRAFFIC, NOISE OR DISRUPTION. ADDITIONALLY, WE WOULD BE PROVIDING OUR SERVICES AND CONVENIENCE FOR THE COMMUNITY.

Impact on Historic Resources	
The applicant is asked to analyze the impact of the rezoning request on historic resources. For the purposes of this section, a historic resource is defined as any site, structure, sign, or other feature of the property to be rezoned that is listed in the National Register of Historic Places or designated by the City of Raleigh as a landmark or contributing to a Historic Overlay District.	OFFICE USE ONLY Rezoning case #
Inventory of Historic Resources	人。 1987年
List in the space below all historic resources located on the property to be rezor how the proposed zoning would impact the resource.	ned. For each resource, indicate
Proposed Mitigation	
Provide brief statements describing actions that will be taken to mitigate all neg	ative impacts listed above
N/A.	





Planning and Development Customer Service Center • One Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2500

Urban Design Guidelines

The Applicant must respond to the Urban Design Guidelines contained in the 2030 Comprehensive Plan if:

- a) The property to be rezoned is within a "City Growth Center", "Mixed-Use Center", or "Transit Station Areas", OR;
- b) The property to be rezoned is located along a "Main Street" or "Transit Emphasis Corridor" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

Policy UD 7.3:

The Design Guidelines in Table UD-1 shall be used to review rezoning petitions and development applications for mixed-use developments; or rezoning petitions and development applications along Main Street and Transit Emphasis Corridors or in City Growth, TOD and Mixed-Use Centers, including preliminary site plans and development plans, petitions for the application of Downtown Overlay Districts, Planned Development Districts, and Conditional Use zoning petitions.

Urban I	Form Designation: N/A.	Click here to view the Urban Form map.
	All mixed-use developments should generally pro and banks), and other uses such as office and re should be arranged in a compact and pedestrian-	ovide retail (such as eating establishments, food stores, esidential within walking distance of each other. Mixed uses -friendly form.
1	Response: _{N/A} .	
	Within all mixed-use areas, buildings that are adj (height, design, distance, and/or landscaping) to	acent to lower density neighborhoods should transition the lower heights or be comparable in height and massing.
2	Response: N/A.	
3	surrounding community, providing multiple paths	t directly into the neighborhood road network of the for movement to and through the mixed-use area. In this neighborhood(s) to the mixed-use area should be possible erred and discouraged street networks.
	Response: N/A.	
4	streets are generally discouraged except where to offer no practical alternatives for connection or the	t and with adjoining development. Cul-de-sacs or dead-end opographic conditions and/or exterior lot line configurations rough traffic. Street stubs should be provided with future connections. Streets should be planned with due Street Plan. Streets should connect adjacent
	Response: N/A.	

_	New development should be composed of blocks of public and/or private streets (including sidewalks). Block faces should have a length generally not exceeding 660 feet. Where commercial driveways are used to create block structure, they should include the same pedestrian amenities as public or private streets.
5	Response: N/A.
6	A primary task of all urban architecture and landscape design is the physical definition of streets and public spaces as places of shared use. Streets should be lined by buildings rather than parking lots and should provide interest especially for pedestrians. Garage entrances and/or loading areas should be located at the side or rear of a property.
	Response: N/A.
7	Buildings should be located close to the pedestrian-oriented street (within 25 feet of the curb), with off-street parking behind and/or beside the buildings. When a development plan is located along a high-volume corridor without on-street parking, one bay of parking separating the building frontage along the corridor is a preferred option.
	Response: N/A.
	If the site is located at a street intersection, the main building of a complex or main part of a single building should be placed at the corner. Parking, loading, or service should not be located at an intersection.
8	Response: N/A.
	To ensure that urban open space is well-used, it is essential to locate and design it carefully. The space should be located where it is visible and easily accessible from public areas (building entrances, sidewalks). Take views and sun exposure into account as well.
9	Response: N/A.
	New urban spaces should contain direct access from the adjacent streets. They should be open along the adjacent sidewalks and allow for multiple points of entry. They should also be visually permeable from the sidewalk, allowing passersby to see directly into the space.
10	Response: N/A.
=	The perimeter of urban open spaces should consist of active uses that provide pedestrian traffic for the space including retail, cafés, and restaurants and higher-density residential.
11	Response: N/A.
	A properly defined urban open space is visually enclosed by the fronting of buildings to create an outdoor "room" that is comfortable to users.
12	Response: N/A.

Page **2** of **11** REVISION 05.0.21

	New public spaces should provide seating opportunities.
13	Response: _{N/A} .
	Parking lots should not dominate the frontage of pedestrian-oriented streets, interrupt pedestrian routes, or negatively impact surrounding developments.
14	Response: N/A.
	Parking lots should be located behind or in the interior of a block whenever possible. Parking lots should no occupy more than 1/3 of the frontage of the adjacent building or not more than 64 feet, whichever is less.
15	Response: N/A.
16	Parking structures are clearly an important and necessary element of the overall urban infrastructure, but, given their utilitarian elements, can have serious negative visual effects. New structures should merit the same level of materials and finishes as that a principal building would. Care in the use of basic design elements can make a significant improvement.
	Response: N/A.
	Higher building densities and more intensive land uses should be within walking distance of transit stops, permitting public transit to become a viable alternative to the automobile.
17	Response: N/A.
	Convenient, comfortable pedestrian access between the transit stop and the building entrance should be planned as part of the overall pedestrian network.
18	Response: N/A.
19	All development should respect natural resources as an essential component of the human environment. The most sensitive landscape areas, both environmentally and visually, are steep slopes greater than 15 percent, watercourses, and floodplains. Any development in these areas should minimize intervention and maintain the natural condition except under extreme circumstances. Where practical, these features should be conserved as open space amenities and incorporated in the overall site design.
	Response: N/A.
20	All development should incorporate high-quality, productive landscapes that serve multiple functions. Such functions include noise mitigation and absorption; capturing and cleaning of particulate matter; collection and filtering of stormwater; and reduction of the urban heat island effect. Strategies include green walls, trellises, carefully planted trees, green infrastructure, and green roofs.
20	Response: N/A.

Page 3 of 11 REVISION 05.0.21

21	It is the intent of these guidelines to build streets that are integral components of community design. Public and private streets, as well as commercial driveways that serve as primary pedestrian pathways to building entrances, should be designed as the main public spaces of the city and should be scaled for pedestrians.
21	Response: N/A.
22	Sidewalks should be 5-8 feet wide in residential areas and located on both sides of the street. Sidewalks in commercial areas and other areas where walkability is a focus should be a minimum of 14-18 feet wide to accommodate sidewalk uses such as vendors, merchandising, and outdoor seating.
22	Response: N/A.
23	Streets should be designed with street trees planted in a manner appropriate to their function. Commercial streets should have trees that complement the face of the buildings and that shade the sidewalk. Residential streets should provide for an appropriate tree canopy, which shadows both the street and sidewalk and serves as a visual buffer between the street and the home. The typical width of the street landscape strip is 6-8 feet. This width ensures healthy street trees, precludes tree roots from breaking the sidewalk, and provides adequate pedestrian buffering. Street trees should be at least 6 ½" caliper and should be consistent with the city's landscaping, lighting, and street sight distance requirements.
	Response: N/A.
0.1	Buildings should define the streets spatially. Proper spatial definition should be achieved with buildings or other architectural elements (including certain tree plantings) that make up the street edges aligned in a disciplined manner with an appropriate ratio of height to width.
24	Response: N/A.
	The primary entrance should be both architecturally and functionally on the front facade of any building facing the primary public street. Such entrances should be designed to convey their prominence on the fronting facade.
25	Response: N/A.
	The ground level of the building should offer pedestrian interest along sidewalks. This includes windows, entrances, and architectural details. Signage, awnings, and ornamentation are encouraged.
26	Response: N/A.
	The sidewalks should be the principal place of pedestrian movement and casual social interaction. Designs and uses should be complementary to that function.
	and uses should be complementary to that function.

Page **4** of **11** REVISION 05.0.21

Downtown	Urban	Design	Guidelines
----------	-------	--------	------------

The Applicant must respond to the Downtown Urban Design Guidelines contained in the 2030 Comprehensive Plan if:

a) The property to be rezoned is within "Downtown" as shown on the Urban Form Map in the 2030 Comprehensive Plan.

Policy DT 7.18:

	lesign guidelines in Table DT-1 shall be used to review rezoning, alternative means of compliance, special use ts, and planned development master plan applications in downtown.
Click	here to view the Urban Form map
	Fayetteville Street should be free of service elements, including loading docks, mechanical equipment, and driveways.
1	Response: _{N/A} .
2	Loading or service entrances should be embedded within the block where possible. If embedding the loading dock is not possible, the loading dock should be located to the side or rear of a building. The width should be minimized and doors or gates should shield the loading docks from view. Roll-down gates should be decorative if facing the public realm.
	Response: _{N/A} .
	Surface and structured parking should be landscaped, emphasizing interior tree canopies in surface lots, formal borders, and street trees to reinforce the streetwall.
3	Response: _{N/A} .
4	Mechanical equipment, satellite or microwave dishes, elevator penthouses, and other utilitarian equipment should be screened from view by a structure that complements the design of the building through the use of similar materials, colors, finishes, and architectural details. Views from buildings above should also be considered when designing rooftop mechanical equipment.
	Response: _{N/A} .
5	The widths of all curb cuts at parking deck entrances should be minimized. Design techniques should be used (such as lane splits within the deck to encourage consolidated single exit or entrance lanes at the street side, and/or columns between lanes to reduce the perceived size of the openings), while maintaining adequate ingress and egress capacity to provide efficient operations and meet air quality conformity.
	Response: N/A.
	Building entries should be emphasized with architectural features, changes in roofline, different massing, or unique materials.
6	Response: N/A.

Page **5** of **11**

_	The primary pedestrian building entrances should be located along the store front. For buildings that front on three streets, the primary pedestrian entrances should be located on the axial street or the corner if the building is located at an intersection.
7	Response:
	N/A.
8	Building entries should be at grade.
	Response:
	N/A.
	The level of architectural detail should be most intense at street level, within view of pedestrians on the sidewalk.
9	Response:
	N/A.
	The use of solid roll-down security gates is discouraged.
10	Response:
	N/A.
- 1, 3.	Façades should be broken into distinct 20-30 foot modules or bays from side to side to prevent a monolithic edge to the street.
11	Response:
	N/A.
	Large unarticulated walls are discouraged and should have a window or functional public access at least every 10 feet.
12	Response:
	N/A.
	The articulation of the façade should be designed to appear more vertical than horizontal.
13	Response:
	N/A.
14	Entries that provide access to a building's upper floors should be located along a street to promote street life. They should be designed as separate entries and distinguished from ground level spaces with different architectural details, materials, colors, lighting, signage, and/or paving so that it is clear which entries are public and which are private.
	Response:
	N/A.
	Recessed entries are encouraged. They should be no wider than one-third of the width of the storefront or 20 feet, whichever is less. Recessed entries should be a minimum of 4 feet deep, except where necessary to meet fire code.
	ine code.
15	Response:

Page **6** of **11**

	A minimum of 2/3 of the first story façade should be windows. Of the total amount of glass on the first-floor façade, a minimum of 85 percent must be transparent. Tinted or reflective glass is discouraged. First-story windows should be located a maximum of three (3) feet above the adjacent sidewalk.
16	Response:
	N/A.
17	Windows should be used to display products and services and maximize visibility into storefronts. Windows should not be obscured with elements that prevent pedestrians from seeing inside.
	Response:
	N/A.
18	The first-story, floor-to-floor height of any new building on Fayetteville Street should be a minimum of twenty (20) feet.
	Response:
	N/A.
	If ceilings must be lowered below the height of ground level windows, provide an interior, full-height, three (3) foot minimum deep space immediately adjacent to the window before the drop in the ceiling.
9	Response:
	N/A.
	The use of deep awnings and canopies on the first story is recommended to help mitigate wind, reduce glare and shade ground level spaces.
0	Response:
	N/A.
	Arcades, colonnades, and galleries are discouraged within the public right-of-way.
1	Response:
	N/A.
	Stairs and stoops in the public right-of-way are discouraged along Fayetteville Street in order to make entries more accessible.
22	Response:
	N/A.
23	An outdoor ground plane that abuts or is adjacent to the public right-of-way should be paved with terrazzo, concrete pavers, concrete, stone, brick, tile, or another high-quality hardscape material. Asphalt and loose paving materials such as gravel are discouraged. The paving design and materials should complement the building or storefront architecture.
	Response: N/A.

In larger courtyard style spaces visible from the public right-of-way, use groundcovers, shrubs, and flowers to
accent and fill blank areas with interest. Minimize the use of bare mulch and rocks. Areas of bare earth are discouraged.
Response: N/A.
Walls of buildings should parallel the orientation of the street grid.
Response: N/A.
Towers or high-rise buildings should have three zones: a streetwall or base zone, a tower transition zone, and a tower top zone. Cornices should be considered to separate base zone from tower transition zone.
Response: N/A.
Distance between towers on different blocks should be a minimum of 100 feet to ensure access to light and air.
Response: V/A.
Public art, performance facilities, and/or civic monuments should be an integral part of any building plan.
Response: V/A.
Fences, railings, and walls are discouraged except to screen surface parking lots and unimproved lots, to protect pedestrians from grade changes, and to delineate a private courtyard. Fences are preferred over walls except where designed to hold grade.
Response: V/A.
Fences should be a minimum of 36 inches and a maximum of 42 inches tall and a minimum of 70 percent open. Railings should be 42 inches tall. Solid walls should be a minimum of 18 inches and a maximum of 32 inches tall.
Response: V/A.
Fences, railings, and walls should be designed to complement the adjacent architecture through the use of similar materials, colors, finishes, and architectural details.
Response: V/A.

Page **8** of **11**

	Designs should be contextual to adjacent buildings, including their cornice lines and horizontal banding.						
32	32 Response: N/A.						
	Innovative design and unusual lighting of the exterior of the building is important to emphasize the monumentality of government buildings.						
33	Response: N/A.						
34	The principal building entrance should be easily identified by building features and landscape elements; additional public entrances should be provided at every street face.						
	Response: N/A.						
25	Building materials should be of stone, brick, or similar durable, high quality materials. Building form, articulation, and materials should respect and be sympathetic to the major governmental and institutional buildings in the area.						
35	Response: N/A.						
	Preferred materials (other than glass) include metal, brick, stone, concrete, plaster, and wood trim; discouraged materials include vinyl siding, pressed wood siding, and exterior insulated finishing systems (EIFS).						
36	Response: N/A.						
	Materials covering original architectural features of historic or architecturally significant buildings are discouraged.						
37	Response: N/A.						
	A minimum of 35 percent of each upper story should be windows.						
38	Response: N/A.						
	Building corners that face an intersection should strive for a distinctive form and high level of articulation.						
39	Response: N/A.						
	Buildings may step back further at intersections in order to articulate the corners.						
40	Response: N/A.						

41	Buildings downtown and in Pedestrian Business Overlays should have stepbacks and articulated facades to mitigate wind effects and increase light and air. Buildings should step back 10 to 15 feet at the 60-foot point above the ground on a wide street and 15 feet on a narrow street. A wide street is 75 feet in width or more.					
	Response: N/A.					
42	Flat roof buildings should have decorative parapets with elements, such as detailed cornices, corbeling, applied medallions, or other similar architectural treatments.					
	Response: N/A.					
	Signage should be compatible in scale, style, and composition with the building or storefront design as a whole.					
43 Response: N/A.						
	Diverse graphic solutions are encouraged to help create the sense of uniqueness and discovery found in an urban, mixed-use environment.					
44	Response: N/A.					
	All mechanical and electrical mechanisms should be concealed.					
45	Response: N/A.					
	Signs should not obscure a building's important architectural features, particularly in the case of historic buildings.					
46	Response: N/A.					
	Signs should be constructed with durable materials and quality manufacturing.					
47 Response: N/A.						
	Sign bands above transom and on awnings are preferred signage locations.					
48	Response: N/A.					
	Only the business name, street address, building name, and logo should be on an awning or canopy. The lettering should not exceed 40 percent of the awning area.					
49	Response: N/A.					

50	Illuminated signs should avoid the colors red, yellow, and green when adjacent to a signal controlled vehicular intersection. Response: N/A.				
51	Allowed sign types: channel letter signs, silhouette signs (reverse channel), individualized letter signs, projecting signs, canopy/marquee signs, logo signs, awning signs, and interior window signs. Response:				
	N/A.				
52	Discouraged sign types: signs constructed of paper, cardboard, styrofoam-type materials, formed plastic, injected molded plastic, or other such materials that do not provide a sense of permanence or quality; signs attached with suction cups or tape; signs constructed of luminous vacuum-formed plastic letters; signs with smoke-emitting components. Changeable copy signs are prohibited.				
	Response: N/A.				

Rezoning Checklist (Submittal Requirements)					
To be completed by Applicant			To be completed by staff		
General Requirements – General Use or Conditional Use Rezoning Yes N/A			Yes	No	N/A
I have referenced this Rezoning Checklist and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh	√				
2. Pre-application conference.	✓				
Neighborhood meeting notice and report	√				
4. Rezoning application review fee (see <u>Fee Guide</u> for rates).	√				
Completed application submitted through Permit and Development Portal	√				
6. Completed Comprehensive Plan consistency analysis	√				
7. Completed response to the urban design guidelines	√				
8. Two sets of stamped envelopes addressed to all property owners and tenants of the rezoning site(s) and within 500 feet of area to be rezoned.	√				
9. Trip generation study		✓			
10. Traffic impact analysis		✓			
For properties requesting a Conditional Use District:					
11. Completed zoning conditions, signed by property owner(s).		✓			
If applicable, see page 11:					
12. Proof of Power of Attorney or Owner Affidavit.		√			
For properties requesting a Planned Development or Campus District:					
13. Master plan (see Master Plan submittal requirements).					
For properties requesting a text change to zoning conditions:					
14. Redline copy of zoning conditions with proposed changes.					
15. Proposed conditions signed by property owner(s).		√			

Master Plan (Submittal Requirements)					
To be completed by Applicant			To be completed by staff		
General Requirements – Master Plan	Yes	N/A	Yes	No	N/A
1. I have referenced this Master Plan Checklist and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh.		✓			
2. Total number of units and square feet		✓			
3. 12 sets of plans		✓			
4. Completed application; submitted through Permit & Development Portal		V			
5. Vicinity Map		✓			
6. Existing Conditions Map		✓			
7. Street and Block Layout Plan		✓			
8. General Layout Map/Height and Frontage Map		√			The state of the s
9. Description of Modification to Standards, 12 sets		✓			
10. Development Plan (location of building types)		✓			
11. Pedestrian Circulation Plan		√			
12. Parking Plan		√			
13. Open Space Plan		√			
14. Tree Conservation Plan (if site is 2 acres or more)		√			
15. Major Utilities Plan/Utilities Service Plan		√			
16. Generalized Stormwater Plan		✓			
17. Phasing Plan		V			
18. Three-Dimensional Model/renderings		✓			
19. Common Signage Plan		√			
)				

Page **10** of **15**

Who Can Initiate a Zoning Request?

If requesting to down-zone property, the rezoning application must be signed by all the property owners whose property is subject to the downzoning. Downzoning is defined as a zoning ordinance that affects an area of land in one of the following ways:

- 1. By decreasing the development density of the land to be less dense than was allowed under its previous usage.
- 2. By reducing the permitted uses of the land that are specified in a zoning ordinance or land development regulation to fewer uses than were allowed under its previous usage.

If requesting to rezone property to a conditional district, the rezoning application must be signed by all owners of the property to be included in the district. For purposes of the application only (not the zoning conditions), the City will accept signatures on behalf of the property owner from the following:

- 1. the property owner;
- 2. an attorney acting on behalf of the property owner with an executed power of attorney; or
- 3. a person authorized to act on behalf of the property owner with an executed owner's affidavit.

An owner's affidavit must be made under oath, properly notarized and, at a minimum, include the following information:

- The property owner's name and, if applicable, the property owner's title and organization name.
- The address, PIN and Deed Book/Page Number of the property.
- A statement that the person listed as the property owner is the legal owner of the property described.
- The name of the person authorized to act on behalf of the property owner as the applicant. If applicable, the authorized person's title and organization name.
- A statement that the property owner, as legal owner of the described property, hereby gives authorization and permission to the authorized person, to submit to the City of Raleigh an application to rezone the described property.
- A statement that the property owner understands and acknowledges that zoning conditions must be signed, approved and consented to by the property owner.
- The property owner's signature and the date the property owner signed the affidavit.

If requesting to rezone property to a general use district that is not a down-zoning, the rezoning application may be signed, for the purpose of initiating the request, by property owners or third-party applicants.

Page 11 of 15 REVISION 10.27.20

NOTIFICATION LETTER TEMPLATE

Date:

Re: Potential (REZONING/TEXT CHANGE TO ZONING CONDITIONS) of (SITE LOCATION)

Neighboring Property Owners and Tenants:

You are invited to attend a neighborhood meeting on (MEETING DATE and TIME). The meeting will be held at (MEETING LOCATION, INCLUDING ADDRESS) and will begin at (TIME).

The purpose of this meeting is to discuss a potential rezoning of the property located at (SITE ADDRESS AND NEARBY LANDMARKS). This site is currently zoned (CURRENT ZONING DISTRICT) and is proposed to be rezoned to (PROPOSED ZONING DISTRICT). (ANY OTHER RELEVANT DETAILS OF THE REQUEST.)

Prior to the submittal of any rezoning application, the City of Raleigh requires that a neighborhood meeting be held for all property owners and tenants within 500 feet of the area requested for rezoning.

Information about the rezoning process is available online; visit www.raleighnc.gov and search for "Rezoning Process." If you have further questions about the rezoning process, please contact Raleigh Planning & Development at 919-996-2682 (option 2) or rezoning@raleighnc.gov.

If you have any concerns or questions about this potential rezoning I (WE) can be reached at: (NAME)
(CONTACT INFO)

Sincerely,

ATTESTATION TEMPLATE

Attestation Statement

I, the undersigned, do hereby attest that the electronic verification document						
submitted herewith accurately reflects notification letters, enclosures, envelopes						
and mailing list for mailing the neighborhood meeting notification letters as						
required by Chapter 10 of the City of Raleigh UDO, and I do	hereby further attest					
that that I did in fact deposit all of the required neighborhood	meeting notification					
letters with the US. Postal Service on the, day of	, 2020. I do					
hereby attest that this information is true, accurate and comp	plete to the best of					
my knowledge and I understand that any falsification, omissi	on, or concealment					
of material fact may be a violation of the UDO subjecting me	to administrative,					
civil, and/or, criminal liability, including, but not limited to, inv	alidation of the					
application to which such required neighborhood meeting rel	ates.					
,						
Meh	09/23/2027					
Signature of Applicant/Applicant Representative	Date					


SUMMARY OF ISSUES

A neighborhood meeting was held on AUGU	ST 31, 2022	(date) to disc	cuss a pote	ential rezoning	
located at 1915 JONES FRANKLIN	ROAD		_(property	address). The	
neighborhood meeting was held at 5511 HIL	LSBOROUGH	IST.		(location).	
There were approximately 2 (number) neighbors in attendance. The general issues discusse					
were:					
	Summary of Issues:				
tild propallalle F	T. THE	DRADER) T \ /	T. P. M. Th. A	

THE REZONING OF THE PROPERTY FROM R-4 TO OX-3. OF THE NEIGHBORS THAT ATTENDED, NO ONE OBJECTED. I ALSO SPOKE TO NETGHBORS THAT COULDN'T ATTEND IN PERSON, AND THEY WERE ALSO IN SUPPORT, NO OBJECT-ION TO THE REZONING.

Page 14 of 15

ATTENDANCE ROSTER					
NAME	ADDRESS				
LUIS ORDONEZ	5321 DILLARD DR RALEIGH, NC 27606				
DANA STYLES	5321 DILLARD DR RALEIGH, NC 27606				
	я				
a					



1 inch equals 800 feet

I AM RESPECTFULLY REQUESTING THE REZONING OF 1915 JONES FRANKLIN ROAD (THE "PROPERTY"), FROM R-4 TO OX-3. I HOPE TO REZONE THE PROPERTY IN ORDER TO

RELOCATE MY ACCOUNTING OFFICE TO THE PROPERTY AND USE THE EXISTING

STRUCTURE.

WHILE THE REZONING REQUEST IS INCONSISENT WITH THE FUTURE LAND USE MAP, I

BELIEVE REZONING IS APPROPRIATE BECAUSE: (1) THE SURROUNDING AREAS ARE

MIXED USE, (2) JONES FRANKLIN ROAD HAS OTHER OX-3 CARVE OUTS, AND (3) THE TYPE OF USE WILL NOT DISRUPT RESIDENTS.

(1) THE PROPERTY IS ON THE CORNER OF JONES FRANKLIN ROAD AND DILLARD DRIVE. THE LAND IMMEDIATLY ADJACENT TO AND IN FRONT OF THE PROPERTY ARE ZONED FOR BUSINESS USE OR CONSIDERED BUSINESS USE (IN THE CASE OF THE APARTMENT

COMPLEX). OVER 50 PERCENT OF THE IMMEDIATE SURROUNDINGS OF THE PROPERTY ARE BUSINESSES OR RESIDENTIAL MIXED USE.ADDITIONALLY, THE PROPERTY IS ON A BUSY CROSSROAD AND NOT SUITABLE FOR A RESIDENCE.

(2) REFERINCING THE CITY OF RALEIGH ZONING MAP, THERE ARE MULTIPLE OX-3 CARVE OUTS ALL ALONG JONES FRANKLIN ROAD. SPECIFICALLY, THREE PROPERTIES LOCATED NEAR THE CROSS STREETS OF JONES FRANKLIN ROAD, WAYNE STREET AND

WOODSDALE ROAD.

(3) MY CPA OFFICE IS NEIGHBORHOOD FRIENDLY. HOURS OF OPERATION ARE DURING THE DAYTIME. THE NATURE OF OUR BUSINESS DOES NOT CREATE ANY TRAFFIC, NOISE OR DISRUPTION.

FOR THESE REASONS I AM RESPECTFULLY REQUESTING THE REZONING OF THE PROPERTY FROM R-4 TO OX-3.